

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
1320P1	ORMOND_N	002YR24HR	71.9676	-16	0.000	0.0000	23.17	2.5674	23.17
1320P1	ORMOND_N	010YR24HR	9.7729	-10	0.000	0.0000	23.17	0.0000	23.17
1320P1	ORMOND_N	025YR24HR	10.7090	-12	0.000	0.0000	23.17	1.5761	23.17
1320P1	ORMOND_N	050YR24HR	10.3157	-16	0.000	0.0000	23.17	1.4449	23.17
1320P1	ORMOND_N	100YR24HR	9.1291	-12	0.000	0.0000	23.17	0.0000	23.17
1320P1	ORMOND_N	500YR24HR	8.8691	-16	0.000	0.0000	23.17	1.1437	23.17
1320P2	ORMOND_N	002YR24HR	19.5576	-8	0.000	0.0000	23.17	0.8715	25.50
1320P2	ORMOND_N	010YR24HR	14.6487	-10	0.000	0.0000	23.17	0.0000	25.50
1320P2	ORMOND_N	025YR24HR	13.8326	-9	0.000	0.0000	23.17	0.3676	25.50
1320P2	ORMOND_N	050YR24HR	13.4884	-9	0.000	0.0000	23.17	0.4547	25.50
1320P2	ORMOND_N	100YR24HR	13.2129	-9	0.000	0.0000	23.17	0.3017	25.50
1320P2	ORMOND_N	500YR24HR	12.7298	-9	0.000	0.0000	23.17	0.2606	25.50
1320W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	23.17	2.5674	23.17
1320W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
1320W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	23.17	1.5761	23.17
1320W1	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	23.17	1.4449	23.17
1320W1	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
1320W1	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	23.17	1.1437	23.17
1321P	ORMOND_N	002YR24HR	13.3933	-7	0.000	0.0000	23.80	0.0000	23.17
1321P	ORMOND_N	010YR24HR	12.9561	-12	0.000	0.0000	23.80	0.0000	23.17
1321P	ORMOND_N	025YR24HR	12.7877	-13	0.000	0.0000	23.80	0.0000	23.17
1321P	ORMOND_N	050YR24HR	12.6679	-13	0.000	0.0000	23.80	0.0000	23.17
1321P	ORMOND_N	100YR24HR	12.5501	-12	0.000	0.0000	23.80	0.0000	23.17
1321P	ORMOND_N	500YR24HR	13.3186	-11	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	050YR24HR	19.5337	-0	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	100YR24HR	21.7564	-16	0.000	0.0000	23.80	0.0000	23.17
1321W1	ORMOND_N	500YR24HR	20.1135	-62	0.000	0.0000	23.80	0.0000	23.17
1325W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	23.80
1325W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	23.80
1325W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	23.80
1325W1	ORMOND_N	050YR24HR	24.0846	-0	0.000	0.0000	28.00	0.0000	23.80
1325W1	ORMOND_N	100YR24HR	22.8711	-19	0.000	0.0000	28.00	0.0000	23.80
1325W1	ORMOND_N	500YR24HR	20.2549	-68	0.000	0.0000	28.00	0.0000	23.80
1326W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W1	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W1	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W1	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W2	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	29.00	2.5674	23.17
1326W2	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W2	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	29.00	1.5761	23.17
1326W2	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	29.00	1.4449	23.17
1326W2	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
1326W2	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	29.00	1.1437	23.17
1327W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	30.00	69.3979	29.00
1327W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	30.00	55.6375	29.00
1327W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	30.00	69.0235	29.00
1327W1	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	30.00	63.9778	29.00
1327W1	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	30.00	71.8736	29.00
1327W1	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	30.00	67.0332	29.00
1327W2	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1327W2	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1327W2	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1327W2	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1327W2	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1327W2	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
1328P1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328P1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328P1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328P1	ORMOND_N	050YR24HR	24.1990	-0	0.000	0.0000	28.00	0.0000	28.00
1328P1	ORMOND_N	100YR24HR	23.0745	-0	0.000	0.0000	28.00	0.0000	28.00
1328P1	ORMOND_N	500YR24HR	20.1611	-1	0.000	0.0000	28.00	0.0000	28.00
1328W1	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328W1	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328W1	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
1328W1	ORMOND_N	050YR24HR	24.2142	-3	0.000	0.0000	28.00	0.0000	28.00
1328W1	ORMOND_N	100YR24HR	23.1984	-24	0.000	0.0000	28.00	0.0000	28.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
1328W1	ORMOND_N	500YR24HR	19.9654	-79	0.000	0.0000	28.00	0.0000	28.00
1328W2	ORMOND_N	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1328W2	ORMOND_N	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1328W2	ORMOND_N	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1328W2	ORMOND_N	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1328W2	ORMOND_N	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1328W2	ORMOND_N	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	29.00
1330P1	ORMOND_N	002YR24HR	12.9831	-5	0.000	69.3979	29.00	0.0000	29.00
1330P1	ORMOND_N	010YR24HR	12.8506	-5	0.000	55.6375	29.00	0.0000	29.00
1330P1	ORMOND_N	025YR24HR	12.8042	-6	0.000	69.0235	29.00	0.0000	29.00
1330P1	ORMOND_N	050YR24HR	12.7813	-6	0.000	63.9778	29.00	0.0000	29.00
1330P1	ORMOND_N	100YR24HR	12.7602	-6	0.000	71.8736	29.00	0.0000	29.00
1330P1	ORMOND_N	500YR24HR	12.7206	-6	0.000	67.0332	29.00	0.0000	29.00
1330W1	ORMOND_N	002YR24HR	0.0000	0	0.000	69.3979	29.00	0.0000	29.00
1330W1	ORMOND_N	010YR24HR	0.0000	0	0.000	55.6375	29.00	0.0000	29.00
1330W1	ORMOND_N	025YR24HR	0.0000	0	0.000	69.0235	29.00	0.0000	29.00
1330W1	ORMOND_N	050YR24HR	0.0000	0	0.000	63.9778	29.00	0.0000	29.00
1330W1	ORMOND_N	100YR24HR	0.0000	0	0.000	71.8736	29.00	0.0000	29.00
1330W1	ORMOND_N	500YR24HR	0.0000	0	0.000	67.0332	29.00	0.0000	29.00
1330W2A	ORMOND_N	002YR24HR	69.3979	-0	0.000	69.3979	29.00	0.0000	29.00
1330W2A	ORMOND_N	010YR24HR	55.6375	-0	0.000	55.6375	29.00	0.0000	29.00
1330W2A	ORMOND_N	025YR24HR	69.0235	-0	0.000	69.0235	29.00	0.0000	29.00
1330W2A	ORMOND_N	050YR24HR	63.9778	-0	0.000	63.9778	29.00	0.0000	29.00
1330W2A	ORMOND_N	100YR24HR	71.8736	-0	0.000	71.8736	29.00	0.0000	29.00
1330W2A	ORMOND_N	500YR24HR	67.0332	-0	0.000	67.0332	29.00	0.0000	29.00
1330W2C	ORMOND_N	002YR24HR	0.0000	0	0.000	69.3979	29.00	0.0000	29.00
1330W2C	ORMOND_N	010YR24HR	0.0000	0	0.000	55.6375	29.00	0.0000	29.00
1330W2C	ORMOND_N	025YR24HR	0.0000	0	0.000	69.0235	29.00	0.0000	29.00
1330W2C	ORMOND_N	050YR24HR	0.0000	0	0.000	63.9778	29.00	0.0000	29.00
1330W2C	ORMOND_N	100YR24HR	0.0000	0	0.000	71.8736	29.00	0.0000	29.00
1330W2C	ORMOND_N	500YR24HR	0.0000	0	0.000	67.0332	29.00	0.0000	29.00
A0001P1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.61
A0001P1	ORMOND_A	010YR24HR	56.6542	-3	0.000	0.0000	18.19	0.0000	17.61
A0001P1	ORMOND_A	025YR24HR	23.4564	-44	0.000	0.0000	18.19	0.0000	17.61
A0001P1	ORMOND_A	050YR24HR	25.8435	-18	0.000	0.0000	18.19	0.0000	17.61
A0001P1	ORMOND_A	100YR24HR	20.6799	-61	0.000	0.0000	18.19	0.0000	17.61
A0001P1	ORMOND_A	500YR24HR	21.2544	-77	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	010YR24HR	56.6542	-3	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	025YR24HR	23.4564	-44	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	050YR24HR	25.8435	-18	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	100YR24HR	20.6799	-61	0.000	0.0000	18.19	0.0000	17.61
A0001P2	ORMOND_A	500YR24HR	21.2544	-77	0.000	0.0000	18.19	0.0000	17.61
A0001W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0001W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0001W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0001W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0001W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0001W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
A0002P1	ORMOND_A	002YR24HR	56.0789	-6	0.000	0.0000	17.61	0.0000	16.03
A0002P1	ORMOND_A	010YR24HR	66.2070	-12	0.000	0.0000	17.61	0.0000	16.03
A0002P1	ORMOND_A	025YR24HR	28.5345	-33	0.000	0.0000	17.61	0.0000	16.03
A0002P1	ORMOND_A	050YR24HR	32.0412	-18	0.000	0.0000	17.61	0.0000	16.03
A0002P1	ORMOND_A	100YR24HR	21.7491	-50	0.000	0.0000	17.61	0.0000	16.03
A0002P1	ORMOND_A	500YR24HR	25.0902	-84	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	002YR24HR	56.0789	-6	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	010YR24HR	66.2070	-11	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	025YR24HR	28.5345	-34	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	050YR24HR	32.0412	-18	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	100YR24HR	21.7491	-50	0.000	0.0000	17.61	0.0000	16.03
A0002P2	ORMOND_A	500YR24HR	25.0902	-85	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	100YR24HR	21.1566	-0	0.000	0.0000	17.61	0.0000	16.03
A0002W1	ORMOND_A	500YR24HR	19.2463	-5	0.000	0.0000	17.61	0.0000	16.03
A0009P1	ORMOND_A	002YR24HR	20.9337	-2	0.000	0.0000	19.71	0.0000	16.03
A0009P1	ORMOND_A	010YR24HR	17.7161	-8	0.000	0.0000	19.71	0.0000	16.03
A0009P1	ORMOND_A	025YR24HR	12.4605	-11	0.000	0.0000	19.71	0.0000	16.03

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0009P1	ORMOND_A	050YR24HR	12.4144	-12	0.000	0.0000	19.71	0.0000	16.03
A0009P1	ORMOND_A	100YR24HR	12.3249	-13	0.000	0.0000	19.71	0.0000	16.03
A0009P1	ORMOND_A	500YR24HR	12.1314	-14	0.000	0.0000	19.71	0.0000	16.03
A0009W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	15.80
A0009W1	ORMOND_A	010YR24HR	21.0820	-5	0.000	0.0000	19.71	0.0000	15.80
A0009W1	ORMOND_A	025YR24HR	19.2334	-28	0.000	0.0000	19.71	0.0000	15.80
A0009W1	ORMOND_A	050YR24HR	18.6429	-11	0.000	0.0000	19.71	0.0000	15.80
A0009W1	ORMOND_A	100YR24HR	17.7226	-49	0.000	0.0000	19.71	0.0000	15.80
A0009W1	ORMOND_A	500YR24HR	18.5807	-122	0.000	0.0000	19.71	0.0000	15.80
A0009W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	17.00
A0009W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	17.00
A0009W2	ORMOND_A	025YR24HR	20.3754	-0	0.000	0.0000	19.71	0.0000	17.00
A0009W2	ORMOND_A	050YR24HR	23.0811	-0	0.000	0.0000	19.71	0.0000	17.00
A0009W2	ORMOND_A	100YR24HR	17.7303	-1	0.000	0.0000	19.71	0.0000	17.00
A0009W2	ORMOND_A	500YR24HR	16.0307	-3	0.000	0.0000	19.71	0.0000	17.00
A0009W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	20.50
A0009W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	20.50
A0009W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	20.50
A0009W3	ORMOND_A	050YR24HR	21.4115	-0	0.000	0.0000	19.71	0.0000	20.50
A0009W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	19.71	0.0000	20.50
A0009W3	ORMOND_A	500YR24HR	15.8160	-1	0.000	0.0000	19.71	0.0000	20.50
A0010W1	ORMOND_A	002YR24HR	71.9998	0	0.000	71.9998	22.99	0.0000	18.19
A0010W1	ORMOND_A	010YR24HR	72.0003	0	0.000	72.0003	22.99	0.0000	18.19
A0010W1	ORMOND_A	025YR24HR	72.0000	0	0.000	72.0000	22.99	0.0000	18.19
A0010W1	ORMOND_A	050YR24HR	72.0000	0	0.000	72.0000	22.99	0.0000	18.19
A0010W1	ORMOND_A	100YR24HR	72.0004	0	0.000	72.0004	22.99	0.0000	18.19
A0010W1	ORMOND_A	500YR24HR	72.0000	0	0.000	72.0000	23.00	0.0000	18.19
A0012W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	19.01	0.0000	17.61
A0012W1	ORMOND_A	010YR24HR	69.2705	-0	0.000	0.0000	19.01	0.0000	17.61
A0012W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	19.01	0.0000	17.61
A0012W1	ORMOND_A	050YR24HR	70.8969	-0	0.000	0.0000	19.01	0.0000	17.61
A0012W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	19.01	0.0000	17.61
A0012W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	19.01	0.0000	17.61
A0020P	ORMOND_A	002YR24HR	12.6273	-5	0.000	0.0000	21.90	0.0000	21.90
A0020P	ORMOND_A	010YR24HR	12.6796	-19	0.000	0.0000	21.90	0.0000	21.90
A0020P	ORMOND_A	025YR24HR	22.8666	-39	0.000	0.0000	21.90	0.0000	21.90
A0020P	ORMOND_A	050YR24HR	22.6050	-34	0.000	0.0000	21.90	0.0000	21.90
A0020P	ORMOND_A	100YR24HR	20.7195	-51	0.000	0.0000	21.90	0.0000	21.90
A0020P	ORMOND_A	500YR24HR	25.2640	-55	0.000	0.0000	21.90	0.0000	21.90
A0020W1	ORMOND_A	002YR24HR	11.9036	-2	0.000	0.0000	21.90	71.9998	22.99
A0020W1	ORMOND_A	010YR24HR	11.7633	-2	0.000	0.0000	21.90	72.0003	22.99
A0020W1	ORMOND_A	025YR24HR	11.6901	-2	0.000	0.0000	21.90	72.0000	22.99
A0020W1	ORMOND_A	050YR24HR	11.6453	-2	0.000	0.0000	21.90	72.0000	22.99
A0020W1	ORMOND_A	100YR24HR	11.5959	-2	0.000	0.0000	21.90	72.0004	22.99
A0020W1	ORMOND_A	500YR24HR	11.3581	-1	0.000	0.0000	21.90	72.0000	23.00
A0021P	ORMOND_A	002YR24HR	12.7627	-5	0.000	0.0000	21.90	0.6683	21.00
A0021P	ORMOND_A	010YR24HR	12.6772	-18	0.000	0.0000	21.90	0.4188	21.00
A0021P	ORMOND_A	025YR24HR	22.8407	-39	0.000	0.0000	21.90	0.3357	21.00
A0021P	ORMOND_A	050YR24HR	22.5649	-34	0.000	0.0000	21.90	0.3337	21.00
A0021P	ORMOND_A	100YR24HR	20.7030	-51	0.000	0.0000	21.90	0.2556	21.00
A0021P	ORMOND_A	500YR24HR	25.1980	-57	0.000	0.0000	21.90	0.2415	21.00
A0022W1	ORMOND_A	002YR24HR	0.6683	0	0.000	0.6683	21.00	0.0000	19.01
A0022W1	ORMOND_A	010YR24HR	0.4188	0	0.000	0.4188	21.00	0.0000	19.01
A0022W1	ORMOND_A	025YR24HR	0.3357	0	0.000	0.3357	21.00	0.0000	19.01
A0022W1	ORMOND_A	050YR24HR	0.3337	0	0.000	0.3337	21.00	0.0000	19.01
A0022W1	ORMOND_A	100YR24HR	0.2556	0	0.000	0.2556	21.00	0.0000	19.01
A0022W1	ORMOND_A	500YR24HR	0.2415	0	0.000	0.2415	21.00	0.0000	19.01
A0030D1	ORMOND_A	002YR24HR	18.7061	-19	0.000	0.0000	22.00	0.0000	25.00
A0030D1	ORMOND_A	010YR24HR	17.2431	-24	0.000	0.0000	22.00	0.0000	25.00
A0030D1	ORMOND_A	025YR24HR	17.5807	-27	0.000	0.0000	22.00	0.0000	25.00
A0030D1	ORMOND_A	050YR24HR	17.7431	-29	0.000	0.0000	22.00	0.0000	25.00
A0030D1	ORMOND_A	100YR24HR	17.6669	-31	0.000	0.0000	22.00	0.0000	25.00
A0030D1	ORMOND_A	500YR24HR	16.9938	-33	0.000	0.0000	22.00	0.0000	25.00
A0030P	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0030P	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0030P	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0030P	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0030P	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0030P	ORMOND_A	500YR24HR	66.5263	-1	0.000	0.0000	22.00	0.0000	22.00
A0030W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0030W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90
A0030W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90
A0030W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90
A0030W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90
A0030W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.90
A0031P	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0031P	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0031P	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0031P	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0031P	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
A0031P	ORMOND_A	500YR24HR	67.9496	-1	0.000	0.0000	22.00	0.0000	22.00
A0032W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.6683	21.00
A0032W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.4188	21.00
A0032W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.3357	21.00
A0032W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.3337	21.00
A0032W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	22.00	0.2556	21.00
A0032W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	22.00	0.2415	21.00
A0039W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	22.00
A0039W1	ORMOND_A	010YR24HR	12.5098	-1	0.000	0.0000	20.00	0.0000	22.00
A0039W1	ORMOND_A	025YR24HR	12.4493	-4	0.000	0.0000	20.00	0.0000	22.00
A0039W1	ORMOND_A	050YR24HR	12.4278	-6	0.000	0.0000	20.00	0.0000	22.00
A0039W1	ORMOND_A	100YR24HR	12.4123	-8	0.000	0.0000	20.00	0.0000	22.00
A0039W1	ORMOND_A	500YR24HR	12.3965	-15	0.000	0.0000	20.00	0.0000	22.00
A0040P	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040P	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040P	ORMOND_A	025YR24HR	49.7733	-1	0.000	0.0000	22.53	0.0000	22.00
A0040P	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040P	ORMOND_A	100YR24HR	54.3324	-1	0.000	0.0000	22.53	0.0000	22.00
A0040P	ORMOND_A	500YR24HR	54.8949	-2	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0040W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	22.53	0.0000	22.00
A0041P	ORMOND_A	002YR24HR	3.5985	-0	0.000	0.0000	22.00	0.0000	22.00
A0041P	ORMOND_A	010YR24HR	2.7450	-0	0.000	0.0000	22.00	0.0000	22.00
A0041P	ORMOND_A	025YR24HR	46.2000	-4	0.000	0.0000	22.00	0.0000	22.00
A0041P	ORMOND_A	050YR24HR	2.2493	-0	0.000	0.0000	22.00	0.0000	22.00
A0041P	ORMOND_A	100YR24HR	47.8595	-4	0.000	0.0000	22.00	0.0000	22.00
A0041P	ORMOND_A	500YR24HR	46.5376	-4	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	002YR24HR	3.6427	-1	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	010YR24HR	2.7787	-1	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	025YR24HR	2.4565	-1	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	050YR24HR	2.2863	-1	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	100YR24HR	2.1412	-1	0.000	0.0000	22.00	0.0000	22.00
A0042W1	ORMOND_A	500YR24HR	1.8759	-1	0.000	0.0000	22.00	0.0000	22.00
A0045DS	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045DS	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045DS	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045DS	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045DS	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045DS	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	22.53
A0045W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.50
A0045W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.50
A0045W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.50
A0045W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.50
A0045W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.50
A0045W1	ORMOND_A	500YR24HR	16.9486	-0	0.000	0.0000	26.80	0.0000	25.50
A0047W1	ORMOND_A	002YR24HR	14.7593	-2	0.000	0.0000	26.80	0.0000	26.80
A0047W1	ORMOND_A	010YR24HR	15.4198	-2	0.000	0.0000	26.80	0.0000	26.80
A0047W1	ORMOND_A	025YR24HR	16.2230	-2	0.000	0.0000	26.80	0.0000	26.80
A0047W1	ORMOND_A	050YR24HR	16.6796	-2	0.000	0.0000	26.80	0.0000	26.80
A0047W1	ORMOND_A	100YR24HR	16.1066	-2	0.000	0.0000	26.80	0.0000	26.80
A0047W1	ORMOND_A	500YR24HR	24.2069	-2	0.000	0.0000	26.80	0.0000	26.80
A0048W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0048W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0048W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0048W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0048W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0048W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0048W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0048W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0048W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0048W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0048W3	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0048W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0048W3	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.42
A0050P	ORMOND_A	002YR24HR	70.8117	-2	0.000	0.0000	24.00	0.0276	24.00
A0050P	ORMOND_A	010YR24HR	30.7484	-2	0.000	0.0000	24.00	0.0276	24.00
A0050P	ORMOND_A	025YR24HR	69.1571	-2	0.000	0.0000	24.00	0.0276	24.00
A0050P	ORMOND_A	050YR24HR	63.9342	-2	0.000	0.0000	24.00	0.0276	24.00
A0050P	ORMOND_A	100YR24HR	62.6841	-2	0.000	0.0000	24.00	0.0276	24.00
A0050P	ORMOND_A	500YR24HR	60.3036	-2	0.000	0.0000	24.00	0.0276	24.00
A0050W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0050W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0050W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0050W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0050W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0050W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.53
A0051P	ORMOND_A	002YR24HR	59.5755	-3	0.000	0.0276	24.00	0.0000	24.00
A0051P	ORMOND_A	010YR24HR	71.9592	-3	0.000	0.0276	24.00	0.0000	24.00
A0051P	ORMOND_A	025YR24HR	69.0312	-3	0.000	0.0276	24.00	0.0000	24.00
A0051P	ORMOND_A	050YR24HR	63.7958	-3	0.000	0.0276	24.00	0.0000	24.00
A0051P	ORMOND_A	100YR24HR	36.4791	-3	0.000	0.0276	24.00	0.0000	24.00
A0051P	ORMOND_A	500YR24HR	40.0639	-3	0.000	0.0276	24.00	0.0000	24.00
A0052W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0052W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0052W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0052W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0052W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0052W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.00
A0055P1	ORMOND_A	002YR24HR	2.0226	0	0.000	2.0226	25.34	3.4634	25.34
A0055P1	ORMOND_A	010YR24HR	1.2916	0	0.000	1.2916	25.34	2.5910	25.34
A0055P1	ORMOND_A	025YR24HR	1.0502	0	0.000	1.0502	25.34	2.2759	25.34
A0055P1	ORMOND_A	050YR24HR	1.0129	0	0.000	1.0129	25.34	2.1115	25.34
A0055P1	ORMOND_A	100YR24HR	0.8660	0	0.000	0.8660	25.34	1.9742	25.34
A0055P1	ORMOND_A	500YR24HR	0.7585	0	0.000	0.7585	25.34	1.7266	25.34
A0055W1	ORMOND_A	002YR24HR	0.0000	0	0.000	2.0226	25.34	3.5832	24.16
A0055W1	ORMOND_A	010YR24HR	0.0000	0	0.000	1.2916	25.34	2.7118	24.16
A0055W1	ORMOND_A	025YR24HR	0.0000	0	0.000	1.0502	25.34	2.3882	24.16
A0055W1	ORMOND_A	050YR24HR	0.0000	0	0.000	1.0129	25.34	2.2165	24.16
A0055W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.8660	25.34	2.0676	24.16
A0055W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.7585	25.34	1.7794	24.16
A0056D	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	2.0226	25.34
A0056D	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	1.2916	25.34
A0056D	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	1.0502	25.34
A0056D	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	1.0129	25.34
A0056D	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.8660	25.34
A0056D	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.7585	25.34
A0056W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	2.0226	25.34
A0056W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	1.2916	25.34
A0056W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	1.0502	25.34
A0056W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	1.0129	25.34
A0056W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.8660	25.34
A0056W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.7585	25.34
A0060D1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	22.53
A0060D1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	22.53
A0060D1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	22.53
A0060D1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	22.53
A0060D1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	22.53
A0060D1	ORMOND_A	500YR24HR	12.1175	-16	0.000	0.0000	25.50	0.0000	22.53
A0060W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.07
A0060W1	ORMOND_A	010YR24HR	19.2070	-13	0.000	0.0000	25.50	0.0000	25.07
A0060W1	ORMOND_A	025YR24HR	24.7431	-24	0.000	0.0000	25.50	0.0000	25.07
A0060W1	ORMOND_A	050YR24HR	26.6601	-31	0.000	0.0000	25.50	0.0000	25.07

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0060W1	ORMOND_A	100YR24HR	28.5859	-31	0.000	0.0000	25.50	0.0000	25.07
A0060W1	ORMOND_A	500YR24HR	31.0603	-32	0.000	0.0000	25.50	0.0000	25.07
A0060W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
A0060W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
A0060W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
A0060W2	ORMOND_A	050YR24HR	20.0500	-2	0.000	0.0000	25.50	0.0000	25.00
A0060W2	ORMOND_A	100YR24HR	21.8651	-3	0.000	0.0000	25.50	0.0000	25.00
A0060W2	ORMOND_A	500YR24HR	25.1065	-4	0.000	0.0000	25.50	0.0000	25.00
A0060W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0060W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0060W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0060W3	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0060W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0060W3	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	26.00
A0061AW1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.50
A0061AW2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061AW2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061AW2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061AW2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061AW2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061AW2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
A0061W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	2.7627	26.42
A0061W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	28.00	1.8681	26.42
A0061W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	1.5949	26.42
A0061W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	1.4347	26.42
A0061W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	28.00	1.2577	26.42
A0061W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	28.00	1.0995	26.42
A0061W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
A0061W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	28.00	1.0025	28.00
A0061W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
A0061W3	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
A0061W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.6725	28.00
A0061W3	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.5432	28.00
A0061W4	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	1.4168	28.00
A0061W4	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	28.00	1.0268	28.00
A0061W4	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.7501	28.00
A0061W4	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.6668	28.00
A0061W4	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.6947	28.00
A0061W4	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.5903	28.00
A0063W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
A0063W1	ORMOND_A	010YR24HR	15.5090	-3	0.000	0.0000	25.00	0.0000	25.00
A0063W1	ORMOND_A	025YR24HR	14.4459	-7	0.000	0.0000	25.00	0.0000	25.00
A0063W1	ORMOND_A	050YR24HR	13.9626	-10	0.000	0.0000	25.00	0.0000	25.00
A0063W1	ORMOND_A	100YR24HR	13.6332	-14	0.000	0.0000	25.00	0.0000	25.00
A0063W1	ORMOND_A	500YR24HR	13.1426	-27	0.000	0.0000	25.00	0.0000	25.00
A0065W1	ORMOND_A	002YR24HR	12.0395	-11	0.000	0.0000	25.07	0.0000	25.00
A0065W1	ORMOND_A	010YR24HR	11.7776	-7	0.000	0.0000	25.07	0.0000	25.00
A0065W1	ORMOND_A	025YR24HR	24.7531	-10	0.000	0.0000	25.07	0.0000	25.00
A0065W1	ORMOND_A	050YR24HR	26.6684	-16	0.000	0.0000	25.07	0.0000	25.00
A0065W1	ORMOND_A	100YR24HR	28.7601	-16	0.000	0.0000	25.07	0.0000	25.00
A0065W1	ORMOND_A	500YR24HR	31.1237	-17	0.000	0.0000	25.07	0.0000	25.00
A0065W2	ORMOND_A	002YR24HR	17.3636	-4	0.000	0.0000	25.07	0.0000	26.00
A0065W2	ORMOND_A	010YR24HR	15.1199	-9	0.000	0.0000	25.07	0.0000	26.00
A0065W2	ORMOND_A	025YR24HR	14.8247	-12	0.000	0.0000	25.07	0.0000	26.00
A0065W2	ORMOND_A	050YR24HR	14.7855	-13	0.000	0.0000	25.07	0.0000	26.00
A0065W2	ORMOND_A	100YR24HR	14.4312	-15	0.000	0.0000	25.07	0.0000	26.00
A0065W2	ORMOND_A	500YR24HR	12.4680	-22	0.000	0.0000	25.07	0.0000	26.00
A0067W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.30
A0067W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.30
A0067W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.30
A0067W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.30
A0067W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.30
A0067W1	ORMOND_A	500YR24HR	12.6925	-0	0.000	0.0000	26.00	0.0000	26.30
A0068W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0068W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0068W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0068W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0068W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0068W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0070W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0070W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0070W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0070W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0070W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0070W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.30	0.0000	25.00
A0071W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.30
A0071W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
A0071W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0071W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0071W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0071W3	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0071W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0071W3	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0072W1	ORMOND_A	002YR24HR	0.0000	0	0.000	1.4168	28.00	0.0000	27.00
A0072W1	ORMOND_A	010YR24HR	0.0000	0	0.000	1.0268	28.00	0.0000	27.00
A0072W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.7501	28.00	0.0000	27.00
A0072W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.6668	28.00	0.0000	27.00
A0072W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.6947	28.00	0.0000	27.00
A0072W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.5903	28.00	0.0000	27.00
A0072W2	ORMOND_A	002YR24HR	0.0000	0	0.000	1.4168	28.00	0.0000	25.00
A0072W2	ORMOND_A	010YR24HR	0.0000	0	0.000	1.0268	28.00	0.0000	25.00
A0072W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.7501	28.00	0.0000	25.00
A0072W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.6668	28.00	0.0000	25.00
A0072W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.6947	28.00	0.0000	25.00
A0072W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.5903	28.00	0.0000	25.00
A0073W1	ORMOND_A	002YR24HR	42.8061	-0	0.000	0.0000	28.00	1.4168	28.00
A0073W1	ORMOND_A	010YR24HR	43.6488	-0	0.000	1.0025	28.00	1.0268	28.00
A0073W1	ORMOND_A	025YR24HR	1.7757	-0	0.000	0.0000	28.00	0.7501	28.00
A0073W1	ORMOND_A	050YR24HR	1.6356	-0	0.000	0.0000	28.00	0.6668	28.00
A0073W1	ORMOND_A	100YR24HR	1.5175	-0	0.000	0.6725	28.00	0.6947	28.00
A0073W1	ORMOND_A	500YR24HR	1.3230	-0	0.000	0.5432	28.00	0.5903	28.00
A0073W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.00
A0073W2	ORMOND_A	010YR24HR	0.0000	0	0.000	1.0025	28.00	0.0000	25.00
A0073W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.00
A0073W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.00
A0073W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.6725	28.00	0.0000	25.00
A0073W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.5432	28.00	0.0000	25.00
A0075W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0075W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.52
A0080W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	3.7342	19.91
A0080W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	2.7945	19.91
A0080W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	2.4457	19.91
A0080W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	2.2629	19.91
A0080W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	2.1078	19.91
A0080W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	1.8236	19.91

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0080W3	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0080W3	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0080W3	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0080W3	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0080W3	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0080W3	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
A0090W1	ORMOND_A	010YR24HR	13.2800	-32	0.000	0.0000	25.00	0.0000	25.00
A0090W1	ORMOND_A	025YR24HR	12.9698	-70	0.000	0.0000	25.00	0.0000	25.00
A0090W1	ORMOND_A	050YR24HR	12.8426	-95	0.000	0.0000	25.00	0.0000	25.00
A0090W1	ORMOND_A	100YR24HR	12.7635	-119	0.000	0.0000	25.00	0.0000	25.00
A0090W1	ORMOND_A	500YR24HR	12.5725	-168	0.000	0.0000	25.00	0.0000	25.00
A0090W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0090W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0095W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.82
A0100D1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100D1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100D1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100D1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100D1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100D1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.42	0.0000	25.50
A0100W3	ORMOND_A	002YR24HR	13.3723	-4	0.000	0.0000	26.42	0.0000	26.80
A0100W3	ORMOND_A	010YR24HR	12.5704	-6	0.000	0.0000	26.42	0.0000	26.80
A0100W3	ORMOND_A	025YR24HR	12.4400	-7	0.000	0.0000	26.42	0.0000	26.80
A0100W3	ORMOND_A	050YR24HR	12.3892	-8	0.000	0.0000	26.42	0.0000	26.80
A0100W3	ORMOND_A	100YR24HR	12.3593	-8	0.000	0.0000	26.42	0.0000	26.80
A0100W3	ORMOND_A	500YR24HR	12.3203	-10	0.000	0.0000	26.42	0.0000	26.80
A0105P	ORMOND_A	002YR24HR	71.9324	-0	0.000	2.7627	26.42	0.0000	26.42
A0105P	ORMOND_A	010YR24HR	71.9553	-0	0.000	1.8681	26.42	0.0000	26.42
A0105P	ORMOND_A	025YR24HR	69.3612	-0	0.000	1.5949	26.42	0.0000	26.42
A0105P	ORMOND_A	050YR24HR	64.0166	-0	0.000	1.4347	26.42	0.0000	26.42
A0105P	ORMOND_A	100YR24HR	62.6841	-0	0.000	1.2577	26.42	0.0000	26.42
A0105P	ORMOND_A	500YR24HR	60.3036	-0	0.000	1.0995	26.42	0.0000	26.42
A0105W1	ORMOND_A	002YR24HR	25.6828	-3	0.000	2.7627	26.42	0.0000	26.00
A0105W1	ORMOND_A	010YR24HR	27.0703	-3	0.000	1.8681	26.42	0.0000	26.00
A0105W1	ORMOND_A	025YR24HR	27.6325	-3	0.000	1.5949	26.42	0.0000	26.00
A0105W1	ORMOND_A	050YR24HR	28.0302	-3	0.000	1.4347	26.42	0.0000	26.00
A0105W1	ORMOND_A	100YR24HR	28.5978	-3	0.000	1.2577	26.42	0.0000	26.00
A0105W1	ORMOND_A	500YR24HR	29.8165	-2	0.000	1.0995	26.42	0.0000	26.00
A0105W2	ORMOND_A	002YR24HR	0.0000	0	0.000	2.7627	26.42	0.0000	26.90
A0105W2	ORMOND_A	010YR24HR	0.0000	0	0.000	1.8681	26.42	0.0000	26.90
A0105W2	ORMOND_A	025YR24HR	0.0000	0	0.000	1.5949	26.42	0.0000	26.90
A0105W2	ORMOND_A	050YR24HR	0.0000	0	0.000	1.4347	26.42	0.0000	26.90
A0105W2	ORMOND_A	100YR24HR	0.0000	0	0.000	1.2577	26.42	0.0000	26.90
A0105W2	ORMOND_A	500YR24HR	0.0000	0	0.000	1.0995	26.42	0.0000	26.90
A0105W3	ORMOND_A	002YR24HR	0.0000	0	0.000	2.7627	26.42	0.0000	25.00
A0105W3	ORMOND_A	010YR24HR	0.0000	0	0.000	1.8681	26.42	0.0000	25.00
A0105W3	ORMOND_A	025YR24HR	0.0000	0	0.000	1.5949	26.42	0.0000	25.00
A0105W3	ORMOND_A	050YR24HR	0.0000	0	0.000	1.4347	26.42	0.0000	25.00
A0105W3	ORMOND_A	100YR24HR	0.0000	0	0.000	1.2577	26.42	0.0000	25.00
A0105W3	ORMOND_A	500YR24HR	0.0000	0	0.000	1.0995	26.42	0.0000	25.00
A0107W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0107W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.00
A0107W1	ORMOND_A	025YR24HR	13.7687	-0	0.000	0.0000	27.00	0.0000	25.00
A0107W1	ORMOND_A	050YR24HR	13.3164	-1	0.000	0.0000	27.00	0.0000	25.00
A0107W1	ORMOND_A	100YR24HR	13.2052	-2	0.000	0.0000	27.00	0.0000	25.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0107W1	ORMOND_A	500YR24HR	13.3418	-1	0.000	0.0000	27.00	0.0000	25.00
A0110D	ORMOND_A	002YR24HR	12.0164	-2	0.000	0.0000	25.00	0.0000	24.00
A0110D	ORMOND_A	010YR24HR	12.0347	-11	0.000	0.0000	25.00	0.0000	24.00
A0110D	ORMOND_A	025YR24HR	12.0466	-15	0.000	0.0000	25.00	0.0000	24.00
A0110D	ORMOND_A	050YR24HR	12.0494	-17	0.000	0.0000	25.00	0.0000	24.00
A0110D	ORMOND_A	100YR24HR	12.0047	-18	0.000	0.0000	25.00	0.0000	24.00
A0110D	ORMOND_A	500YR24HR	12.1241	-20	0.000	0.0000	25.00	0.0000	24.00
A0110W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0110W1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0110W1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0110W1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0110W1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0110W1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	26.90
A0111W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0111W4	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0111W4	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0111W4	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0111W4	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0111W4	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0111W4	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.60
A0113C	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113C	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113C	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113C	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113C	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113C	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	25.60
A0113W-C	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0113W-C	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0113W-C	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0113W-C	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0113W-C	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0113W-C	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.80
A0115P	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115P	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115P	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115P	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115P	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115P	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0115W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	25.60
A0116W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0116W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0116W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0116W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0116W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0116W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	26.90	0.0000	26.42
A0118A-W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118A-W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118A-W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118A-W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118A-W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118A-W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118AC	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	24.00
A0118C	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00
A0118C	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00
A0118C	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
A0118C	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00
A0118C	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00
A0118C	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	25.60	0.0000	24.00
A0118W	ORMOND_A	002YR24HR	13.3318	-11	0.000	0.0000	25.70	0.0000	25.60
A0118W	ORMOND_A	010YR24HR	12.8434	-18	0.000	0.0000	25.70	0.0000	25.60
A0118W	ORMOND_A	025YR24HR	13.5203	-26	0.000	0.0000	25.70	0.0000	25.60
A0118W	ORMOND_A	050YR24HR	13.4264	-32	0.000	0.0000	25.70	0.0000	25.60
A0118W	ORMOND_A	100YR24HR	13.3623	-38	0.000	0.0000	25.70	0.0000	25.60
A0118W	ORMOND_A	500YR24HR	13.2487	-52	0.000	0.0000	25.70	0.0000	25.60
A0500W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
A0500W	ORMOND_A	010YR24HR	20.2017	-2	0.000	0.0000	28.00	0.0000	28.00
A0500W	ORMOND_A	025YR24HR	15.6089	-0	0.000	0.0000	28.00	0.0000	28.00
A0500W	ORMOND_A	050YR24HR	14.6732	-1	0.000	0.0000	28.00	0.0000	28.00
A0500W	ORMOND_A	100YR24HR	14.0880	-1	0.000	0.0000	28.00	0.0000	28.00
A0500W	ORMOND_A	500YR24HR	13.3600	-1	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	010YR24HR	53.5703	-0	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	025YR24HR	53.8661	-0	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	050YR24HR	54.0640	-0	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	100YR24HR	54.5506	-0	0.000	0.0000	28.00	0.0000	28.00
A0505W1	ORMOND_A	500YR24HR	54.6587	-0	0.000	0.0000	28.00	0.0000	28.00
A0505W2	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0505W2	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0505W2	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0505W2	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0505W2	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0505W2	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0510W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
A0515W	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	27.00	2.0226	25.34
A0515W	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	27.00	1.2916	25.34
A0515W	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	27.00	1.0502	25.34
A0515W	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	27.00	1.0129	25.34
A0515W	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.8660	25.34
A0515W	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.7585	25.34
B0006W1	ORMOND_B	002YR24HR	20.4634	-4	0.000	0.0000	20.50	0.0000	16.03
B0006W1	ORMOND_B	010YR24HR	18.3393	-53	0.000	0.0000	20.50	0.0000	16.03
B0006W1	ORMOND_B	025YR24HR	18.3898	-68	0.000	0.0000	20.50	0.0000	16.03
B0006W1	ORMOND_B	050YR24HR	17.8647	-82	0.000	0.0000	20.50	0.0000	16.03
B0006W1	ORMOND_B	100YR24HR	16.5816	-96	0.000	0.0000	20.50	0.0000	16.03
B0006W1	ORMOND_B	500YR24HR	15.2572	-131	0.000	0.0000	20.50	0.0000	16.03
B0006W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	20.50	0.0000	15.80
B0006W2	ORMOND_B	010YR24HR	32.0346	-5	0.000	0.0000	20.50	0.0000	15.80
B0006W2	ORMOND_B	025YR24HR	24.3968	-47	0.000	0.0000	20.50	0.0000	15.80
B0006W2	ORMOND_B	050YR24HR	31.6995	-16	0.000	0.0000	20.50	0.0000	15.80
B0006W2	ORMOND_B	100YR24HR	21.9523	-102	0.000	0.0000	20.50	0.0000	15.80
B0006W2	ORMOND_B	500YR24HR	19.2146	-212	0.000	0.0000	20.50	0.0000	15.80
B0007C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	12.57
B0007C	ORMOND_B	010YR24HR	29.7367	-52	0.000	0.0000	16.03	0.0000	12.57
B0007C	ORMOND_B	025YR24HR	26.2617	-93	0.000	0.0000	16.03	0.0000	12.57
B0007C	ORMOND_B	050YR24HR	30.2886	-84	0.000	0.0000	16.03	0.0000	12.57
B0007C	ORMOND_B	100YR24HR	26.4214	-132	0.000	0.0000	16.03	0.0000	12.57
B0007C	ORMOND_B	500YR24HR	29.1082	-121	0.000	0.0000	16.03	0.0000	12.57
B0007W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	11.70
B0007W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	12.57
B0007W2	ORMOND_B	010YR24HR	29.7367	-0	0.000	0.0000	16.03	0.0000	12.57
B0007W2	ORMOND_B	025YR24HR	26.2617	-1	0.000	0.0000	16.03	0.0000	12.57
B0007W2	ORMOND_B	050YR24HR	30.2886	-1	0.000	0.0000	16.03	0.0000	12.57
B0007W2	ORMOND_B	100YR24HR	26.4214	-1	0.000	0.0000	16.03	0.0000	12.57
B0007W2	ORMOND_B	500YR24HR	29.1082	-1	0.000	0.0000	16.03	0.0000	12.57
B0007W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	16.03	0.0000	12.57

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0007W3	ORMOND_B	010YR24HR	29.7367	-1	0.000	0.0000	16.03	0.0000	12.57
B0007W3	ORMOND_B	025YR24HR	26.2617	-3	0.000	0.0000	16.03	0.0000	12.57
B0007W3	ORMOND_B	050YR24HR	30.2886	-2	0.000	0.0000	16.03	0.0000	12.57
B0007W3	ORMOND_B	100YR24HR	26.4214	-5	0.000	0.0000	16.03	0.0000	12.57
B0007W3	ORMOND_B	500YR24HR	29.1082	-4	0.000	0.0000	16.03	0.0000	12.57
B0010P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0010W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	12.57	0.0000	11.70
B0011W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	21.00
B0011W1	ORMOND_B	010YR24HR	21.3815	-13	0.000	0.0000	22.00	0.0000	21.00
B0011W1	ORMOND_B	025YR24HR	19.2466	-54	0.000	0.0000	22.00	0.0000	21.00
B0011W1	ORMOND_B	050YR24HR	17.4831	-25	0.000	0.0000	22.00	0.0000	21.00
B0011W1	ORMOND_B	100YR24HR	17.2770	-94	0.000	0.0000	22.00	0.0000	21.00
B0011W1	ORMOND_B	500YR24HR	15.8186	-174	0.000	0.0000	22.00	0.0000	21.00
B0011W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.71
B0011W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.71
B0011W2	ORMOND_B	025YR24HR	20.6276	-2	0.000	0.0000	22.00	0.0000	19.71
B0011W2	ORMOND_B	050YR24HR	21.6777	-0	0.000	0.0000	22.00	0.0000	19.71
B0011W2	ORMOND_B	100YR24HR	18.0066	-6	0.000	0.0000	22.00	0.0000	19.71
B0011W2	ORMOND_B	500YR24HR	16.1746	-17	0.000	0.0000	22.00	0.0000	19.71
B0012C	ORMOND_B	002YR24HR	12.7108	-186	0.000	0.0000	15.71	0.5735	11.89
B0012C	ORMOND_B	010YR24HR	12.6250	-305	0.000	0.0000	15.71	0.5735	11.89
B0012C	ORMOND_B	025YR24HR	12.6014	-350	0.000	0.0000	15.71	0.5735	11.89
B0012C	ORMOND_B	050YR24HR	12.5123	-365	0.000	0.0000	15.71	0.5735	11.89
B0012C	ORMOND_B	100YR24HR	12.3580	-362	0.000	0.0000	15.71	0.5735	11.89
B0012C	ORMOND_B	500YR24HR	12.1414	-335	0.000	0.0000	15.71	0.5735	11.89
B0012W1	ORMOND_B	002YR24HR	14.9683	-0	0.000	0.0000	15.71	0.0000	12.57
B0012W1	ORMOND_B	010YR24HR	25.3913	-98	0.000	0.0000	15.71	0.0000	12.57
B0012W1	ORMOND_B	025YR24HR	16.9559	-60	0.000	0.0000	15.71	0.0000	12.57
B0012W1	ORMOND_B	050YR24HR	22.9304	-114	0.000	0.0000	15.71	0.0000	12.57
B0012W1	ORMOND_B	100YR24HR	12.7544	-85	0.000	0.0000	15.71	0.0000	12.57
B0012W1	ORMOND_B	500YR24HR	12.4084	-93	0.000	0.0000	15.71	0.0000	12.57
B0013W1	ORMOND_B	002YR24HR	12.7164	-260	0.000	0.0000	15.80	0.0000	15.71
B0013W1	ORMOND_B	010YR24HR	12.7260	-415	0.000	0.0000	15.80	0.0000	15.71
B0013W1	ORMOND_B	025YR24HR	12.6933	-498	0.000	0.0000	15.80	0.0000	15.71
B0013W1	ORMOND_B	050YR24HR	12.5330	-527	0.000	0.0000	15.80	0.0000	15.71
B0013W1	ORMOND_B	100YR24HR	12.3838	-533	0.000	0.0000	15.80	0.0000	15.71
B0013W1	ORMOND_B	500YR24HR	12.1387	-509	0.000	0.0000	15.80	0.0000	15.71
B0013W2	ORMOND_B	002YR24HR	16.5273	-3	0.000	0.0000	15.80	0.0000	12.57
B0013W2	ORMOND_B	010YR24HR	16.3106	-28	0.000	0.0000	15.80	0.0000	12.57
B0013W2	ORMOND_B	025YR24HR	18.6408	-51	0.000	0.0000	15.80	0.0000	12.57
B0013W2	ORMOND_B	050YR24HR	13.9134	-59	0.000	0.0000	15.80	0.0000	12.57
B0013W2	ORMOND_B	100YR24HR	13.8439	-64	0.000	0.0000	15.80	0.0000	12.57
B0013W2	ORMOND_B	500YR24HR	15.1964	-120	0.000	0.0000	15.80	0.0000	12.57
B0014W1	ORMOND_B	002YR24HR	14.3660	-112	0.000	0.0000	17.00	0.0000	15.80
B0014W1	ORMOND_B	010YR24HR	13.1248	-237	0.000	0.0000	17.00	0.0000	15.80
B0014W1	ORMOND_B	025YR24HR	12.7802	-286	0.000	0.0000	17.00	0.0000	15.80
B0014W1	ORMOND_B	050YR24HR	12.6017	-303	0.000	0.0000	17.00	0.0000	15.80
B0014W1	ORMOND_B	100YR24HR	12.4414	-305	0.000	0.0000	17.00	0.0000	15.80
B0014W1	ORMOND_B	500YR24HR	12.0586	-218	0.000	0.0000	17.00	0.0000	15.80
B0014W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	20.50
B0014W2	ORMOND_B	010YR24HR	22.1281	-15	0.000	0.0000	17.00	0.0000	20.50
B0014W2	ORMOND_B	025YR24HR	18.4532	-17	0.000	0.0000	17.00	0.0000	20.50
B0014W2	ORMOND_B	050YR24HR	18.3559	-28	0.000	0.0000	17.00	0.0000	20.50
B0014W2	ORMOND_B	100YR24HR	16.5671	-25	0.000	0.0000	17.00	0.0000	20.50
B0014W2	ORMOND_B	500YR24HR	15.1964	-35	0.000	0.0000	17.00	0.0000	20.50
B0015C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015C	ORMOND_B	010YR24HR	27.9530	-35	0.000	0.0000	17.25	0.0000	15.71
B0015C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0015W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.80
B0015W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	15.71
B0015W4	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	24.00
B0015W4	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	24.00
B0015W4	ORMOND_B	025YR24HR	21.1979	-70	0.000	0.0000	17.25	0.0000	24.00
B0015W4	ORMOND_B	050YR24HR	22.3144	-13	0.000	0.0000	17.25	0.0000	24.00
B0015W4	ORMOND_B	100YR24HR	20.1737	-159	0.000	0.0000	17.25	0.0000	24.00
B0015W4	ORMOND_B	500YR24HR	18.6888	-365	0.000	0.0000	17.25	0.0000	24.00
B0015W5	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0015W5	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0015W5	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0015W5	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0015W5	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0015W5	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	17.25	0.0000	12.57
B0017W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	2.5075	19.01
B0017W1	ORMOND_B	010YR24HR	19.5835	-51	0.000	0.0000	24.00	1.6931	19.01
B0017W1	ORMOND_B	025YR24HR	20.8263	-295	0.000	0.0000	24.00	1.4240	19.01
B0017W1	ORMOND_B	050YR24HR	17.5097	-118	0.000	0.0000	24.00	1.2621	19.01
B0017W1	ORMOND_B	100YR24HR	19.9959	-656	0.000	0.0000	24.00	1.1525	19.01
B0017W1	ORMOND_B	500YR24HR	18.4816	-1446	0.000	0.0000	24.00	0.9325	19.01
B0018W1	ORMOND_B	002YR24HR	21.9830	-3	0.000	0.0000	21.00	0.0000	15.80
B0018W1	ORMOND_B	010YR24HR	21.3711	-30	0.000	0.0000	21.00	0.0000	15.80
B0018W1	ORMOND_B	025YR24HR	19.1789	-118	0.000	0.0000	21.00	0.0000	15.80
B0018W1	ORMOND_B	050YR24HR	18.0533	-59	0.000	0.0000	21.00	0.0000	15.80
B0018W1	ORMOND_B	100YR24HR	17.2099	-204	0.000	0.0000	21.00	0.0000	15.80
B0018W1	ORMOND_B	500YR24HR	15.8160	-366	0.000	0.0000	21.00	0.0000	15.80
B0020C	ORMOND_B	002YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020C	ORMOND_B	010YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020C	ORMOND_B	025YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020C	ORMOND_B	050YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020C	ORMOND_B	100YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020C	ORMOND_B	500YR24HR	0.0220	0	0.000	0.0224	19.43	0.1432	17.25
B0020W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	15.80
B0020W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	17.25
B0020W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	24.00
B0020W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0224	19.43	0.0000	24.00
B0020W3	ORMOND_B	025YR24HR	21.1979	-232	0.000	0.0224	19.43	0.0000	24.00
B0020W3	ORMOND_B	050YR24HR	22.3144	-46	0.000	0.0224	19.43	0.0000	24.00
B0020W3	ORMOND_B	100YR24HR	20.1737	-507	0.000	0.0224	19.43	0.0000	24.00
B0020W3	ORMOND_B	500YR24HR	18.6888	-1096	0.000	0.0224	19.43	0.0000	24.00
B0025W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	2.5075	19.01
B0025W1	ORMOND_B	010YR24HR	17.9352	-2	0.000	0.0000	23.00	1.6931	19.01
B0025W1	ORMOND_B	025YR24HR	16.5685	-39	0.000	0.0000	23.00	1.4240	19.01
B0025W1	ORMOND_B	050YR24HR	16.1059	-17	0.000	0.0000	23.00	1.2621	19.01
B0025W1	ORMOND_B	100YR24HR	15.2998	-53	0.000	0.0000	23.00	1.1525	19.01
B0025W1	ORMOND_B	500YR24HR	15.9337	-133	0.000	0.0000	23.00	0.9325	19.01
B0025W2	ORMOND_B	002YR24HR	27.3849	-4	0.000	0.0000	23.00	0.0000	23.00
B0025W2	ORMOND_B	010YR24HR	19.6673	-30	0.000	0.0000	23.00	0.0000	23.00
B0025W2	ORMOND_B	025YR24HR	21.2365	-111	0.000	0.0000	23.00	0.0000	23.00
B0025W2	ORMOND_B	050YR24HR	17.3557	-55	0.000	0.0000	23.00	0.0000	23.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0025W2	ORMOND_B	100YR24HR	18.6518	-220	0.000	0.0000	23.00	0.0000	23.00
B0025W2	ORMOND_B	500YR24HR	16.4524	-381	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	025YR24HR	20.9407	-176	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	050YR24HR	21.7426	-56	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	100YR24HR	18.8103	-358	0.000	0.0000	23.00	0.0000	23.00
B0025W3	ORMOND_B	500YR24HR	16.7160	-670	0.000	0.0000	23.00	0.0000	23.00
B0027W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.43
B0027W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.43
B0027W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.43
B0027W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	19.43
B0027W1	ORMOND_B	100YR24HR	19.2485	-24	0.000	0.0000	22.00	0.0000	19.43
B0027W1	ORMOND_B	500YR24HR	16.3825	-45	0.000	0.0000	22.00	0.0000	19.43
B0027W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
B0027W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	22.00
B0027W2	ORMOND_B	025YR24HR	24.4469	-0	0.000	0.0000	22.00	0.0000	22.00
B0027W2	ORMOND_B	050YR24HR	23.6521	-1	0.000	0.0000	22.00	0.0000	22.00
B0027W2	ORMOND_B	100YR24HR	21.2786	-12	0.000	0.0000	22.00	0.0000	22.00
B0027W2	ORMOND_B	500YR24HR	19.2634	-28	0.000	0.0000	22.00	0.0000	22.00
B0030P1	ORMOND_B	002YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030P1	ORMOND_B	010YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030P1	ORMOND_B	025YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030P1	ORMOND_B	050YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030P1	ORMOND_B	100YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030P1	ORMOND_B	500YR24HR	1.2169	-0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0224	19.43
B0030W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	15.80
B0030W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	23.00
B0030W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	23.00
B0030W3	ORMOND_B	025YR24HR	21.1633	-123	0.000	0.0000	19.43	0.0000	23.00
B0030W3	ORMOND_B	050YR24HR	22.2429	-25	0.000	0.0000	19.43	0.0000	23.00
B0030W3	ORMOND_B	100YR24HR	20.4681	-281	0.000	0.0000	19.43	0.0000	23.00
B0030W3	ORMOND_B	500YR24HR	18.8343	-636	0.000	0.0000	19.43	0.0000	23.00
B0035W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
B0035W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
B0035W1	ORMOND_B	025YR24HR	21.1633	-173	0.000	0.0000	23.00	0.0000	23.00
B0035W1	ORMOND_B	050YR24HR	22.2429	-37	0.000	0.0000	23.00	0.0000	23.00
B0035W1	ORMOND_B	100YR24HR	18.5888	-358	0.000	0.0000	23.00	0.0000	23.00
B0035W1	ORMOND_B	500YR24HR	16.3813	-645	0.000	0.0000	23.00	0.0000	23.00
B0035W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0035W3	ORMOND_B	500YR24HR	20.5876	-97	0.000	0.0000	23.00	0.0000	19.43
B0040C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00
B0040W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0040W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00
B0040W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00
B0040W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00
B0040W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	22.00
B0040W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0040W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0042C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0007	17.02
B0042W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0042W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0043C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.60	2.3019	20.26
B0043C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.60	2.3019	20.26
B0043C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.60	2.3019	20.26
B0043C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.60	2.3019	20.26
B0043C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.60	2.3019	20.26
B0043C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.60	2.2894	20.26
B0043P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	19.43
B0043W1	ORMOND_B	002YR24HR	16.1842	-4	0.000	0.0000	21.60	0.0000	24.00
B0043W1	ORMOND_B	010YR24HR	14.4532	-11	0.000	0.0000	21.60	0.0000	24.00
B0043W1	ORMOND_B	025YR24HR	14.0739	-16	0.000	0.0000	21.60	0.0000	24.00
B0043W1	ORMOND_B	050YR24HR	13.9199	-20	0.000	0.0000	21.60	0.0000	24.00
B0043W1	ORMOND_B	100YR24HR	13.9223	-24	0.000	0.0000	21.60	0.0000	24.00
B0043W1	ORMOND_B	500YR24HR	13.8166	-27	0.000	0.0000	21.60	0.0000	24.00
B0043W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.60	0.0000	21.22
B0043W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.60	4.5879	22.77
B0043W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.60	3.8389	22.78
B0043W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.60	3.5087	22.79
B0043W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.60	3.3197	22.79
B0043W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.60	3.1558	22.80
B0043W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.60	2.8464	22.81
B0044P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22
B0044W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	21.22

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0044W2	ORMOND_B	002YR24HR	27.6560	-48	0.000	0.0000	21.22	4.5879	22.77
B0044W2	ORMOND_B	010YR24HR	25.5672	-61	0.000	0.0000	21.22	3.8389	22.78
B0044W2	ORMOND_B	025YR24HR	19.2977	-131	0.000	0.0000	21.22	3.5087	22.79
B0044W2	ORMOND_B	050YR24HR	19.5773	-87	0.000	0.0000	21.22	3.3197	22.79
B0044W2	ORMOND_B	100YR24HR	16.8844	-139	0.000	0.0000	21.22	3.1558	22.80
B0044W2	ORMOND_B	500YR24HR	16.5041	-233	0.000	0.0000	21.22	2.8464	22.81
B0044W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	19.43
B0044W4	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	23.00
B0044W4	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.22	0.0000	23.00
B0044W4	ORMOND_B	025YR24HR	21.4151	-76	0.000	0.0000	21.22	0.0000	23.00
B0044W4	ORMOND_B	050YR24HR	24.1639	-4	0.000	0.0000	21.22	0.0000	23.00
B0044W4	ORMOND_B	100YR24HR	17.8636	-154	0.000	0.0000	21.22	0.0000	23.00
B0044W4	ORMOND_B	500YR24HR	15.9091	-229	0.000	0.0000	21.22	0.0000	23.00
B0045W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0045W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0045W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0045W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0045W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0045W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0047W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	22.92
B0047W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.60
B0047W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0047W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0047W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0047W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0047W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0047W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0070W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W1	ORMOND_B	010YR24HR	21.1582	-3	0.000	0.0000	24.00	0.0000	19.43
B0070W1	ORMOND_B	025YR24HR	20.4142	-23	0.000	0.0000	24.00	0.0000	19.43
B0070W1	ORMOND_B	050YR24HR	16.3033	-22	0.000	0.0000	24.00	0.0000	19.43
B0070W1	ORMOND_B	100YR24HR	17.4884	-35	0.000	0.0000	24.00	0.0000	19.43
B0070W1	ORMOND_B	500YR24HR	20.2587	-87	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0070W2	ORMOND_B	500YR24HR	16.4990	-7	0.000	0.0000	24.00	0.0000	19.43
B0075W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0075W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
B0080W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0080W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	19.43
B0080W1	ORMOND_B	025YR24HR	22.9846	-3	0.000	0.0000	24.00	0.0000	19.43
B0080W1	ORMOND_B	050YR24HR	22.6217	-0	0.000	0.0000	24.00	0.0000	19.43
B0080W1	ORMOND_B	100YR24HR	18.3683	-13	0.000	0.0000	24.00	0.0000	19.43

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0080W1	ORMOND_B	500YR24HR	20.1307	-27	0.000	0.0000	24.00	0.0000	19.43
B0080W4	ORMOND_B	002YR24HR	11.9838	-3	0.000	0.0000	24.00	0.0000	24.00
B0080W4	ORMOND_B	010YR24HR	11.9212	-2	0.000	0.0000	24.00	0.0000	24.00
B0080W4	ORMOND_B	025YR24HR	20.3706	-11	0.000	0.0000	24.00	0.0000	24.00
B0080W4	ORMOND_B	050YR24HR	16.2070	-11	0.000	0.0000	24.00	0.0000	24.00
B0080W4	ORMOND_B	100YR24HR	15.7913	-17	0.000	0.0000	24.00	0.0000	24.00
B0080W4	ORMOND_B	500YR24HR	15.1844	-24	0.000	0.0000	24.00	0.0000	24.00
B0090P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	71.9998	24.31
B0090P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	72.0003	24.31
B0090P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.39
B0090P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.35
B0090P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	72.0004	24.43
B0090P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.52
B0090W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	19.43
B0090W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	20.00
B0090W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	71.9998	24.31
B0090W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	72.0003	24.31
B0090W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.39
B0090W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.35
B0090W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	72.0004	24.43
B0090W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.52
B0100C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0100W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	002YR24HR	7.2590	-0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	010YR24HR	5.4782	-0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	025YR24HR	4.7977	-0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	050YR24HR	4.5010	-0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	100YR24HR	4.1917	-0	0.000	0.0000	19.43	0.0000	19.43
B0110P1	ORMOND_B	500YR24HR	3.6836	-0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	0.0000	19.43
B0110W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	19.43	71.9998	24.31
B0110W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	19.43	72.0003	24.31
B0110W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	19.43	72.0000	24.39
B0110W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	19.43	72.0000	24.35
B0110W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	19.43	72.0004	24.43
B0110W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	19.43	72.0000	24.52
B0120W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0120W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0120W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0120W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0120W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0120W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.43
B0125P1	ORMOND_B	002YR24HR	71.9998	0	0.000	71.9998	24.31	71.9998	24.23
B0125P1	ORMOND_B	010YR24HR	72.0003	0	0.000	72.0003	24.31	72.0003	24.23
B0125P1	ORMOND_B	025YR24HR	22.7178	0	0.000	72.0000	24.39	72.0000	24.26

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0125P1	ORMOND_B	050YR24HR	72.0000	0	0.000	72.0000	24.35	72.0000	24.25
B0125P1	ORMOND_B	100YR24HR	18.1161	0	0.000	72.0004	24.43	72.0004	24.28
B0125P1	ORMOND_B	500YR24HR	38.1964	0	0.000	72.0000	24.52	72.0000	24.32
B0125W1	ORMOND_B	002YR24HR	0.0000	0	0.000	71.9998	24.31	0.0000	19.43
B0125W1	ORMOND_B	010YR24HR	0.0000	0	0.000	72.0003	24.31	0.0000	19.43
B0125W1	ORMOND_B	025YR24HR	0.0000	0	0.000	72.0000	24.39	0.0000	19.43
B0125W1	ORMOND_B	050YR24HR	0.0000	0	0.000	72.0000	24.35	0.0000	19.43
B0125W1	ORMOND_B	100YR24HR	0.0000	0	0.000	72.0004	24.43	0.0000	19.43
B0125W1	ORMOND_B	500YR24HR	0.0000	0	0.000	72.0000	24.52	0.0000	19.43
B0130C	ORMOND_B	002YR24HR	4.8509	0	0.000	4.8509	21.12	4.8509	18.88
B0130C	ORMOND_B	010YR24HR	3.7655	0	0.000	3.7655	21.12	3.7655	18.88
B0130C	ORMOND_B	025YR24HR	3.1943	0	0.000	3.1943	21.12	3.1943	18.88
B0130C	ORMOND_B	050YR24HR	2.9224	0	0.000	2.9224	21.12	2.9224	18.88
B0130C	ORMOND_B	100YR24HR	2.6698	0	0.000	2.6698	21.12	2.6698	18.88
B0130C	ORMOND_B	500YR24HR	2.2499	0	0.000	2.2499	21.12	2.2499	18.88
B0130W1	ORMOND_B	002YR24HR	12.2482	-13	0.000	4.8509	21.12	71.9998	24.31
B0130W1	ORMOND_B	010YR24HR	12.2178	-23	0.000	3.7655	21.12	72.0003	24.31
B0130W1	ORMOND_B	025YR24HR	12.2092	-30	0.000	3.1943	21.12	72.0000	24.39
B0130W1	ORMOND_B	050YR24HR	12.2051	-34	0.000	2.9224	21.12	72.0000	24.35
B0130W1	ORMOND_B	100YR24HR	12.2017	-39	0.000	2.6698	21.12	72.0004	24.43
B0130W1	ORMOND_B	500YR24HR	12.1958	-49	0.000	2.2499	21.12	72.0000	24.52
B0130W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	4.8509	21.12
B0130W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.00	3.7655	21.12
B0130W2	ORMOND_B	025YR24HR	13.5785	-8	0.000	0.0000	23.00	3.1943	21.12
B0130W2	ORMOND_B	050YR24HR	12.6025	-21	0.000	0.0000	23.00	2.9224	21.12
B0130W2	ORMOND_B	100YR24HR	12.4918	-37	0.000	0.0000	23.00	2.6698	21.12
B0130W2	ORMOND_B	500YR24HR	12.4355	-74	0.000	0.0000	23.00	2.2499	21.12
B0140P1	ORMOND_B	002YR24HR	7.6932	-0	0.000	4.8512	21.12	4.8509	21.12
B0140P1	ORMOND_B	010YR24HR	5.9618	-0	0.000	3.7655	21.12	3.7655	21.12
B0140P1	ORMOND_B	025YR24HR	5.4714	-0	0.000	3.1943	21.12	3.1943	21.12
B0140P1	ORMOND_B	050YR24HR	3.6320	-0	0.000	2.9224	21.12	2.9224	21.12
B0140P1	ORMOND_B	100YR24HR	4.6499	-0	0.000	2.6745	21.12	2.6698	21.12
B0140P1	ORMOND_B	500YR24HR	4.2998	-0	0.000	2.2537	21.12	2.2499	21.12
B0140W1	ORMOND_B	002YR24HR	0.0000	0	0.000	4.8512	21.12	4.8509	21.12
B0140W1	ORMOND_B	010YR24HR	0.0000	0	0.000	3.7655	21.12	3.7655	21.12
B0140W1	ORMOND_B	025YR24HR	0.0000	0	0.000	3.1943	21.12	3.1943	21.12
B0140W1	ORMOND_B	050YR24HR	0.0000	0	0.000	2.9224	21.12	2.9224	21.12
B0140W1	ORMOND_B	100YR24HR	0.0000	0	0.000	2.6745	21.12	2.6698	21.12
B0140W1	ORMOND_B	500YR24HR	0.0000	0	0.000	2.2537	21.12	2.2499	21.12
B0160C	ORMOND_B	002YR24HR	6.7052	-0	0.000	4.8526	21.12	4.8512	21.12
B0160C	ORMOND_B	010YR24HR	4.9537	-0	0.000	3.7664	21.12	3.7655	21.12
B0160C	ORMOND_B	025YR24HR	4.3078	-0	0.000	3.1952	21.12	3.1943	21.12
B0160C	ORMOND_B	050YR24HR	3.9589	-0	0.000	2.9233	21.12	2.9224	21.12
B0160C	ORMOND_B	100YR24HR	3.6635	-0	0.000	2.6754	21.12	2.6745	21.12
B0160C	ORMOND_B	500YR24HR	22.0561	-3	0.000	2.2545	21.12	2.2537	21.12
B0160W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.00	4.8526	21.12
B0160W1	ORMOND_B	010YR24HR	21.7999	-48	0.000	0.0000	23.00	3.7664	21.12
B0160W1	ORMOND_B	025YR24HR	19.3451	-93	0.000	0.0000	23.00	3.1952	21.12
B0160W1	ORMOND_B	050YR24HR	18.4416	-126	0.000	0.0000	23.00	2.9233	21.12
B0160W1	ORMOND_B	100YR24HR	17.9927	-163	0.000	0.0000	23.00	2.6754	21.12
B0160W1	ORMOND_B	500YR24HR	16.7826	-252	0.000	0.0000	23.00	2.2545	21.12
B0160W2	ORMOND_B	002YR24HR	0.0000	0	0.000	4.8526	21.12	4.8512	21.12
B0160W2	ORMOND_B	010YR24HR	0.0000	0	0.000	3.7664	21.12	3.7655	21.12
B0160W2	ORMOND_B	025YR24HR	0.0000	0	0.000	3.1952	21.12	3.1943	21.12
B0160W2	ORMOND_B	050YR24HR	0.0000	0	0.000	2.9233	21.12	2.9224	21.12
B0160W2	ORMOND_B	100YR24HR	0.0000	0	0.000	2.6754	21.12	2.6745	21.12
B0160W2	ORMOND_B	500YR24HR	0.0000	0	0.000	2.2545	21.12	2.2537	21.12
B0170W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.10
B0170W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.10
B0170W1	ORMOND_B	025YR24HR	18.3581	-1	0.000	0.0000	25.00	0.0000	24.10
B0170W1	ORMOND_B	050YR24HR	18.0086	-4	0.000	0.0000	25.00	0.0000	24.10
B0170W1	ORMOND_B	100YR24HR	17.7329	-8	0.000	0.0000	25.00	0.0000	24.10
B0170W1	ORMOND_B	500YR24HR	17.0319	-17	0.000	0.0000	25.00	0.0000	24.10
B0170W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	4.8512	21.12
B0170W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	3.7655	21.12
B0170W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	3.1943	21.12
B0170W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	2.9224	21.12
B0170W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	2.6745	21.12
B0170W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	2.2537	21.12
B0170W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0170W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0170W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0170W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0170W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0170W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0175W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
B0177C	ORMOND_B	002YR24HR	13.1365	-2	0.000	0.0000	24.10	0.0000	24.10
B0177C	ORMOND_B	010YR24HR	11.5004	-1	0.000	0.0000	24.10	0.0000	24.10
B0177C	ORMOND_B	025YR24HR	11.1736	-1	0.000	0.0000	24.10	0.0000	24.10
B0177C	ORMOND_B	050YR24HR	10.5000	-1	0.000	0.0000	24.10	0.0000	24.10
B0177C	ORMOND_B	100YR24HR	9.9991	-1	0.000	0.0000	24.10	0.0000	24.10
B0177C	ORMOND_B	500YR24HR	8.9965	-1	0.000	0.0000	24.10	0.0000	24.10
B0177W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	24.00
B0177W2	ORMOND_B	002YR24HR	16.8910	-1	0.000	0.0000	24.10	0.0000	25.00
B0177W2	ORMOND_B	010YR24HR	13.8032	-4	0.000	0.0000	24.10	0.0000	25.00
B0177W2	ORMOND_B	025YR24HR	13.4220	-6	0.000	0.0000	24.10	0.0000	25.00
B0177W2	ORMOND_B	050YR24HR	13.2414	-8	0.000	0.0000	24.10	0.0000	25.00
B0177W2	ORMOND_B	100YR24HR	13.1087	-10	0.000	0.0000	24.10	0.0000	25.00
B0177W2	ORMOND_B	500YR24HR	12.9243	-14	0.000	0.0000	24.10	0.0000	25.00
B0180P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0180W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.10	0.0000	22.90
B0182P1	ORMOND_B	002YR24HR	13.2184	-1	0.000	0.0000	24.00	0.0000	24.10
B0182P1	ORMOND_B	010YR24HR	11.8246	-1	0.000	0.0000	24.00	0.0000	24.10
B0182P1	ORMOND_B	025YR24HR	11.7224	-0	0.000	0.0000	24.00	0.0000	24.10
B0182P1	ORMOND_B	050YR24HR	10.3645	-0	0.000	0.0000	24.00	0.0000	24.10
B0182P1	ORMOND_B	100YR24HR	9.9098	-0	0.000	0.0000	24.00	0.0000	24.10
B0182P1	ORMOND_B	500YR24HR	8.9132	-0	0.000	0.0000	24.00	0.0000	24.10
B0182W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0182W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0182W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0182W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0182W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0182W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
B0183W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.10
B0183W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0183W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0183W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0183W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0183W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0183W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.47
B0185P	ORMOND_B	002YR24HR	0.0000	0	0.000	3.5832	24.16	0.0000	25.47
B0185P	ORMOND_B	010YR24HR	0.0000	0	0.000	2.7118	24.16	0.0000	25.47
B0185P	ORMOND_B	025YR24HR	0.0000	0	0.000	2.3882	24.16	0.0000	25.47
B0185P	ORMOND_B	050YR24HR	0.0000	0	0.000	2.2165	24.16	0.0000	25.47
B0185P	ORMOND_B	100YR24HR	0.0000	0	0.000	2.0676	24.16	0.0000	25.47
B0185P	ORMOND_B	500YR24HR	0.0000	0	0.000	1.7794	24.16	0.0000	25.47

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0185P1	ORMOND_B	002YR24HR	3.6082	0	0.000	3.5832	24.16	61.7041	23.08
B0185P1	ORMOND_B	010YR24HR	2.7493	0	0.000	2.7118	24.16	66.6725	23.08
B0185P1	ORMOND_B	025YR24HR	12.0013	-1	0.000	2.3882	24.16	65.5000	23.08
B0185P1	ORMOND_B	050YR24HR	12.0738	-5	0.000	2.2165	24.16	65.7712	23.08
B0185P1	ORMOND_B	100YR24HR	12.0806	-11	0.000	2.0676	24.16	66.0556	23.08
B0185P1	ORMOND_B	500YR24HR	12.0798	-23	0.000	1.7794	24.16	70.9356	23.08
B0185W1	ORMOND_B	002YR24HR	0.0000	0	0.000	3.5832	24.16	0.0000	24.00
B0185W1	ORMOND_B	010YR24HR	0.0000	0	0.000	2.7118	24.16	0.0000	24.00
B0185W1	ORMOND_B	025YR24HR	0.0000	0	0.000	2.3882	24.16	0.0000	24.00
B0185W1	ORMOND_B	050YR24HR	0.0000	0	0.000	2.2165	24.16	0.0000	24.00
B0185W1	ORMOND_B	100YR24HR	0.0000	0	0.000	2.0676	24.16	0.0000	24.00
B0185W1	ORMOND_B	500YR24HR	0.0000	0	0.000	1.7794	24.16	0.0000	24.00
B0185W2	ORMOND_B	002YR24HR	0.0000	0	0.000	3.5832	24.16	0.0000	24.00
B0185W2	ORMOND_B	010YR24HR	0.0000	0	0.000	2.7118	24.16	0.0000	24.00
B0185W2	ORMOND_B	025YR24HR	0.0000	0	0.000	2.3882	24.16	0.0000	24.00
B0185W2	ORMOND_B	050YR24HR	0.0000	0	0.000	2.2165	24.16	0.0000	24.00
B0185W2	ORMOND_B	100YR24HR	0.0000	0	0.000	2.0676	24.16	0.0000	24.00
B0185W2	ORMOND_B	500YR24HR	0.0000	0	0.000	1.7794	24.16	0.0000	24.00
B0187W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	3.5832	24.16
B0187W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	2.7118	24.16
B0187W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	2.3882	24.16
B0187W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	2.2165	24.16
B0187W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	2.0676	24.16
B0187W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	1.7794	24.16
B0187W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0187W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0187W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0187W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0187W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0187W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	25.47
B0190W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.47	3.5832	24.16
B0190W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.47	2.7118	24.16
B0190W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.47	2.3882	24.16
B0190W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.47	2.2165	24.16
B0190W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.47	2.0676	24.16
B0190W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.47	1.7794	24.16
B0190W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0190W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0190W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0190W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0190W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0190W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.47	0.0000	21.50
B0200C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0200C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0200C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0200C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0200C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0200C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	22.90	0.0000	21.50
B0210C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	4.8526	21.12
B0210C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	3.7664	21.12
B0210C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	3.1952	21.12
B0210C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	2.9233	21.12
B0210C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	2.6754	21.12
B0210C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	2.2545	21.12
B0210W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	4.8526	21.12
B0210W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	3.7664	21.12
B0210W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	3.1952	21.12
B0210W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	2.9233	21.12
B0210W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	2.6754	21.12
B0210W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	2.2545	21.12
B0220P1	ORMOND_B	002YR24HR	12.1841	-9	0.000	0.0000	21.50	0.0000	21.50
B0220P1	ORMOND_B	010YR24HR	12.3251	-16	0.000	0.0000	21.50	0.0000	21.50
B0220P1	ORMOND_B	025YR24HR	12.2868	-18	0.000	0.0000	21.50	0.0000	21.50
B0220P1	ORMOND_B	050YR24HR	12.2541	-17	0.000	0.0000	21.50	0.0000	21.50
B0220P1	ORMOND_B	100YR24HR	12.2527	-16	0.000	0.0000	21.50	0.0000	21.50
B0220P1	ORMOND_B	500YR24HR	12.3283	-16	0.000	0.0000	21.50	0.0000	21.50
B0220P2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	4.8526	21.12
B0220P2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	3.7664	21.12
B0220P2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	3.1952	21.12
B0220P2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	2.9233	21.12

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0220P2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	2.6754	21.12
B0220P2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	2.2545	21.12
B0220W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0220W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	4.8526	21.12
B0220W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	3.7664	21.12
B0220W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	3.1952	21.12
B0220W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	2.9233	21.12
B0220W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	2.6754	21.12
B0220W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	2.2545	21.12
B0230P2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230P2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230P2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230P2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230P2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230P2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	21.50
B0230W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.70	0.0000	22.92
B0230W4	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.70	4.8526	21.12
B0230W4	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.70	3.7664	21.12
B0230W4	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.70	3.1952	21.12
B0230W4	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.70	2.9233	21.12
B0230W4	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.70	2.6754	21.12
B0230W4	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.70	2.2545	21.12
B0240C	ORMOND_B	002YR24HR	12.2026	-7	0.000	0.0000	21.50	0.0000	21.50
B0240C	ORMOND_B	010YR24HR	12.3455	-17	0.000	0.0000	21.50	0.0000	21.50
B0240C	ORMOND_B	025YR24HR	12.2818	-18	0.000	0.0000	21.50	0.0000	21.50
B0240C	ORMOND_B	050YR24HR	12.2160	-18	0.000	0.0000	21.50	0.0000	21.50
B0240C	ORMOND_B	100YR24HR	12.2004	-17	0.000	0.0000	21.50	0.0000	21.50
B0240C	ORMOND_B	500YR24HR	12.2415	-17	0.000	0.0000	21.50	0.0000	21.50
B0240P	ORMOND_B	002YR24HR	24.7120	-2	0.000	0.0000	21.50	0.0000	25.47
B0240P	ORMOND_B	010YR24HR	16.0839	-3	0.000	0.0000	21.50	0.0000	25.47
B0240P	ORMOND_B	025YR24HR	27.6276	-5	0.000	0.0000	21.50	0.0000	25.47
B0240P	ORMOND_B	050YR24HR	26.2613	-6	0.000	0.0000	21.50	0.0000	25.47
B0240P	ORMOND_B	100YR24HR	25.0223	-7	0.000	0.0000	21.50	0.0000	25.47
B0240P	ORMOND_B	500YR24HR	24.0974	-8	0.000	0.0000	21.50	0.0000	25.47
B0240W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0240W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	24.10
B0240W3	ORMOND_B	010YR24HR	16.4836	-1	0.000	0.0000	21.50	0.0000	24.10
B0240W3	ORMOND_B	025YR24HR	15.7605	-4	0.000	0.0000	21.50	0.0000	24.10
B0240W3	ORMOND_B	050YR24HR	15.1776	-6	0.000	0.0000	21.50	0.0000	24.10
B0240W3	ORMOND_B	100YR24HR	14.7385	-9	0.000	0.0000	21.50	0.0000	24.10
B0240W3	ORMOND_B	500YR24HR	14.0720	-14	0.000	0.0000	21.50	0.0000	24.10
B0250C	ORMOND_B	002YR24HR	6.4207	-0	0.000	0.0000	21.50	0.0000	21.50
B0250C	ORMOND_B	010YR24HR	4.6932	-0	0.000	0.0000	21.50	0.0000	21.50

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0250C	ORMOND_B	025YR24HR	4.0946	-0	0.000	0.0000	21.50	0.0000	21.50
B0250C	ORMOND_B	050YR24HR	3.8359	-0	0.000	0.0000	21.50	0.0000	21.50
B0250C	ORMOND_B	100YR24HR	3.5086	-0	0.000	0.0000	21.50	0.0000	21.50
B0250C	ORMOND_B	500YR24HR	3.0782	-0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0250W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.50	0.0000	21.50
B0260P	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260P	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260P	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260P	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260P	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260P	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0260W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.50
B0263W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.70
B0263W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0263W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0263W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0263W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0263W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0263W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	25.47
B0265W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0265W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0265W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0265W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0265W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0265W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	21.83
B0267W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.83
B0267W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.83
B0267W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.83
B0267W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	21.83
B0267W1	ORMOND_B	100YR24HR	12.0889	-0	0.000	0.0000	25.00	0.0000	21.83
B0267W1	ORMOND_B	500YR24HR	12.0844	-0	0.000	0.0000	25.00	0.0000	21.83
B0270C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	21.83	0.0000	21.83
B0270C	ORMOND_B	010YR24HR	5.8036	-0	0.000	0.0000	21.83	0.0000	21.83
B0270C	ORMOND_B	025YR24HR	5.3009	-0	0.000	0.0000	21.83	0.0000	21.83
B0270C	ORMOND_B	050YR24HR	4.9858	-0	0.000	0.0000	21.83	0.0000	21.83
B0270C	ORMOND_B	100YR24HR	4.7415	-0	0.000	0.0000	21.83	0.0000	21.83
B0270C	ORMOND_B	500YR24HR	4.2167	-0	0.000	0.0000	21.83	0.0000	21.83
B0275W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0275W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0275W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0275W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0275W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0275W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	25.70	0.0000	21.83
B0277W1	ORMOND_B	002YR24HR	71.9998	0	0.000	71.9998	25.85	0.0000	23.17
B0277W1	ORMOND_B	010YR24HR	72.0003	0	0.000	72.0003	25.86	0.0000	23.17
B0277W1	ORMOND_B	025YR24HR	4.0498	0	0.000	4.0498	25.88	0.0000	23.17
B0277W1	ORMOND_B	050YR24HR	3.7413	0	0.000	3.7413	25.88	0.0000	23.17
B0277W1	ORMOND_B	100YR24HR	3.4856	0	0.000	3.4856	25.88	0.0000	23.17
B0277W1	ORMOND_B	500YR24HR	58.9319	0	0.000	3.0267	25.89	0.0000	23.17

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0279W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	23.17
B0279W1	ORMOND_B	010YR24HR	18.1583	-0	0.000	0.0000	26.00	0.0000	23.17
B0279W1	ORMOND_B	025YR24HR	16.1046	-1	0.000	0.0000	26.00	0.0000	23.17
B0279W1	ORMOND_B	050YR24HR	15.3426	-1	0.000	0.0000	26.00	0.0000	23.17
B0279W1	ORMOND_B	100YR24HR	14.8648	-2	0.000	0.0000	26.00	0.0000	23.17
B0279W1	ORMOND_B	500YR24HR	14.4843	-2	0.000	0.0000	26.00	0.0000	23.17
B0280C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0280C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0280C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0280C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0280C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0280C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	23.17	0.0007	20.87
B0290C	ORMOND_B	002YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290C	ORMOND_B	010YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290C	ORMOND_B	025YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290C	ORMOND_B	050YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290C	ORMOND_B	100YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290C	ORMOND_B	500YR24HR	0.6089	-1	0.000	0.0000	24.92	0.0000	24.40
B0290W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	24.92	0.0000	25.25
B0290W2	ORMOND_B	002YR24HR	24.5175	-3	0.000	0.0000	24.92	0.0000	26.00
B0290W2	ORMOND_B	010YR24HR	27.2485	-4	0.000	0.0000	24.92	0.0000	26.00
B0290W2	ORMOND_B	025YR24HR	27.9914	-4	0.000	0.0000	24.92	0.0000	26.00
B0290W2	ORMOND_B	050YR24HR	28.3899	-4	0.000	0.0000	24.92	0.0000	26.00
B0290W2	ORMOND_B	100YR24HR	28.7062	-4	0.000	0.0000	24.92	0.0000	26.00
B0290W2	ORMOND_B	500YR24HR	29.3011	-4	0.000	0.0000	24.92	0.0000	26.00
B0295W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	24.92
B0295W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0295W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0295W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0295W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0295W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0295W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0300C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.75	3.8509	24.83
B0300C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.75	2.8738	24.83
B0300C	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.75	2.5240	24.83
B0300C	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.75	2.3424	24.83
B0300C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.75	2.1901	24.83
B0300C	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.75	1.9202	24.83
B0300W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	24.92
B0300W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0300W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0300W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0300W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0300W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0300W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	26.75	0.0000	26.00
B0310W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0310W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0310W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0310W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0310W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0310W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.75
B0323W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
B0323W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
B0323W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
B0323W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
B0323W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0323W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	29.00
B0323W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	30.00	71.9998	25.85
B0323W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	30.00	72.0003	25.86
B0323W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	30.00	4.0498	25.88
B0323W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	30.00	3.7413	25.88
B0323W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	30.00	3.4856	25.88
B0323W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	30.00	3.0267	25.89
B0323W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0323W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0323W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0323W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0323W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0323W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	30.00	0.0000	26.75
B0325W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0325W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0325W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0325W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0325W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0325W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0326C	ORMOND_B	002YR24HR	0.0000	0	0.000	2.5674	23.17	7.5774	22.20
B0326C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.17	5.8305	22.20
B0326C	ORMOND_B	025YR24HR	0.0000	0	0.000	1.5761	23.17	5.1624	22.20
B0326C	ORMOND_B	050YR24HR	0.0000	0	0.000	1.4449	23.17	4.8137	22.20
B0326C	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.17	4.5223	22.20
B0326C	ORMOND_B	500YR24HR	0.0000	0	0.000	1.1437	23.17	3.9716	22.20
B0326W1	ORMOND_B	002YR24HR	0.0000	0	0.000	2.5674	23.17	0.0000	23.17
B0326W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0326W1	ORMOND_B	025YR24HR	0.0000	0	0.000	1.5761	23.17	0.0000	23.17
B0326W1	ORMOND_B	050YR24HR	0.0000	0	0.000	1.4449	23.17	0.0000	23.17
B0326W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0326W1	ORMOND_B	500YR24HR	0.0000	0	0.000	1.1437	23.17	0.0000	23.17
B0327W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	29.00	2.5674	23.17
B0327W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	29.00	1.5761	23.17
B0327W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	29.00	1.4449	23.17
B0327W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	23.17
B0327W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	29.00	1.1437	23.17
B0328C	ORMOND_B	002YR24HR	12.7669	-1	0.000	0.0000	23.30	0.0000	23.17
B0328C	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.30	0.0000	23.17
B0328C	ORMOND_B	025YR24HR	15.1416	-4	0.000	0.0000	23.30	0.0000	23.17
B0328C	ORMOND_B	050YR24HR	14.5240	-7	0.000	0.0000	23.30	0.0000	23.17
B0328C	ORMOND_B	100YR24HR	14.0929	-8	0.000	0.0000	23.30	0.0000	23.17
B0328C	ORMOND_B	500YR24HR	13.4091	-10	0.000	0.0000	23.30	0.0000	23.17
B0328W1	ORMOND_B	002YR24HR	14.2351	-4	0.000	0.0000	23.30	2.5674	23.17
B0328W1	ORMOND_B	010YR24HR	16.5139	-18	0.000	0.0000	23.30	0.0000	23.17
B0328W1	ORMOND_B	025YR24HR	14.8631	-29	0.000	0.0000	23.30	1.5761	23.17
B0328W1	ORMOND_B	050YR24HR	14.2976	-36	0.000	0.0000	23.30	1.4449	23.17
B0328W1	ORMOND_B	100YR24HR	13.9037	-41	0.000	0.0000	23.30	0.0000	23.17
B0328W1	ORMOND_B	500YR24HR	13.3729	-48	0.000	0.0000	23.30	1.1437	23.17
B0328W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	23.30	0.0000	23.17
B0328W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	23.30	0.0000	23.17
B0328W2	ORMOND_B	025YR24HR	15.1432	-2	0.000	0.0000	23.30	0.0000	23.17
B0328W2	ORMOND_B	050YR24HR	14.5223	-4	0.000	0.0000	23.30	0.0000	23.17
B0328W2	ORMOND_B	100YR24HR	14.0929	-6	0.000	0.0000	23.30	0.0000	23.17
B0328W2	ORMOND_B	500YR24HR	13.4091	-8	0.000	0.0000	23.30	0.0000	23.17
B0329W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.6957	25.50
B0329W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.4490	25.50
B0329W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.3677	25.50
B0329W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.3462	25.50
B0329W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.3019	25.50
B0329W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.2587	25.50
B0329W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00
B0329W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00
B0329W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0329W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00
B0329W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00
B0329W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	27.00
B0329W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	27.00	2.0226	25.34
B0329W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	27.00	1.2916	25.34
B0329W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	27.00	1.0502	25.34
B0329W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	27.00	1.0129	25.34
B0329W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.8660	25.34
B0329W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.7585	25.34
B0330C	ORMOND_B	002YR24HR	0.0000	0	0.000	0.6957	25.50	0.9872	23.20
B0330C	ORMOND_B	010YR24HR	16.9844	-1	0.000	0.4490	25.50	0.7094	23.20
B0330C	ORMOND_B	025YR24HR	15.1748	-5	0.000	0.3677	25.50	0.5990	23.20
B0330C	ORMOND_B	050YR24HR	14.5454	-7	0.000	0.3462	25.50	0.5430	23.20
B0330C	ORMOND_B	100YR24HR	14.0929	-9	0.000	0.3019	25.50	0.5015	23.20
B0330C	ORMOND_B	500YR24HR	13.4104	-9	0.000	0.2587	25.50	0.4252	23.20
B0330P1	ORMOND_A	002YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P1	ORMOND_A	010YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P1	ORMOND_A	025YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P1	ORMOND_A	050YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P1	ORMOND_A	100YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P1	ORMOND_A	500YR24HR	0.0000	0	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	002YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	010YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	025YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	050YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	100YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330P2	ORMOND_A	500YR24HR	0.0012	-1	0.000	0.0000	23.17	0.0000	23.17
B0330W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.6957	25.50	0.0000	23.30
B0330W1	ORMOND_B	010YR24HR	16.9893	-0	0.000	0.4490	25.50	0.0000	23.30
B0330W1	ORMOND_B	025YR24HR	15.1853	-1	0.000	0.3677	25.50	0.0000	23.30
B0330W1	ORMOND_B	050YR24HR	14.5620	-1	0.000	0.3462	25.50	0.0000	23.30
B0330W1	ORMOND_B	100YR24HR	14.0945	-2	0.000	0.3019	25.50	0.0000	23.30
B0330W1	ORMOND_B	500YR24HR	14.5797	-2	0.000	0.2587	25.50	0.0000	23.30
B0330W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.6957	25.50	2.5674	23.17
B0330W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.4490	25.50	0.0000	23.17
B0330W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.3677	25.50	1.5761	23.17
B0330W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.3462	25.50	1.4449	23.17
B0330W2	ORMOND_B	100YR24HR	18.2632	-0	0.000	0.3019	25.50	0.0000	23.17
B0330W2	ORMOND_B	500YR24HR	16.5679	-0	0.000	0.2587	25.50	1.1437	23.17
B0330W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.6957	25.50	2.0226	25.34
B0330W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.4490	25.50	1.2916	25.34
B0330W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.3677	25.50	1.0502	25.34
B0330W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.3462	25.50	1.0129	25.34
B0330W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.3019	25.50	0.8660	25.34
B0330W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.2587	25.50	0.7585	25.34
B0331P	ORMOND_B	002YR24HR	12.4181	-3	0.000	0.8715	25.50	0.6957	25.50
B0331P	ORMOND_B	010YR24HR	12.3773	-2	0.000	0.0000	25.50	0.4490	25.50
B0331P	ORMOND_B	025YR24HR	8.9663	-1	0.000	0.3676	25.50	0.3677	25.50
B0331P	ORMOND_B	050YR24HR	9.0628	-1	0.000	0.4547	25.50	0.3462	25.50
B0331P	ORMOND_B	100YR24HR	8.4508	-2	0.000	0.3017	25.50	0.3019	25.50
B0331P	ORMOND_B	500YR24HR	7.9300	-2	0.000	0.2606	25.50	0.2587	25.50
B0331W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.8715	25.50	2.5674	23.17
B0331W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
B0331W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.3676	25.50	1.5761	23.17
B0331W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.4547	25.50	1.4449	23.17
B0331W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.3017	25.50	0.0000	23.17
B0331W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.2606	25.50	1.1437	23.17
B0331W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.8715	25.50	0.6957	25.50
B0331W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.4490	25.50
B0331W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.3676	25.50	0.3677	25.50
B0331W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.4547	25.50	0.3462	25.50
B0331W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.3017	25.50	0.3019	25.50
B0331W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.2606	25.50	0.2587	25.50
B0340W1	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W1	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W1	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W1	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W1	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W1	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	27.00
B0340W2	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
B0340W2	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W2	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W2	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W2	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W2	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	002YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	010YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	025YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	050YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	100YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
B0340W3	ORMOND_B	500YR24HR	0.0000	0	0.000	0.0000	28.00	0.0000	26.75
C0010C	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010C	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010C	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010C	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010C	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010C	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.2877	21.48
C0010W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0010W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0010W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0010W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0010W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0010W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0020P1	ORMOND_C	002YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P1	ORMOND_C	010YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P1	ORMOND_C	025YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P1	ORMOND_C	050YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P1	ORMOND_C	100YR24HR	3.4086	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P1	ORMOND_C	500YR24HR	2.8252	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	002YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	010YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	025YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	050YR24HR	0.2880	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	100YR24HR	3.4086	-0	0.000	0.0000	22.92	0.0000	22.92
C0020P2	ORMOND_C	500YR24HR	2.8052	-0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0020W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0020W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0020W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0020W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0020W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0020W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0030C	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030C	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030C	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030C	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030C	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030C	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0030W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0030W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0030W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0030W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0030W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0030W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	23.00
C0035W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
C0035W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.92
C0035W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.92
C0035W2	ORMOND_C	025YR24HR	12.1579	-3	0.000	0.0000	24.00	0.0000	22.92
C0035W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.92
C0035W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.92
C0035W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	22.92

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
C0035W3	ORMOND_C	002YR24HR	14.8763	-45	0.000	0.0000	24.00	0.0000	22.92
C0035W3	ORMOND_C	010YR24HR	13.9939	-81	0.000	0.0000	24.00	0.0000	22.92
C0035W3	ORMOND_C	025YR24HR	13.6454	-111	0.000	0.0000	24.00	0.0000	22.92
C0035W3	ORMOND_C	050YR24HR	13.3824	-143	0.000	0.0000	24.00	0.0000	22.92
C0035W3	ORMOND_C	100YR24HR	13.2065	-176	0.000	0.0000	24.00	0.0000	22.92
C0035W3	ORMOND_C	500YR24HR	12.9760	-257	0.000	0.0000	24.00	0.0000	22.92
C0040P1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040P3	ORMOND_C	002YR24HR	43.4092	-2	0.000	71.9998	24.51	71.9998	24.72
C0040P3	ORMOND_C	010YR24HR	46.5632	-2	0.000	72.0003	24.53	72.0003	24.74
C0040P3	ORMOND_C	025YR24HR	48.0692	-2	0.000	72.0000	24.53	72.0000	24.74
C0040P3	ORMOND_C	050YR24HR	48.0934	-2	0.000	72.0000	24.53	72.0000	24.75
C0040P3	ORMOND_C	100YR24HR	49.0466	-2	0.000	72.0004	24.53	72.0004	24.75
C0040P3	ORMOND_C	500YR24HR	51.5091	-2	0.000	72.0000	24.55	72.0000	24.77
C0040W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0040W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	71.9998	24.72
C0040W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	72.0003	24.74
C0040W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	72.0000	24.74
C0040W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	72.0000	24.75
C0040W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	72.0004	24.75
C0040W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	72.0000	24.77
C0040W3	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W3	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W3	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W3	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W3	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W3	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	24.00
C0040W5	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	4.8526	21.12
C0040W5	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	3.7664	21.12
C0040W5	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	3.1952	21.12
C0040W5	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	2.9233	21.12
C0040W5	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	2.6754	21.12
C0040W5	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	2.2545	21.12
C0050C	ORMOND_C	002YR24HR	8.9195	-1	0.000	0.0000	22.92	0.0000	22.92
C0050C	ORMOND_C	010YR24HR	6.6176	-2	0.000	0.0000	22.92	0.0000	22.92
C0050C	ORMOND_C	025YR24HR	5.8170	-2	0.000	0.0000	22.92	0.0000	22.92
C0050C	ORMOND_C	050YR24HR	5.5153	-2	0.000	0.0000	22.92	0.0000	22.92
C0050C	ORMOND_C	100YR24HR	5.2127	-3	0.000	0.0000	22.92	0.0000	22.92
C0050C	ORMOND_C	500YR24HR	4.6728	-3	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	22.92
C0050W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0050W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0050W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0050W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0050W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0050W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	22.92	0.0000	25.00
C0055W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0055W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0055W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0055W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
C0055W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0055W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0055W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0055W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0055W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0055W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0055W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0055W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0056W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
C0056W1	ORMOND_C	010YR24HR	15.0358	-0	0.000	0.0000	27.00	0.0000	26.00
C0056W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
C0056W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
C0056W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
C0056W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	27.00	0.0000	26.00
C0057W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0057W2	ORMOND_C	002YR24HR	25.9847	-1	0.000	0.0000	26.00	0.0000	26.00
C0057W2	ORMOND_C	010YR24HR	28.4344	-1	0.000	0.0000	26.00	0.0000	26.00
C0057W2	ORMOND_C	025YR24HR	29.1583	-1	0.000	0.0000	26.00	0.0000	26.00
C0057W2	ORMOND_C	050YR24HR	29.5675	-1	0.000	0.0000	26.00	0.0000	26.00
C0057W2	ORMOND_C	100YR24HR	29.8732	-1	0.000	0.0000	26.00	0.0000	26.00
C0057W2	ORMOND_C	500YR24HR	30.4485	-1	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	26.00
C0058W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	22.92
C0058W3	ORMOND_C	002YR24HR	19.5660	-10	0.000	0.0000	26.00	0.0000	26.00
C0058W3	ORMOND_C	010YR24HR	15.3179	-46	0.000	0.0000	26.00	0.0000	26.00
C0058W3	ORMOND_C	025YR24HR	14.5458	-66	0.000	0.0000	26.00	0.0000	26.00
C0058W3	ORMOND_C	050YR24HR	14.1885	-78	0.000	0.0000	26.00	0.0000	26.00
C0058W3	ORMOND_C	100YR24HR	13.9170	-88	0.000	0.0000	26.00	0.0000	26.00
C0058W3	ORMOND_C	500YR24HR	13.4835	-107	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	002YR24HR	30.8659	-0	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	010YR24HR	32.2208	-0	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	025YR24HR	32.8372	-0	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	050YR24HR	33.1593	-0	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	100YR24HR	33.3908	-0	0.000	0.0000	26.00	0.0000	26.00
C0058W4	ORMOND_C	500YR24HR	33.8315	-0	0.000	0.0000	26.00	0.0000	26.00
C0059W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0059W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0059W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0059W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0059W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0059W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.80	0.0000	26.00
C0060C	ORMOND_C	002YR24HR	8.2785	-0	0.000	0.2910	23.78	0.2910	22.73
C0060C	ORMOND_C	010YR24HR	6.5121	-0	0.000	0.2910	23.78	0.2910	22.73
C0060C	ORMOND_C	025YR24HR	5.8350	-1	0.000	0.2910	23.78	0.2910	22.73
C0060C	ORMOND_C	050YR24HR	5.4915	-1	0.000	0.2910	23.78	0.2910	22.73
C0060C	ORMOND_C	100YR24HR	5.1999	-1	0.000	0.2910	23.78	0.2910	22.73
C0060C	ORMOND_C	500YR24HR	4.6791	-1	0.000	0.2910	23.78	0.2910	22.73
C0065W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0065W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0065W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0065W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0065W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0065W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.2910	23.78
C0067W1	ORMOND_C	002YR24HR	18.7639	-4	0.000	0.0000	26.50	0.0000	26.00
C0067W1	ORMOND_C	010YR24HR	15.0368	-18	0.000	0.0000	26.50	0.0000	26.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
C0067W1	ORMOND_C	025YR24HR	14.3217	-26	0.000	0.0000	26.50	0.0000	26.00
C0067W1	ORMOND_C	050YR24HR	14.0288	-30	0.000	0.0000	26.50	0.0000	26.00
C0067W1	ORMOND_C	100YR24HR	13.7989	-34	0.000	0.0000	26.50	0.0000	26.00
C0067W1	ORMOND_C	500YR24HR	13.4104	-41	0.000	0.0000	26.50	0.0000	26.00
C0067W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	24.92
C0067W3	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0067W3	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0067W3	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0067W3	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0067W3	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0067W3	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	26.00
C0069W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.50
C0069W2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0069W2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0069W2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0069W2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0069W2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0069W2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	26.00
C0070P1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	24.40	0.2908	23.78
C0070P2	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070P2	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070P2	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070P2	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070P2	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070P2	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	002YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	010YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	025YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	050YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	100YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0070W1	ORMOND_C	500YR24HR	0.0000	0	0.000	0.0000	24.40	0.2910	23.78
C0075W1	ORMOND_C	002YR24HR	15.0683	-8	0.000	71.9998	25.61	0.0000	24.40
C0075W1	ORMOND_C	010YR24HR	13.6445	-10	0.000	72.0003	25.61	0.0000	24.40
C0075W1	ORMOND_C	025YR24HR	13.3314	-10	0.000	72.0000	25.61	0.0000	24.40
C0075W1	ORMOND_C	050YR24HR	13.1508	-9	0.000	72.0000	25.61	0.0000	24.40
C0075W1	ORMOND_C	100YR24HR	15.5031	-9	0.000	72.0004	25.61	0.0000	24.40
C0075W1	ORMOND_C	500YR24HR	14.9558	-13	0.000	72.0000	25.61	0.0000	24.40
C0075W2	ORMOND_C	002YR24HR	0.0000	0	0.000	71.9998	25.61	0.0000	25.25
C0075W2	ORMOND_C	010YR24HR	0.0000	0	0.000	72.0003	25.61	0.0000	25.25
C0075W2	ORMOND_C	025YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	25.25
C0075W2	ORMOND_C	050YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	25.25
C0075W2	ORMOND_C	100YR24HR	0.0000	0	0.000	72.0004	25.61	0.0000	25.25
C0075W2	ORMOND_C	500YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	25.25
C0075W3	ORMOND_C	002YR24HR	0.0000	0	0.000	71.9998	25.61	0.0000	22.92
C0075W3	ORMOND_C	010YR24HR	0.0000	0	0.000	72.0003	25.61	0.0000	22.92
C0075W3	ORMOND_C	025YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	22.92
C0075W3	ORMOND_C	050YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	22.92
C0075W3	ORMOND_C	100YR24HR	0.0000	0	0.000	72.0004	25.61	0.0000	22.92
C0075W3	ORMOND_C	500YR24HR	0.0000	0	0.000	72.0000	25.61	0.0000	22.92
D0008.2P	MitBank	002YR24HR	0.0000	0	0.000	0.0000	24.00	2.5075	19.01
D0008.2P	MitBank	010YR24HR	0.0000	0	0.000	0.0000	24.00	1.6931	19.01
D0008.2P	MitBank	025YR24HR	0.0000	0	0.000	0.0000	24.00	1.4240	19.01
D0008.2P	MitBank	050YR24HR	0.0000	0	0.000	0.0000	24.00	1.2621	19.01
D0008.2P	MitBank	100YR24HR	0.0000	0	0.000	0.0000	24.00	1.1525	19.01
D0008.2P	MitBank	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.9325	19.01

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0008.2W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.00	2.5075	19.01
D0008.2W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.00	1.6931	19.01
D0008.2W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.00	1.4240	19.01
D0008.2W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.00	1.2621	19.01
D0008.2W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	24.00	1.1525	19.01
D0008.2W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.9325	19.01
D0008P1	ORMOND_D	002YR24HR	13.3577	-5	0.000	0.0000	18.19	4.7910	17.19
D0008P1	ORMOND_D	010YR24HR	12.7368	-12	0.000	0.0000	18.19	3.9485	17.19
D0008P1	ORMOND_D	025YR24HR	12.4618	-11	0.000	0.0000	18.19	3.5403	17.19
D0008P1	ORMOND_D	050YR24HR	12.3038	-9	0.000	0.0000	18.19	3.2860	17.19
D0008P1	ORMOND_D	100YR24HR	12.1449	-5	0.000	0.0000	18.19	3.1266	17.19
D0008P1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	2.6936	17.19
D0008P2	ORMOND_D	002YR24HR	13.3642	-5	0.000	0.0000	18.19	4.0016	17.50
D0008P2	ORMOND_D	010YR24HR	12.7368	-12	0.000	0.0000	18.19	3.2040	17.50
D0008P2	ORMOND_D	025YR24HR	12.4612	-11	0.000	0.0000	18.19	3.0639	17.50
D0008P2	ORMOND_D	050YR24HR	12.3032	-10	0.000	0.0000	18.19	2.8736	17.50
D0008P2	ORMOND_D	100YR24HR	12.1449	-5	0.000	0.0000	18.19	2.6785	17.50
D0008P2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	2.4981	17.50
D0008W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0003	17.88
D0008W2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.75
D0008W3	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W3	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W3	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W3	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W3	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W3	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	23.00
D0008W4	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W4	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W4	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W4	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W4	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W4	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	12.57
D0008W5	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W5	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W5	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W5	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W5	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W5	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	22.00
D0008W6	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0008W6	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0008W6	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0008W6	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0008W6	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0008W6	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	17.25
D0009P1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009P1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009P1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009P1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009P1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009P1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	18.19
D0009W2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75
D0009W2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75
D0009W2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75
D0009W2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75
D0009W2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0009W2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.75
D0010.1C	ORMOND_D	002YR24HR	7.4017	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.1C	ORMOND_D	010YR24HR	5.7192	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.1C	ORMOND_D	025YR24HR	5.0834	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.1C	ORMOND_D	050YR24HR	4.7445	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.1C	ORMOND_D	100YR24HR	4.4522	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.1C	ORMOND_D	500YR24HR	3.9227	-0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.2C	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0010.3W2	ORMOND_D	002YR24HR	12.6519	-3	0.000	0.0000	23.00	0.0000	24.00
D0010.3W2	ORMOND_D	010YR24HR	11.9815	-2	0.000	0.0000	23.00	0.0000	24.00
D0010.3W2	ORMOND_D	025YR24HR	11.1594	-1	0.000	0.0000	23.00	0.0000	24.00
D0010.3W2	ORMOND_D	050YR24HR	10.6193	-1	0.000	0.0000	23.00	0.0000	24.00
D0010.3W2	ORMOND_D	100YR24HR	10.1183	-1	0.000	0.0000	23.00	0.0000	24.00
D0010.3W2	ORMOND_D	500YR24HR	9.1275	-1	0.000	0.0000	23.00	0.0000	24.00
D0010C	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	2.5075	19.01
D0010C	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	1.6931	19.01
D0010C	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	1.4240	19.01
D0010C	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	1.2621	19.01
D0010C	ORMOND_D	100YR24HR	13.6069	-67	0.000	0.0000	23.00	1.0872	19.01
D0010C	ORMOND_D	500YR24HR	13.2927	-155	0.000	0.0000	23.00	0.9325	19.01
D0010D	ORMOND_D	002YR24HR	0.0000	0	0.000	2.5075	19.01	0.0224	19.43
D0010D	ORMOND_D	010YR24HR	0.0000	0	0.000	1.6931	19.01	0.0224	19.43
D0010D	ORMOND_D	025YR24HR	0.0000	0	0.000	1.4240	19.01	0.0224	19.43
D0010D	ORMOND_D	050YR24HR	0.0000	0	0.000	1.2621	19.01	0.0224	19.43
D0010D	ORMOND_D	100YR24HR	0.0000	0	0.000	1.1525	19.01	0.0224	19.43
D0010D	ORMOND_D	500YR24HR	0.0000	0	0.000	0.9325	19.01	0.0224	19.43
D0010W1A	ORMOND_D	002YR24HR	2.5075	0	0.000	2.5075	19.01	0.0000	18.19
D0010W1A	ORMOND_D	010YR24HR	12.6300	-1	0.000	1.6931	19.01	0.0000	18.19
D0010W1A	ORMOND_D	025YR24HR	1.4240	0	0.000	1.4240	19.01	0.0000	18.19
D0010W1A	ORMOND_D	050YR24HR	1.2621	0	0.000	1.2621	19.01	0.0000	18.19
D0010W1A	ORMOND_D	100YR24HR	1.1525	0	0.000	1.1525	19.01	0.0000	18.19
D0010W1A	ORMOND_D	500YR24HR	0.9325	0	0.000	0.9325	19.01	0.0000	18.19
D0011.1C	ORMOND_D	002YR24HR	13.9071	-15	0.000	0.0000	23.00	0.0000	23.00
D0011.1C	ORMOND_D	010YR24HR	12.9479	-9	0.000	0.0000	23.00	0.0000	23.00
D0011.1C	ORMOND_D	025YR24HR	12.4201	-9	0.000	0.0000	23.00	0.0000	23.00
D0011.1C	ORMOND_D	050YR24HR	12.2003	-12	0.000	0.0000	23.00	0.0000	23.00
D0011.1C	ORMOND_D	100YR24HR	12.0213	-14	0.000	0.0000	23.00	0.0000	23.00
D0011.1C	ORMOND_D	500YR24HR	11.4877	-14	0.000	0.0000	23.00	0.0000	23.00
D0011.2C	ORMOND_D	002YR24HR	17.3842	-23	0.000	0.0000	24.00	0.0000	23.00
D0011.2C	ORMOND_D	010YR24HR	15.3345	-95	0.000	0.0000	24.00	0.0000	23.00
D0011.2C	ORMOND_D	025YR24HR	14.7479	-138	0.000	0.0000	24.00	0.0000	23.00
D0011.2C	ORMOND_D	050YR24HR	14.4273	-189	0.000	0.0000	24.00	0.0000	23.00
D0011.2C	ORMOND_D	100YR24HR	13.9288	-203	0.000	0.0000	24.00	0.0000	23.00
D0011.2C	ORMOND_D	500YR24HR	13.4595	-243	0.000	0.0000	24.00	0.0000	23.00
D0011.3P1	MitBank	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P1	MitBank	010YR24HR	15.4941	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P1	MitBank	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P1	MitBank	050YR24HR	14.3942	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P1	MitBank	100YR24HR	13.8754	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P1	MitBank	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	010YR24HR	15.6449	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	050YR24HR	14.5898	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	100YR24HR	13.8754	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P2	MitBank	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P3	MitBank	002YR24HR	0.0001	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P3	MitBank	010YR24HR	15.5374	-2	0.000	0.0000	23.00	0.0000	23.00
D0011.3P3	MitBank	025YR24HR	0.0001	-0	0.000	0.0000	23.00	0.0000	23.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0011.3P3	MitBank	050YR24HR	14.5587	-3	0.000	0.0000	23.00	0.0000	23.00
D0011.3P3	MitBank	100YR24HR	13.8754	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P3	MitBank	500YR24HR	0.0001	-0	0.000	0.0000	23.00	0.0000	23.00
D0011.3P4	MitBank	002YR24HR	0.0000	0	0.000	0.0000	23.00	13.0765	22.11
D0011.3P4	MitBank	010YR24HR	17.4958	-0	0.000	0.0000	23.00	12.2347	22.11
D0011.3P4	MitBank	025YR24HR	0.0000	0	0.000	0.0000	23.00	11.6065	22.11
D0011.3P4	MitBank	050YR24HR	17.2574	-1	0.000	0.0000	23.00	11.1566	22.11
D0011.3P4	MitBank	100YR24HR	13.9190	-0	0.000	0.0000	23.00	10.7311	22.11
D0011.3P4	MitBank	500YR24HR	0.0000	0	0.000	0.0000	23.00	9.8786	22.11
D0011.3W1	ORMOND_D	002YR24HR	20.2349	-78	0.000	0.0000	23.00	0.0000	23.00
D0011.3W1	ORMOND_D	010YR24HR	18.0888	-145	0.000	0.0000	23.00	0.0000	23.00
D0011.3W1	ORMOND_D	025YR24HR	16.2456	-514	0.000	0.0000	23.00	0.0000	23.00
D0011.3W1	ORMOND_D	050YR24HR	16.1500	-243	0.000	0.0000	23.00	0.0000	23.00
D0011.3W1	ORMOND_D	100YR24HR	15.2204	-743	0.000	0.0000	23.00	0.0000	23.00
D0011.3W1	ORMOND_D	500YR24HR	14.2741	-1274	0.000	0.0000	23.00	0.0000	23.00
D0011.3W2	ORMOND_D	002YR24HR	13.5343	-21	0.000	0.0000	23.00	7.1414	23.87
D0011.3W2	ORMOND_D	010YR24HR	18.7902	-67	0.000	0.0000	23.00	5.4211	23.91
D0011.3W2	ORMOND_D	025YR24HR	16.3769	-317	0.000	0.0000	23.00	4.7183	23.92
D0011.3W2	ORMOND_D	050YR24HR	16.5890	-131	0.000	0.0000	23.00	4.3415	23.93
D0011.3W2	ORMOND_D	100YR24HR	15.1024	-458	0.000	0.0000	23.00	4.0034	23.94
D0011.3W2	ORMOND_D	500YR24HR	14.1173	-775	0.000	0.0000	23.00	3.3829	23.95
D0011.3W3	ORMOND_D	002YR24HR	13.5637	-127	0.000	0.0000	23.00	6.7381	23.86
D0011.3W3	ORMOND_D	010YR24HR	12.9354	-149	0.000	0.0000	23.00	5.0559	23.89
D0011.3W3	ORMOND_D	025YR24HR	13.3004	-157	0.000	0.0000	23.00	4.4317	23.90
D0011.3W3	ORMOND_D	050YR24HR	13.1159	-150	0.000	0.0000	23.00	4.1021	23.90
D0011.3W3	ORMOND_D	100YR24HR	13.1232	-198	0.000	0.0000	23.00	3.8247	23.91
D0011.3W3	ORMOND_D	500YR24HR	13.4802	-305	0.000	0.0000	23.00	3.3325	23.92
D0011.3W4	ORMOND_D	002YR24HR	13.3270	-29	0.000	0.0000	23.00	0.0000	23.00
D0011.3W4	ORMOND_D	010YR24HR	12.5144	-27	0.000	0.0000	23.00	0.0000	23.00
D0011.3W4	ORMOND_D	025YR24HR	11.9572	-16	0.000	0.0000	23.00	0.0000	23.00
D0011.3W4	ORMOND_D	050YR24HR	11.4809	-13	0.000	0.0000	23.00	0.0000	23.00
D0011.3W4	ORMOND_D	100YR24HR	11.0497	-13	0.000	0.0000	23.00	0.0000	23.00
D0011.3W4	ORMOND_D	500YR24HR	10.1956	-13	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	010YR24HR	15.5690	-35	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	050YR24HR	14.5818	-92	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	100YR24HR	13.9190	-3	0.000	0.0000	23.00	0.0000	23.00
D0011.3W5	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011.3W6	ORMOND_D	002YR24HR	12.7787	-39	0.000	0.0000	23.00	0.0000	24.00
D0011.3W6	ORMOND_D	010YR24HR	15.2268	-98	0.000	0.0000	23.00	0.0000	24.00
D0011.3W6	ORMOND_D	025YR24HR	14.7196	-114	0.000	0.0000	23.00	0.0000	24.00
D0011.3W6	ORMOND_D	050YR24HR	14.3974	-187	0.000	0.0000	23.00	0.0000	24.00
D0011.3W6	ORMOND_D	100YR24HR	13.9405	-166	0.000	0.0000	23.00	0.0000	24.00
D0011.3W6	ORMOND_D	500YR24HR	13.3147	-166	0.000	0.0000	23.00	0.0000	24.00
D0011.4C	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4C	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4C	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4C	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4C	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4C	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0011.4W	ORMOND_D	002YR24HR	12.9206	-3	0.000	0.0000	24.00	1.9566	24.22
D0011.4W	ORMOND_D	010YR24HR	12.4065	-7	0.000	0.0000	24.00	1.6724	24.22
D0011.4W	ORMOND_D	025YR24HR	12.2656	-15	0.000	0.0000	24.00	1.5800	24.22
D0011.4W	ORMOND_D	050YR24HR	11.9524	-1	0.000	0.0000	24.00	1.5298	24.22
D0011.4W	ORMOND_D	100YR24HR	13.3801	-27	0.000	0.0000	24.00	1.4856	24.22
D0011.4W	ORMOND_D	500YR24HR	13.1258	-81	0.000	0.0000	24.00	1.3985	24.22
D0011P1	MitBank	002YR24HR	13.6051	-5	0.000	10.1592	22.53	0.0000	23.00
D0011P1	MitBank	010YR24HR	13.1476	-6	0.000	8.2132	22.50	0.0000	23.00
D0011P1	MitBank	025YR24HR	15.1481	-11	0.000	7.3502	22.49	0.0000	23.00
D0011P1	MitBank	050YR24HR	15.9484	-7	0.000	6.8757	22.49	0.0000	23.00
D0011P1	MitBank	100YR24HR	14.1818	-12	0.000	6.4705	22.48	0.0000	23.00
D0011P1	MitBank	500YR24HR	13.4013	-16	0.000	5.7123	22.47	0.0000	23.00
D0011P2	MitBank	002YR24HR	13.2503	-3	0.000	0.0000	23.00	0.0000	23.00
D0011P2	MitBank	010YR24HR	12.9075	-3	0.000	0.0000	23.00	0.0000	23.00
D0011P2	MitBank	025YR24HR	15.3102	-7	0.000	0.0000	23.00	0.0000	23.00
D0011P2	MitBank	050YR24HR	16.1315	-5	0.000	0.0000	23.00	0.0000	23.00
D0011P2	MitBank	100YR24HR	14.3386	-9	0.000	0.0000	23.00	0.0000	23.00
D0011P2	MitBank	500YR24HR	13.9847	-11	0.000	0.0000	23.00	0.0000	23.00
D0011P3	MitBank	002YR24HR	0.0000	-5	0.000	0.0000	24.00	1.9566	24.22

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0011P3	MitBank	010YR24HR	0.0000	-5	0.000	0.0000	24.00	1.6724	24.22
D0011P3	MitBank	025YR24HR	0.0000	-5	0.000	0.0000	24.00	1.5800	24.22
D0011P3	MitBank	050YR24HR	0.0000	-5	0.000	0.0000	24.00	1.5298	24.22
D0011P3	MitBank	100YR24HR	0.0000	-5	0.000	0.0000	24.00	1.4856	24.22
D0011P3	MitBank	500YR24HR	0.0000	-5	0.000	0.0000	24.00	1.3985	24.22
D0011PLC1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0011PLC2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	4.5879	22.77
D0011PLC2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	3.8389	22.78
D0011PLC2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	3.5087	22.79
D0011PLC2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	3.3197	22.79
D0011PLC2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	3.1558	22.80
D0011PLC2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	2.8464	22.81
D0011W1	ORMOND_D	002YR24HR	0.0000	0	0.000	4.5879	22.77	0.0000	23.00
D0011W1	ORMOND_D	010YR24HR	0.0000	0	0.000	3.8389	22.78	0.0000	23.00
D0011W1	ORMOND_D	025YR24HR	0.0000	0	0.000	3.5087	22.79	0.0000	23.00
D0011W1	ORMOND_D	050YR24HR	0.0000	0	0.000	3.3197	22.79	0.0000	23.00
D0011W1	ORMOND_D	100YR24HR	0.0000	0	0.000	3.1558	22.80	0.0000	23.00
D0011W1	ORMOND_D	500YR24HR	0.0000	0	0.000	2.8464	22.81	0.0000	23.00
D0011W2	ORMOND_D	002YR24HR	17.3970	-170	0.000	4.5879	22.77	0.0000	23.00
D0011W2	ORMOND_D	010YR24HR	15.0456	-333	0.000	3.8389	22.78	0.0000	23.00
D0011W2	ORMOND_D	025YR24HR	14.4856	-617	0.000	3.5087	22.79	0.0000	23.00
D0011W2	ORMOND_D	050YR24HR	14.2309	-487	0.000	3.3197	22.79	0.0000	23.00
D0011W2	ORMOND_D	100YR24HR	14.8295	-873	0.000	3.1558	22.80	0.0000	23.00
D0011W2	ORMOND_D	500YR24HR	14.0025	-1495	0.000	2.8464	22.81	0.0000	23.00
D0012P1	ORMOND_D	002YR24HR	71.9998	0	0.000	71.9998	24.79	71.9998	24.44
D0012P1	ORMOND_D	010YR24HR	72.0003	0	0.000	72.0003	24.81	72.0003	24.45
D0012P1	ORMOND_D	025YR24HR	5.4804	0	0.000	5.4804	24.83	5.4804	24.47
D0012P1	ORMOND_D	050YR24HR	72.0000	0	0.000	72.0000	24.83	72.0000	24.47
D0012P1	ORMOND_D	100YR24HR	4.6412	0	0.000	4.6412	24.84	4.6412	24.48
D0012P1	ORMOND_D	500YR24HR	3.9500	0	0.000	3.9500	24.85	3.9500	24.48
D0012W1	ORMOND_D	002YR24HR	0.0000	0	0.000	71.9998	24.79	0.0000	23.00
D0012W1	ORMOND_D	010YR24HR	0.0000	0	0.000	72.0003	24.81	0.0000	23.00
D0012W1	ORMOND_D	025YR24HR	0.0000	0	0.000	5.4804	24.83	0.0000	23.00
D0012W1	ORMOND_D	050YR24HR	0.0000	0	0.000	72.0000	24.83	0.0000	23.00
D0012W1	ORMOND_D	100YR24HR	0.0000	0	0.000	4.6412	24.84	0.0000	23.00
D0012W1	ORMOND_D	500YR24HR	0.0000	0	0.000	3.9500	24.85	0.0000	23.00
D0013W1	ORMOND_D	002YR24HR	15.8896	-0	0.000	0.0000	23.80	71.9998	24.79
D0013W1	ORMOND_D	010YR24HR	13.3028	-0	0.000	0.0000	23.80	72.0003	24.81
D0013W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.80	5.4804	24.83
D0013W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.80	72.0000	24.83
D0013W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.80	4.6412	24.84
D0013W1	ORMOND_D	500YR24HR	11.9474	-0	0.000	0.0000	23.80	3.9500	24.85
D0013W3	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	25.75
D0013W3	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	25.75
D0013W3	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	25.75
D0013W3	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	25.75
D0013W3	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	25.75
D0013W3	ORMOND_D	500YR24HR	13.8101	-0	0.000	0.0000	23.80	0.0000	25.75
D0014P1	ORMOND_D	002YR24HR	16.8973	-30	0.000	0.0000	23.80	0.0000	23.80
D0014P1	ORMOND_D	010YR24HR	14.2996	-48	0.000	0.0000	23.80	0.0000	23.80
D0014P1	ORMOND_D	025YR24HR	13.4931	-52	0.000	0.0000	23.80	0.0000	23.80
D0014P1	ORMOND_D	050YR24HR	13.3876	-52	0.000	0.0000	23.80	0.0000	23.80
D0014P1	ORMOND_D	100YR24HR	13.1873	-51	0.000	0.0000	23.80	0.0000	23.80
D0014P1	ORMOND_D	500YR24HR	12.7869	-46	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0014W2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	002YR24HR	15.9241	-28	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	010YR24HR	14.2675	-43	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	025YR24HR	13.6761	-49	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	050YR24HR	13.3281	-52	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	100YR24HR	13.0797	-54	0.000	0.0000	23.80	0.0000	23.80
D0015P1	ORMOND_D	500YR24HR	12.7753	-57	0.000	0.0000	23.80	0.0000	23.80

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0015W	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0015W	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.80	0.0000	23.80
D0015W	ORMOND_D	025YR24HR	16.1792	-0	0.000	0.0000	23.80	0.0000	23.80
D0015W	ORMOND_D	050YR24HR	15.6198	-3	0.000	0.0000	23.80	0.0000	23.80
D0015W	ORMOND_D	100YR24HR	15.2192	-6	0.000	0.0000	23.80	0.0000	23.80
D0015W	ORMOND_D	500YR24HR	14.8016	-15	0.000	0.0000	23.80	0.0000	23.80
D0018W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0018W2	ORMOND_D	002YR24HR	0.0000	-16	0.000	0.0000	24.00	1.9566	24.22
D0018W2	ORMOND_D	010YR24HR	0.0000	-16	0.000	0.0000	24.00	1.6724	24.22
D0018W2	ORMOND_D	025YR24HR	0.0000	-16	0.000	0.0000	24.00	1.5800	24.22
D0018W2	ORMOND_D	050YR24HR	0.0000	-16	0.000	0.0000	24.00	1.5298	24.22
D0018W2	ORMOND_D	100YR24HR	0.0000	-16	0.000	0.0000	24.00	1.4856	24.22
D0018W2	ORMOND_D	500YR24HR	12.7016	-69	0.000	0.0000	24.00	1.3985	24.22
D0020C	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0020C	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
D0020C	ORMOND_D	025YR24HR	15.6764	-4	0.000	0.0000	24.00	0.0000	24.00
D0020C	ORMOND_D	050YR24HR	16.6116	-2	0.000	0.0000	24.00	0.0000	24.00
D0020C	ORMOND_D	100YR24HR	14.6464	-8	0.000	0.0000	24.00	0.0000	24.00
D0020C	ORMOND_D	500YR24HR	13.9006	-12	0.000	0.0000	24.00	0.0000	24.00
D0020W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0020W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0020W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0020W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0020W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	23.00
D0020W1	ORMOND_D	500YR24HR	13.4505	-41	0.000	0.0000	24.00	0.0000	23.00
D0025C	ORMOND_D	002YR24HR	0.0000	0	0.000	71.9998	24.72	0.0000	24.00
D0025C	ORMOND_D	010YR24HR	0.0000	0	0.000	72.0003	24.74	0.0000	24.00
D0025C	ORMOND_D	025YR24HR	0.0000	0	0.000	72.0000	24.74	0.0000	24.00
D0025C	ORMOND_D	050YR24HR	0.0000	0	0.000	72.0000	24.75	0.0000	24.00
D0025C	ORMOND_D	100YR24HR	0.0000	0	0.000	72.0004	24.75	0.0000	24.00
D0025C	ORMOND_D	500YR24HR	0.0000	0	0.000	72.0000	24.77	0.0000	24.00
D0025W1	ORMOND_D	002YR24HR	0.0000	0	0.000	71.9998	24.72	71.9998	24.57
D0025W1	ORMOND_D	010YR24HR	0.0000	0	0.000	72.0003	24.74	72.0003	24.57
D0025W1	ORMOND_D	025YR24HR	0.0000	0	0.000	72.0000	24.74	72.0000	24.58
D0025W1	ORMOND_D	050YR24HR	0.0000	0	0.000	72.0000	24.75	72.0000	24.57
D0025W1	ORMOND_D	100YR24HR	0.0000	0	0.000	72.0004	24.75	72.0004	24.58
D0025W1	ORMOND_D	500YR24HR	0.0000	0	0.000	72.0000	24.77	72.0000	24.61
D0030W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W1	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W1	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W1	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W1	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W1	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.25
D0030W2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	25.00	71.9998	24.72
D0030W2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	25.00	72.0003	24.74
D0030W2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.74
D0030W2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.75
D0030W2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	25.00	72.0004	24.75
D0030W2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	24.77
D0035W1	ORMOND_D	002YR24HR	12.2482	-6	0.000	0.0000	23.00	0.0000	23.00
D0035W1	ORMOND_D	010YR24HR	12.1872	-12	0.000	0.0000	23.00	0.0000	23.00
D0035W1	ORMOND_D	025YR24HR	12.1840	-15	0.000	0.0000	23.00	0.0000	23.00
D0035W1	ORMOND_D	050YR24HR	12.1806	-18	0.000	0.0000	23.00	0.0000	23.00
D0035W1	ORMOND_D	100YR24HR	12.1732	-20	0.000	0.0000	23.00	0.0000	23.00
D0035W1	ORMOND_D	500YR24HR	12.1576	-24	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W2	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
D0035W3	ORMOND_D	002YR24HR	17.6714	-25	0.000	0.0000	23.00	6.7381	23.86
D0035W3	ORMOND_D	010YR24HR	18.2060	-46	0.000	0.0000	23.00	5.0559	23.89
D0035W3	ORMOND_D	025YR24HR	17.5888	-208	0.000	0.0000	23.00	4.4317	23.90
D0035W3	ORMOND_D	050YR24HR	17.8421	-89	0.000	0.0000	23.00	4.1021	23.90

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0035W3	ORMOND_D	100YR24HR	16.1567	-337	0.000	0.0000	23.00	3.8247	23.91
D0035W3	ORMOND_D	500YR24HR	15.0907	-588	0.000	0.0000	23.00	3.3325	23.92
D0035W4	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0035W4	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0035W4	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0035W4	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0035W4	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0035W4	ORMOND_D	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.00
D0040W1	ORMOND_D	002YR24HR	0.0000	0	0.000	5.2384	25.39	0.0000	23.80
D0040W1	ORMOND_D	010YR24HR	0.0000	0	0.000	3.8585	25.39	0.0000	23.80
D0040W1	ORMOND_D	025YR24HR	0.0000	0	0.000	3.3481	25.39	0.0000	23.80
D0040W1	ORMOND_D	050YR24HR	0.0000	0	0.000	3.0842	25.39	0.0000	23.80
D0040W1	ORMOND_D	100YR24HR	0.0000	0	0.000	2.8596	25.39	0.0000	23.80
D0040W1	ORMOND_D	500YR24HR	0.0000	0	0.000	2.4660	25.39	0.0000	23.80
D0040W2	ORMOND_D	002YR24HR	5.2384	1	0.000	5.2384	25.39	0.0000	23.80
D0040W2	ORMOND_D	010YR24HR	3.8585	1	0.000	3.8585	25.39	0.0000	23.80
D0040W2	ORMOND_D	025YR24HR	3.3481	1	0.000	3.3481	25.39	0.0000	23.80
D0040W2	ORMOND_D	050YR24HR	3.0842	1	0.000	3.0842	25.39	0.0000	23.80
D0040W2	ORMOND_D	100YR24HR	2.8596	1	0.000	2.8596	25.39	0.0000	23.80
D0040W2	ORMOND_D	500YR24HR	2.4660	1	0.000	2.4660	25.39	0.0000	23.80
D0040W3	ORMOND_D	002YR24HR	0.0000	0	0.000	5.2384	25.39	7.6119	24.74
D0040W3	ORMOND_D	010YR24HR	0.0000	0	0.000	3.8585	25.39	6.3170	24.76
D0040W3	ORMOND_D	025YR24HR	0.0000	0	0.000	3.3481	25.39	5.7219	24.77
D0040W3	ORMOND_D	050YR24HR	0.0000	0	0.000	3.0842	25.39	5.3876	24.77
D0040W3	ORMOND_D	100YR24HR	0.0000	0	0.000	2.8596	25.39	5.0972	24.78
D0040W3	ORMOND_D	500YR24HR	0.0000	0	0.000	2.4660	25.39	4.5408	24.79
D0045P1	MitBank	002YR24HR	13.0775	-1	0.000	5.0674	25.39	5.2384	25.39
D0045P1	MitBank	010YR24HR	12.8578	-1	0.000	3.6486	25.39	3.8585	25.39
D0045P1	MitBank	025YR24HR	12.7521	-1	0.000	3.1292	25.40	3.3481	25.39
D0045P1	MitBank	050YR24HR	12.7060	-1	0.000	2.8615	25.40	3.0842	25.39
D0045P1	MitBank	100YR24HR	12.6712	-1	0.000	2.6414	25.40	2.8596	25.39
D0045P1	MitBank	500YR24HR	7.1221	-0	0.000	2.2511	25.40	2.4660	25.39
D0045W1	ORMOND_D	002YR24HR	13.3464	-1	0.000	5.0674	25.39	5.2384	25.39
D0045W1	ORMOND_D	010YR24HR	13.0979	-1	0.000	3.6486	25.39	3.8585	25.39
D0045W1	ORMOND_D	025YR24HR	13.0747	-2	0.000	3.1292	25.40	3.3481	25.39
D0045W1	ORMOND_D	050YR24HR	12.9506	-2	0.000	2.8615	25.40	3.0842	25.39
D0045W1	ORMOND_D	100YR24HR	12.8272	-2	0.000	2.6414	25.40	2.8596	25.39
D0045W1	ORMOND_D	500YR24HR	7.1534	-0	0.000	2.2511	25.40	2.4660	25.39
D0047W1	ORMOND_D	002YR24HR	17.8235	-2	0.000	0.0000	24.25	5.0674	25.39
D0047W1	ORMOND_D	010YR24HR	15.7157	-10	0.000	0.0000	24.25	3.6486	25.39
D0047W1	ORMOND_D	025YR24HR	15.2055	-19	0.000	0.0000	24.25	3.1292	25.40
D0047W1	ORMOND_D	050YR24HR	14.9929	-27	0.000	0.0000	24.25	2.8615	25.40
D0047W1	ORMOND_D	100YR24HR	14.7988	-36	0.000	0.0000	24.25	2.6414	25.40
D0047W1	ORMOND_D	500YR24HR	14.4633	-59	0.000	0.0000	24.25	2.2511	25.40
D0047W2	ORMOND_D	002YR24HR	19.6132	-1	0.000	0.0000	24.25	0.0000	24.70
D0047W2	ORMOND_D	010YR24HR	21.1959	-1	0.000	0.0000	24.25	0.0000	24.70
D0047W2	ORMOND_D	025YR24HR	32.9952	-0	0.000	0.0000	24.25	0.0000	24.70
D0047W2	ORMOND_D	050YR24HR	26.1838	-1	0.000	0.0000	24.25	0.0000	24.70
D0047W2	ORMOND_D	100YR24HR	38.1741	-0	0.000	0.0000	24.25	0.0000	24.70
D0047W2	ORMOND_D	500YR24HR	44.9842	-0	0.000	0.0000	24.25	0.0000	24.70
D0047W3	ORMOND_D	002YR24HR	5.9244	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W3	ORMOND_D	010YR24HR	4.7456	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W3	ORMOND_D	025YR24HR	4.2690	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W3	ORMOND_D	050YR24HR	4.0165	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W3	ORMOND_D	100YR24HR	3.8033	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W3	ORMOND_D	500YR24HR	11.4567	-1	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	100YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
D0047W4	ORMOND_D	500YR24HR	14.8119	-0	0.000	0.0000	24.25	0.0000	24.25
D0047W5	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
D0047W5	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
D0047W5	ORMOND_D	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
D0047W5	ORMOND_D	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
D0047W5	ORMOND_D	100YR24HR	17.1879	-1	0.000	0.0000	24.25	0.1198	24.25
D0047W5	ORMOND_D	500YR24HR	15.1395	-137	0.000	0.0000	24.25	0.1198	24.25
D0050W1	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.40	0.0000	24.25
D0050W1	ORMOND_D	010YR24HR	16.8474	-0	0.000	0.0000	24.40	0.0000	24.25

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
D0050W1	ORMOND_D	025YR24HR	16.3866	-2	0.000	0.0000	24.40	0.0000	24.25
D0050W1	ORMOND_D	050YR24HR	15.7397	-2	0.000	0.0000	24.40	0.0000	24.25
D0050W1	ORMOND_D	100YR24HR	16.0597	-12	0.000	0.0000	24.40	0.0000	24.25
D0050W1	ORMOND_D	500YR24HR	14.5458	-81	0.000	0.0000	24.40	0.0000	24.25
D0050W5	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.40	5.0796	24.23
D0050W5	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.40	3.6608	24.23
D0050W5	ORMOND_D	025YR24HR	17.0569	-34	0.000	0.0000	24.40	3.1480	24.24
D0050W5	ORMOND_D	050YR24HR	17.0482	-0	0.000	0.0000	24.40	2.8730	24.24
D0050W5	ORMOND_D	100YR24HR	15.8657	-101	0.000	0.0000	24.40	2.6480	24.24
D0050W5	ORMOND_D	500YR24HR	14.4568	-290	0.000	0.0000	24.40	2.2624	24.24
D0050W6	ORMOND_D	002YR24HR	17.4309	-1	0.000	0.0000	24.40	5.0385	24.23
D0050W6	ORMOND_D	010YR24HR	17.0564	-8	0.000	0.0000	24.40	3.5355	24.24
D0050W6	ORMOND_D	025YR24HR	16.4664	-111	0.000	0.0000	24.40	3.0013	24.24
D0050W6	ORMOND_D	050YR24HR	16.3869	-22	0.000	0.0000	24.40	2.6969	24.24
D0050W6	ORMOND_D	100YR24HR	15.4829	-203	0.000	0.0000	24.40	2.4514	24.24
D0050W6	ORMOND_D	500YR24HR	14.2741	-457	0.000	0.0000	24.40	2.0405	24.24
D0050W7	ORMOND_D	002YR24HR	24.8548	-47	0.000	0.0000	24.40	0.0000	23.80
D0050W7	ORMOND_D	010YR24HR	20.3747	-102	0.000	0.0000	24.40	0.0000	23.80
D0050W7	ORMOND_D	025YR24HR	17.4562	-120	0.000	0.0000	24.40	0.0000	23.80
D0050W7	ORMOND_D	050YR24HR	18.5564	-162	0.000	0.0000	24.40	0.0000	23.80
D0050W7	ORMOND_D	100YR24HR	19.5005	-168	0.000	0.0000	24.40	0.0000	23.80
D0050W7	ORMOND_D	500YR24HR	18.7984	-249	0.000	0.0000	24.40	0.0000	23.80
D0050W8	ORMOND_D	002YR24HR	20.9357	-9	0.000	0.0000	24.40	0.0000	24.25
D0050W8	ORMOND_D	010YR24HR	18.6632	-15	0.000	0.0000	24.40	0.0000	24.25
D0050W8	ORMOND_D	025YR24HR	16.6631	-54	0.000	0.0000	24.40	0.0000	24.25
D0050W8	ORMOND_D	050YR24HR	20.1159	-28	0.000	0.0000	24.40	0.0000	24.25
D0050W8	ORMOND_D	100YR24HR	15.5989	-88	0.000	0.0000	24.40	0.0000	24.25
D0050W8	ORMOND_D	500YR24HR	14.3307	-174	0.000	0.0000	24.40	0.0000	24.25
D0050W9	ORMOND_D	002YR24HR	0.0000	0	0.000	0.0000	24.40	0.1198	24.25
D0050W9	ORMOND_D	010YR24HR	0.0000	0	0.000	0.0000	24.40	0.1198	24.25
D0050W9	ORMOND_D	025YR24HR	16.9457	-53	0.000	0.0000	24.40	0.1198	24.25
D0050W9	ORMOND_D	050YR24HR	17.2128	-3	0.000	0.0000	24.40	0.1198	24.25
D0050W9	ORMOND_D	100YR24HR	15.7670	-160	0.000	0.0000	24.40	0.1198	24.25
D0050W9	ORMOND_D	500YR24HR	14.4633	-603	0.000	0.0000	24.40	0.1198	24.25
DD-LAKEC30	DD	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC30	DD	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC30	DD	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC30	DD	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC30	DD	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC30	DD	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W1	DD	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	002YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	010YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	025YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	050YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	100YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC3W2	DD	500YR24HR	0.0000	0	0.000	0.0000	29.00	0.0000	28.50
DD-LAKEC60	DD	002YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC60	DD	010YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC60	DD	025YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC60	DD	050YR24HR	0.0000	0	0.000	0.7516	29.20	0.0000	28.50
DD-LAKEC60	DD	100YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC60	DD	500YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W1	DD	002YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W1	DD	010YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W1	DD	025YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W1	DD	050YR24HR	0.0000	0	0.000	0.7516	29.20	0.0000	28.50
DD-LAKEC6W1	DD	100YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W1	DD	500YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W2	DD	002YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W2	DD	010YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W2	DD	025YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W2	DD	050YR24HR	0.0000	0	0.000	0.7516	29.20	0.0000	28.50
DD-LAKEC6W2	DD	100YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50
DD-LAKEC6W2	DD	500YR24HR	0.0000	0	0.000	0.0000	29.20	0.0000	28.50

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
DD-WD	DD	002YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WD	DD	010YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WD	DD	025YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WD	DD	050YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WD	DD	100YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WD	DD	500YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	25.50
DD-WW1	DD	002YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD-WW1	DD	010YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD-WW1	DD	025YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD-WW1	DD	050YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD-WW1	DD	100YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD-WW1	DD	500YR24HR	0.0000	0	0.000	0.0000	28.50	0.0000	29.00
DD005P	DD	002YR24HR	12.2408	-10	0.000	0.0000	25.50	0.8715	25.50
DD005P	DD	010YR24HR	12.1497	-10	0.000	0.0000	25.50	0.0000	25.50
DD005P	DD	025YR24HR	12.0868	-10	0.000	0.0000	25.50	0.3676	25.50
DD005P	DD	050YR24HR	12.0840	-10	0.000	0.0000	25.50	0.4547	25.50
DD005P	DD	100YR24HR	12.0908	-10	0.000	0.0000	25.50	0.3017	25.50
DD005P	DD	500YR24HR	12.0414	-11	0.000	0.0000	25.50	0.2606	25.50
DD005W1	DD	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W1	DD	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W1	DD	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W1	DD	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W1	DD	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W1	DD	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	23.17
DD005W2	DD	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.8715	25.50
DD005W2	DD	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
DD005W2	DD	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.3676	25.50
DD005W2	DD	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.4547	25.50
DD005W2	DD	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.3017	25.50
DD005W2	DD	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.2606	25.50
DD010D	DD	002YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
DD010D	DD	010YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
DD010D	DD	025YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
DD010D	DD	050YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
DD010D	DD	100YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
DD010D	DD	500YR24HR	0.0000	0	0.000	0.0000	26.50	0.0000	25.50
E0003W1	ORMOND_E	002YR24HR	11.7002	-14	0.000	5.0796	24.23	0.0000	24.00
E0003W1	ORMOND_E	010YR24HR	3.6608	2	0.000	3.6608	24.23	0.0000	24.00
E0003W1	ORMOND_E	025YR24HR	13.0416	-1101	0.000	3.1480	24.24	0.0000	24.00
E0003W1	ORMOND_E	050YR24HR	2.8730	2	0.000	2.8730	24.24	0.0000	24.00
E0003W1	ORMOND_E	100YR24HR	13.0166	-1439	0.000	2.6480	24.24	0.0000	24.00
E0003W1	ORMOND_E	500YR24HR	13.0205	-2366	0.000	2.2624	24.24	0.0000	24.00
E0003W2	ORMOND_E	002YR24HR	19.9601	-194	0.000	5.0796	24.23	0.1198	24.25
E0003W2	ORMOND_E	010YR24HR	17.6328	-423	0.000	3.6608	24.23	0.1198	24.25
E0003W2	ORMOND_E	025YR24HR	39.2385	-150	0.000	3.1480	24.24	0.1198	24.25
E0003W2	ORMOND_E	050YR24HR	16.9366	-658	0.000	2.8730	24.24	0.1198	24.25
E0003W2	ORMOND_E	100YR24HR	44.0355	-163	0.000	2.6480	24.24	0.1198	24.25
E0003W2	ORMOND_E	500YR24HR	49.8967	-206	0.000	2.2624	24.24	0.1198	24.25
E0005W1	ORMOND_E	002YR24HR	12.5120	-14	0.000	0.1198	24.25	0.0000	24.00
E0005W1	ORMOND_E	010YR24HR	0.1198	3	0.000	0.1198	24.25	0.0000	24.00
E0005W1	ORMOND_E	025YR24HR	13.4621	-302	0.000	0.1198	24.25	0.0000	24.00
E0005W1	ORMOND_E	050YR24HR	0.1198	3	0.000	0.1198	24.25	0.0000	24.00
E0005W1	ORMOND_E	100YR24HR	13.3190	-562	0.000	0.1198	24.25	0.0000	24.00
E0005W1	ORMOND_E	500YR24HR	13.2720	-1632	0.000	0.1198	24.25	0.0000	24.00
E0007C	ORMOND_E	002YR24HR	13.5263	-5	0.000	0.2160	24.25	0.1198	24.25
E0007C	ORMOND_E	010YR24HR	1.2062	-1	0.000	0.2160	24.25	0.1198	24.25
E0007C	ORMOND_E	025YR24HR	13.2616	-61	0.000	0.2160	24.25	0.1198	24.25
E0007C	ORMOND_E	050YR24HR	0.9512	-1	0.000	0.2160	24.25	0.1198	24.25
E0007C	ORMOND_E	100YR24HR	13.2207	-75	0.000	0.2160	24.25	0.1198	24.25
E0007C	ORMOND_E	500YR24HR	13.2836	-120	0.000	0.2158	24.25	0.1198	24.25
E0010W1	ORMOND_E	002YR24HR	13.0001	-0	0.000	1.5315	24.25	0.0000	24.00
E0010W1	ORMOND_E	010YR24HR	0.0000	0	0.000	1.1344	24.25	0.0000	24.00
E0010W1	ORMOND_E	025YR24HR	13.0004	-184	0.000	0.9930	24.25	0.0000	24.00
E0010W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.9200	24.25	0.0000	24.00
E0010W1	ORMOND_E	100YR24HR	13.0000	-362	0.000	0.8587	24.25	0.0000	24.00
E0010W1	ORMOND_E	500YR24HR	13.0009	-994	0.000	0.7490	24.25	0.0000	24.00
E0010W2	ORMOND_E	002YR24HR	13.8801	-38	0.000	1.5315	24.25	0.1198	24.25
E0010W2	ORMOND_E	010YR24HR	13.5031	-67	0.000	1.1344	24.25	0.1198	24.25
E0010W2	ORMOND_E	025YR24HR	13.4245	-507	0.000	0.9930	24.25	0.1198	24.25
E0010W2	ORMOND_E	050YR24HR	13.2207	-115	0.000	0.9200	24.25	0.1198	24.25
E0010W2	ORMOND_E	100YR24HR	13.1346	-794	0.000	0.8587	24.25	0.1198	24.25

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0010W2	ORMOND_E	500YR24HR	13.1491	-1475	0.000	0.7490	24.25	0.1198	24.25
E0015W1	ORMOND_E	002YR24HR	17.0812	-174	0.000	71.9998	24.57	0.0000	25.25
E0015W1	ORMOND_E	010YR24HR	16.3005	-341	0.000	72.0003	24.57	0.0000	25.25
E0015W1	ORMOND_E	025YR24HR	16.0139	-451	0.000	72.0000	24.58	0.0000	25.25
E0015W1	ORMOND_E	050YR24HR	15.8570	-529	0.000	72.0000	24.57	0.0000	25.25
E0015W1	ORMOND_E	100YR24HR	15.7024	-611	0.000	72.0004	24.58	0.0000	25.25
E0015W1	ORMOND_E	500YR24HR	15.2688	-671	0.000	72.0000	24.61	0.0000	25.25
E0015W2	ORMOND_E	002YR24HR	14.5638	-21	0.000	71.9998	24.57	71.9998	25.93
E0015W2	ORMOND_E	010YR24HR	13.7975	-45	0.000	72.0003	24.57	72.0003	25.93
E0015W2	ORMOND_E	025YR24HR	13.5733	-59	0.000	72.0000	24.58	72.0000	25.93
E0015W2	ORMOND_E	050YR24HR	13.4981	-68	0.000	72.0000	24.57	72.0000	25.93
E0015W2	ORMOND_E	100YR24HR	13.4254	-77	0.000	72.0004	24.58	72.0004	25.93
E0015W2	ORMOND_E	500YR24HR	13.2914	-97	0.000	72.0000	24.61	72.0000	25.93
E0015W3	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	24.57	0.0000	24.00
E0015W3	ORMOND_E	010YR24HR	0.0000	0	0.000	72.0003	24.57	0.0000	24.00
E0015W3	ORMOND_E	025YR24HR	0.0000	0	0.000	72.0000	24.58	0.0000	24.00
E0015W3	ORMOND_E	050YR24HR	0.0000	0	0.000	72.0000	24.57	0.0000	24.00
E0015W3	ORMOND_E	100YR24HR	0.0000	0	0.000	72.0004	24.58	0.0000	24.00
E0015W3	ORMOND_E	500YR24HR	0.0000	0	0.000	72.0000	24.61	0.0000	24.00
E0015W4	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	24.57	1.5315	24.25
E0015W4	ORMOND_E	010YR24HR	0.0000	0	0.000	72.0003	24.57	1.1344	24.25
E0015W4	ORMOND_E	025YR24HR	13.8814	-4	0.000	72.0000	24.58	0.9930	24.25
E0015W4	ORMOND_E	050YR24HR	0.0000	0	0.000	72.0000	24.57	0.9200	24.25
E0015W4	ORMOND_E	100YR24HR	13.5483	-35	0.000	72.0004	24.58	0.8587	24.25
E0015W4	ORMOND_E	500YR24HR	13.5740	-204	0.000	72.0000	24.61	0.7490	24.25
E0015W5	ORMOND_E	002YR24HR	71.9998	2	0.000	71.9998	24.57	0.0000	24.00
E0015W5	ORMOND_E	010YR24HR	72.0003	2	0.000	72.0003	24.57	0.0000	24.00
E0015W5	ORMOND_E	025YR24HR	72.0000	3	0.000	72.0000	24.58	0.0000	24.00
E0015W5	ORMOND_E	050YR24HR	72.0000	2	0.000	72.0000	24.57	0.0000	24.00
E0015W5	ORMOND_E	100YR24HR	72.0004	4	0.000	72.0004	24.58	0.0000	24.00
E0015W5	ORMOND_E	500YR24HR	12.0983	-41	0.000	72.0000	24.61	0.0000	24.00
E0020W1	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	25.88	0.0000	24.00
E0020W1	ORMOND_E	010YR24HR	0.0000	0	0.000	72.0003	25.88	0.0000	24.00
E0020W1	ORMOND_E	025YR24HR	0.0000	0	0.000	72.0000	25.88	0.0000	24.00
E0020W1	ORMOND_E	050YR24HR	0.0000	0	0.000	72.0000	25.88	0.0000	24.00
E0020W1	ORMOND_E	100YR24HR	0.0000	0	0.000	72.0004	25.88	0.0000	24.00
E0020W1	ORMOND_E	500YR24HR	0.0000	0	0.000	72.0000	25.88	0.0000	24.00
E0020W2	ORMOND_E	002YR24HR	71.9998	0	0.000	71.9998	25.88	71.9998	24.57
E0020W2	ORMOND_E	010YR24HR	72.0003	0	0.000	72.0003	25.88	72.0003	24.57
E0020W2	ORMOND_E	025YR24HR	72.0000	0	0.000	72.0000	25.88	72.0000	24.58
E0020W2	ORMOND_E	050YR24HR	72.0000	0	0.000	72.0000	25.88	72.0000	24.57
E0020W2	ORMOND_E	100YR24HR	72.0004	0	0.000	72.0004	25.88	72.0004	24.58
E0020W2	ORMOND_E	500YR24HR	72.0000	0	0.000	72.0000	25.88	72.0000	24.61
E0025W1	ORMOND_E	002YR24HR	14.5409	-1	0.000	71.9998	25.93	71.9998	25.88
E0025W1	ORMOND_E	010YR24HR	16.8648	-1	0.000	72.0003	25.93	72.0003	25.88
E0025W1	ORMOND_E	025YR24HR	17.4336	-1	0.000	72.0000	25.93	72.0000	25.88
E0025W1	ORMOND_E	050YR24HR	17.7680	-1	0.000	72.0000	25.93	72.0000	25.88
E0025W1	ORMOND_E	100YR24HR	17.9927	-1	0.000	72.0004	25.93	72.0004	25.88
E0025W1	ORMOND_E	500YR24HR	18.4648	-0	0.000	72.0000	25.93	72.0000	25.88
E0030W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
E0030W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
E0030W1	ORMOND_E	025YR24HR	13.2784	-945	0.000	0.0000	24.25	0.1198	24.25
E0030W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.1198	24.25
E0030W1	ORMOND_E	100YR24HR	13.2479	-1355	0.000	0.0000	24.25	0.1198	24.25
E0030W1	ORMOND_E	500YR24HR	13.2254	-2683	0.000	0.0000	24.25	0.1198	24.25
E0035W1	ORMOND_E	002YR24HR	21.8488	-2	0.000	1.4884	24.25	1.5326	24.25
E0035W1	ORMOND_E	010YR24HR	20.0950	-4	0.000	1.1515	24.25	1.1018	24.25
E0035W1	ORMOND_E	025YR24HR	15.9669	-69	0.000	1.0083	24.25	0.9414	24.25
E0035W1	ORMOND_E	050YR24HR	12.3303	-4	0.000	0.9314	24.25	0.8581	24.25
E0035W1	ORMOND_E	100YR24HR	14.8600	-122	0.000	0.8610	24.25	0.7876	24.25
E0035W1	ORMOND_E	500YR24HR	13.8489	-297	0.000	0.7374	24.25	0.6729	24.25
E0035W2	ORMOND_E	002YR24HR	12.4082	-30	0.000	1.4884	24.25	0.2160	24.25
E0035W2	ORMOND_E	010YR24HR	12.3614	-57	0.000	1.1515	24.25	0.2160	24.25
E0035W2	ORMOND_E	025YR24HR	16.2295	-166	0.000	1.0083	24.25	0.2160	24.25
E0035W2	ORMOND_E	050YR24HR	12.2773	-75	0.000	0.9314	24.25	0.2160	24.25
E0035W2	ORMOND_E	100YR24HR	14.8986	-240	0.000	0.8610	24.25	0.2160	24.25
E0035W2	ORMOND_E	500YR24HR	13.9184	-477	0.000	0.7374	24.25	0.2158	24.25
E0037C	ORMOND_E	002YR24HR	12.3956	-2	0.000	2.5138	24.23	1.5326	24.25
E0037C	ORMOND_E	010YR24HR	12.2897	-3	0.000	2.1320	24.23	1.1018	24.25
E0037C	ORMOND_E	025YR24HR	16.0291	-12	0.000	1.9830	24.23	0.9414	24.25

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0037C	ORMOND_E	050YR24HR	12.1889	-3	0.000	1.9007	24.23	0.8581	24.25
E0037C	ORMOND_E	100YR24HR	14.8937	-17	0.000	1.8282	24.23	0.7876	24.25
E0037C	ORMOND_E	500YR24HR	13.9847	-28	0.000	1.6868	24.23	0.6729	24.25
E0037W1	ORMOND_E	002YR24HR	25.1757	-4	0.000	2.5138	24.23	1.5315	24.25
E0037W1	ORMOND_E	010YR24HR	21.2193	-11	0.000	2.1320	24.23	1.1344	24.25
E0037W1	ORMOND_E	025YR24HR	15.9393	-306	0.000	1.9830	24.23	0.9930	24.25
E0037W1	ORMOND_E	050YR24HR	15.4929	-20	0.000	1.9007	24.23	0.9200	24.25
E0037W1	ORMOND_E	100YR24HR	14.9100	-541	0.000	1.8282	24.23	0.8587	24.25
E0037W1	ORMOND_E	500YR24HR	13.9653	-1131	0.000	1.6868	24.23	0.7490	24.25
E0040C	ORMOND_E	002YR24HR	13.8768	-3	0.000	1.5326	24.25	0.2160	24.25
E0040C	ORMOND_E	010YR24HR	13.5683	-4	0.000	1.1018	24.25	0.2160	24.25
E0040C	ORMOND_E	025YR24HR	12.8440	-6	0.000	0.9414	24.25	0.2160	24.25
E0040C	ORMOND_E	050YR24HR	13.2285	-5	0.000	0.8581	24.25	0.2160	24.25
E0040C	ORMOND_E	100YR24HR	12.4911	-5	0.000	0.7876	24.25	0.2160	24.25
E0040C	ORMOND_E	500YR24HR	10.7221	-2	0.000	0.6729	24.25	0.2158	24.25
E0040W1	ORMOND_E	002YR24HR	16.3017	-15	0.000	1.5326	24.25	1.5315	24.25
E0040W1	ORMOND_E	010YR24HR	15.0912	-24	0.000	1.1018	24.25	1.1344	24.25
E0040W1	ORMOND_E	025YR24HR	14.1198	-237	0.000	0.9414	24.25	0.9930	24.25
E0040W1	ORMOND_E	050YR24HR	14.5987	-27	0.000	0.8581	24.25	0.9200	24.25
E0040W1	ORMOND_E	100YR24HR	13.6675	-374	0.000	0.7876	24.25	0.8587	24.25
E0040W1	ORMOND_E	500YR24HR	13.3380	-779	0.000	0.6729	24.25	0.7490	24.25
E0040W2	ORMOND_E	002YR24HR	13.9711	-33	0.000	1.5326	24.25	0.2160	24.25
E0040W2	ORMOND_E	010YR24HR	13.6090	-61	0.000	1.1018	24.25	0.2160	24.25
E0040W2	ORMOND_E	025YR24HR	12.8382	-121	0.000	0.9414	24.25	0.2160	24.25
E0040W2	ORMOND_E	050YR24HR	13.2285	-95	0.000	0.8581	24.25	0.2160	24.25
E0040W2	ORMOND_E	100YR24HR	12.4653	-70	0.000	0.7876	24.25	0.2160	24.25
E0040W2	ORMOND_E	500YR24HR	10.7589	-20	0.000	0.6729	24.25	0.2158	24.25
E0040W3	ORMOND_E	002YR24HR	0.0000	0	0.000	1.5326	24.25	0.2160	24.25
E0040W3	ORMOND_E	010YR24HR	0.0000	0	0.000	1.1018	24.25	0.2160	24.25
E0040W3	ORMOND_E	025YR24HR	0.0000	0	0.000	0.9414	24.25	0.2160	24.25
E0040W3	ORMOND_E	050YR24HR	21.6488	-0	0.000	0.8581	24.25	0.2160	24.25
E0040W3	ORMOND_E	100YR24HR	0.0000	0	0.000	0.7876	24.25	0.2160	24.25
E0040W3	ORMOND_E	500YR24HR	0.0000	0	0.000	0.6729	24.25	0.2158	24.25
E0045W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0045W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0045W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0045W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0045W1	ORMOND_E	100YR24HR	17.2261	-42	0.000	0.0000	24.25	0.0000	24.25
E0045W1	ORMOND_E	500YR24HR	13.3328	-337	0.000	0.0000	24.25	0.0000	24.25
E0050C	ORMOND_E	002YR24HR	19.8984	-1	0.000	0.0000	24.25	0.2160	24.25
E0050C	ORMOND_E	010YR24HR	12.4098	-2	0.000	0.0000	24.25	0.2160	24.25
E0050C	ORMOND_E	025YR24HR	42.7879	-1	0.000	0.0000	24.25	0.2160	24.25
E0050C	ORMOND_E	050YR24HR	12.3561	-3	0.000	0.0000	24.25	0.2160	24.25
E0050C	ORMOND_E	100YR24HR	22.1353	-2	0.000	0.0000	24.25	0.2160	24.25
E0050C	ORMOND_E	500YR24HR	17.7650	-6	0.000	0.0000	24.25	0.2158	24.25
E0050W1	ORMOND_E	002YR24HR	18.5520	-34	0.000	0.0000	24.25	1.5292	24.25
E0050W1	ORMOND_E	010YR24HR	12.9127	-73	0.000	0.0000	24.25	1.2010	24.25
E0050W1	ORMOND_E	025YR24HR	53.9845	-7	0.000	0.0000	24.25	1.0611	24.25
E0050W1	ORMOND_E	050YR24HR	12.5909	-127	0.000	0.0000	24.25	0.9807	24.25
E0050W1	ORMOND_E	100YR24HR	55.8787	-8	0.000	0.0000	24.25	0.9160	24.25
E0050W1	ORMOND_E	500YR24HR	54.8100	-13	0.000	0.0000	24.25	0.7859	24.25
E0050W2	ORMOND_E	002YR24HR	18.5610	-13	0.000	0.0000	24.25	1.4884	24.25
E0050W2	ORMOND_E	010YR24HR	12.6647	-26	0.000	0.0000	24.25	1.1515	24.25
E0050W2	ORMOND_E	025YR24HR	52.2207	-4	0.000	0.0000	24.25	1.0083	24.25
E0050W2	ORMOND_E	050YR24HR	12.5090	-46	0.000	0.0000	24.25	0.9314	24.25
E0050W2	ORMOND_E	100YR24HR	53.5118	-5	0.000	0.0000	24.25	0.8610	24.25
E0050W2	ORMOND_E	500YR24HR	18.5149	-8	0.000	0.0000	24.25	0.7374	24.25
E0050W4	ORMOND_E	002YR24HR	12.1465	-3	0.000	0.0000	24.25	0.0000	24.25
E0050W4	ORMOND_E	010YR24HR	1.7938	-0	0.000	0.0000	24.25	0.0000	24.25
E0050W4	ORMOND_E	025YR24HR	13.3521	-927	0.000	0.0000	24.25	0.0000	24.25
E0050W4	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0050W4	ORMOND_E	100YR24HR	13.2776	-1240	0.000	0.0000	24.25	0.0000	24.25
E0050W4	ORMOND_E	500YR24HR	13.3470	-2281	0.000	0.0000	24.25	0.0000	24.25
E0055W1	ORMOND_E	002YR24HR	25.4937	-16	0.000	1.5292	24.25	1.4884	24.25
E0055W1	ORMOND_E	010YR24HR	21.2971	-36	0.000	1.2010	24.25	1.1515	24.25
E0055W1	ORMOND_E	025YR24HR	16.0738	-326	0.000	1.0611	24.25	1.0083	24.25
E0055W1	ORMOND_E	050YR24HR	16.2900	-34	0.000	0.9807	24.25	0.9314	24.25
E0055W1	ORMOND_E	100YR24HR	14.8616	-478	0.000	0.9160	24.25	0.8610	24.25
E0055W1	ORMOND_E	500YR24HR	13.9200	-894	0.000	0.7859	24.25	0.7374	24.25
E0055W2	ORMOND_E	002YR24HR	13.6971	-23	0.000	1.5292	24.25	2.5138	24.23

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0055W2	ORMOND_E	010YR24HR	13.0265	-57	0.000	1.2010	24.25	2.1320	24.23
E0055W2	ORMOND_E	025YR24HR	8.7397	-0	0.000	1.0611	24.25	1.9830	24.23
E0055W2	ORMOND_E	050YR24HR	12.6729	-72	0.000	0.9807	24.25	1.9007	24.23
E0055W2	ORMOND_E	100YR24HR	8.4730	-1	0.000	0.9160	24.25	1.8282	24.23
E0055W2	ORMOND_E	500YR24HR	8.0810	-2	0.000	0.7859	24.25	1.6868	24.23
E0060C	ORMOND_E	002YR24HR	25.5274	-2	0.000	1.9566	24.22	2.5138	24.23
E0060C	ORMOND_E	010YR24HR	21.5338	-4	0.000	1.6724	24.22	2.1320	24.23
E0060C	ORMOND_E	025YR24HR	16.0304	-26	0.000	1.5800	24.22	1.9830	24.23
E0060C	ORMOND_E	050YR24HR	15.8440	-6	0.000	1.5298	24.22	1.9007	24.23
E0060C	ORMOND_E	100YR24HR	14.9871	-36	0.000	1.4856	24.22	1.8282	24.23
E0060C	ORMOND_E	500YR24HR	14.0542	-61	0.000	1.3985	24.22	1.6868	24.23
E0060P1	MitBank	002YR24HR	2.6900	-1	0.000	1.9566	24.22	0.0000	24.25
E0060P1	MitBank	010YR24HR	2.0035	-1	0.000	1.6724	24.22	0.0000	24.25
E0060P1	MitBank	025YR24HR	11.7655	-2	0.000	1.5800	24.22	0.0000	24.25
E0060P1	MitBank	050YR24HR	1.7776	-1	0.000	1.5298	24.22	0.0000	24.25
E0060P1	MitBank	100YR24HR	11.7199	-2	0.000	1.4856	24.22	0.0000	24.25
E0060P1	MitBank	500YR24HR	11.5896	-3	0.000	1.3985	24.22	0.0000	24.25
E0060P2	MitBank	002YR24HR	71.9998	-0	0.000	1.9566	24.22	0.0000	24.25
E0060P2	MitBank	010YR24HR	71.5996	-0	0.000	1.6724	24.22	0.0000	24.25
E0060P2	MitBank	025YR24HR	13.2331	-2	0.000	1.5800	24.22	0.0000	24.25
E0060P2	MitBank	050YR24HR	15.4218	-1	0.000	1.5298	24.22	0.0000	24.25
E0060P2	MitBank	100YR24HR	12.9731	-3	0.000	1.4856	24.22	0.0000	24.25
E0060P2	MitBank	500YR24HR	11.6747	-3	0.000	1.3985	24.22	0.0000	24.25
E0060P3	MitBank	002YR24HR	2.8424	-1	0.000	1.9566	24.22	1.5292	24.25
E0060P3	MitBank	010YR24HR	2.1617	-1	0.000	1.6724	24.22	1.2010	24.25
E0060P3	MitBank	025YR24HR	1.9205	-1	0.000	1.5800	24.22	1.0611	24.25
E0060P3	MitBank	050YR24HR	1.8547	-1	0.000	1.5298	24.22	0.9807	24.25
E0060P3	MitBank	100YR24HR	11.6239	-2	0.000	1.4856	24.22	0.9160	24.25
E0060P3	MitBank	500YR24HR	11.4554	-2	0.000	1.3985	24.22	0.7859	24.25
E0060P4	MitBank	002YR24HR	1.0149	-1	0.000	1.9566	24.22	2.5138	24.23
E0060P4	MitBank	010YR24HR	1.0139	-1	0.000	1.6724	24.22	2.1320	24.23
E0060P4	MitBank	025YR24HR	15.2039	-1	0.000	1.5800	24.22	1.9830	24.23
E0060P4	MitBank	050YR24HR	1.0025	-1	0.000	1.5298	24.22	1.9007	24.23
E0060P4	MitBank	100YR24HR	14.3932	-1	0.000	1.4856	24.22	1.8282	24.23
E0060P4	MitBank	500YR24HR	13.6872	-2	0.000	1.3985	24.22	1.6868	24.23
E0060P5	MitBank	002YR24HR	0.9977	-1	0.000	1.9566	24.22	2.5138	24.23
E0060P5	MitBank	010YR24HR	0.9971	-1	0.000	1.6724	24.22	2.1320	24.23
E0060P5	MitBank	025YR24HR	15.2039	-1	0.000	1.5800	24.22	1.9830	24.23
E0060P5	MitBank	050YR24HR	0.9869	-1	0.000	1.5298	24.22	1.9007	24.23
E0060P5	MitBank	100YR24HR	14.3932	-1	0.000	1.4856	24.22	1.8282	24.23
E0060P5	MitBank	500YR24HR	13.6872	-2	0.000	1.3985	24.22	1.6868	24.23
E0060P6	MitBank	002YR24HR	1.0133	-2	0.000	1.9566	24.22	2.5138	24.23
E0060P6	MitBank	010YR24HR	1.0124	-2	0.000	1.6724	24.22	2.1320	24.23
E0060P6	MitBank	025YR24HR	15.2039	-3	0.000	1.5800	24.22	1.9830	24.23
E0060P6	MitBank	050YR24HR	1.0011	-2	0.000	1.5298	24.22	1.9007	24.23
E0060P6	MitBank	100YR24HR	14.3932	-4	0.000	1.4856	24.22	1.8282	24.23
E0060P6	MitBank	500YR24HR	13.6872	-5	0.000	1.3985	24.22	1.6868	24.23
E0060W1	ORMOND_E	002YR24HR	24.8564	-1	0.000	1.9566	24.22	1.5315	24.25
E0060W1	ORMOND_E	010YR24HR	20.7657	-2	0.000	1.6724	24.22	1.1344	24.25
E0060W1	ORMOND_E	025YR24HR	16.0214	-56	0.000	1.5800	24.22	0.9930	24.25
E0060W1	ORMOND_E	050YR24HR	15.6380	-5	0.000	1.5298	24.22	0.9200	24.25
E0060W1	ORMOND_E	100YR24HR	15.1561	-106	0.000	1.4856	24.22	0.8587	24.25
E0060W1	ORMOND_E	500YR24HR	16.0857	-407	0.000	1.3985	24.22	0.7490	24.25
E0060W2	ORMOND_E	002YR24HR	25.4191	-7	0.000	1.9566	24.22	2.5138	24.23
E0060W2	ORMOND_E	010YR24HR	22.0678	-20	0.000	1.6724	24.22	2.1320	24.23
E0060W2	ORMOND_E	025YR24HR	15.9345	-418	0.000	1.5800	24.22	1.9830	24.23
E0060W2	ORMOND_E	050YR24HR	15.8087	-36	0.000	1.5298	24.22	1.9007	24.23
E0060W2	ORMOND_E	100YR24HR	14.8295	-681	0.000	1.4856	24.22	1.8282	24.23
E0060W2	ORMOND_E	500YR24HR	13.9249	-1314	0.000	1.3985	24.22	1.6868	24.23
E0060W3	ORMOND_E	002YR24HR	34.4544	-6	0.000	1.9566	24.22	1.5292	24.25
E0060W3	ORMOND_E	010YR24HR	24.5430	-26	0.000	1.6724	24.22	1.2010	24.25
E0060W3	ORMOND_E	025YR24HR	15.8595	-539	0.000	1.5800	24.22	1.0611	24.25
E0060W3	ORMOND_E	050YR24HR	15.7397	-40	0.000	1.5298	24.22	0.9807	24.25
E0060W3	ORMOND_E	100YR24HR	14.7524	-802	0.000	1.4856	24.22	0.9160	24.25
E0060W3	ORMOND_E	500YR24HR	13.8974	-1395	0.000	1.3985	24.22	0.7859	24.25
E0060W4	ORMOND_E	002YR24HR	34.4911	-0	0.000	1.9566	24.22	0.0000	24.25
E0060W4	ORMOND_E	010YR24HR	24.6125	-7	0.000	1.6724	24.22	0.0000	24.25
E0060W4	ORMOND_E	025YR24HR	15.8252	-369	0.000	1.5800	24.22	0.0000	24.25
E0060W4	ORMOND_E	050YR24HR	15.5426	-23	0.000	1.5298	24.22	0.0000	24.25
E0060W4	ORMOND_E	100YR24HR	14.7910	-558	0.000	1.4856	24.22	0.0000	24.25
E0060W4	ORMOND_E	500YR24HR	13.9605	-968	0.000	1.3985	24.22	0.0000	24.25

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0065P1	MitBank	002YR24HR	13.7536	1	0.000	0.0000	24.70	0.0000	24.40
E0065P1	MitBank	010YR24HR	13.1217	-2	0.000	0.0000	24.70	0.0000	24.40
E0065P1	MitBank	025YR24HR	12.8605	-3	0.000	0.0000	24.70	0.0000	24.40
E0065P1	MitBank	050YR24HR	12.8260	-2	0.000	0.0000	24.70	0.0000	24.40
E0065P1	MitBank	100YR24HR	12.7320	-3	0.000	0.0000	24.70	0.0000	24.40
E0065P1	MitBank	500YR24HR	12.4461	-4	0.000	0.0000	24.70	0.0000	24.40
E0065P2	MitBank	002YR24HR	13.7557	1	0.000	0.0000	24.70	0.0056	24.25
E0065P2	MitBank	010YR24HR	13.1217	-2	0.000	0.0000	24.70	0.0056	24.25
E0065P2	MitBank	025YR24HR	12.9160	-3	0.000	0.0000	24.70	0.0056	24.25
E0065P2	MitBank	050YR24HR	12.8285	-2	0.000	0.0000	24.70	0.0056	24.25
E0065P2	MitBank	100YR24HR	12.7328	-3	0.000	0.0000	24.70	0.0056	24.25
E0065P2	MitBank	500YR24HR	12.4369	-4	0.000	0.0000	24.70	0.0056	24.25
E0065P3	MitBank	002YR24HR	13.3270	4	0.000	0.0000	24.70	0.0000	23.97
E0065P3	MitBank	010YR24HR	12.9727	3	0.000	0.0000	24.70	0.0000	23.97
E0065P3	MitBank	025YR24HR	12.9508	-1	0.000	0.0000	24.70	0.0000	23.97
E0065P3	MitBank	050YR24HR	27.7894	3	0.000	0.0000	24.70	0.0000	23.97
E0065P3	MitBank	100YR24HR	12.8140	-2	0.000	0.0000	24.70	0.0000	23.97
E0065P3	MitBank	500YR24HR	12.6014	-3	0.000	0.0000	24.70	0.0000	23.97
E0065W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.70	71.9998	24.20
E0065W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.70	72.0003	24.23
E0065W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.70	72.0000	24.34
E0065W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.70	72.0000	24.27
E0065W1	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.70	72.0004	24.38
E0065W1	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	24.70	72.0000	24.46
E0065W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.70	0.0000	24.25
E0065W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.70	0.0000	24.25
E0065W2	ORMOND_E	025YR24HR	13.0789	-0	0.000	0.0000	24.70	0.0000	24.25
E0065W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.70	0.0000	24.25
E0065W2	ORMOND_E	100YR24HR	17.4574	-56	0.000	0.0000	24.70	0.0000	24.25
E0065W2	ORMOND_E	500YR24HR	13.4764	-441	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	010YR24HR	13.4381	-37	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	025YR24HR	13.3521	-106	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	050YR24HR	13.0934	-75	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	100YR24HR	13.1935	-196	0.000	0.0000	24.70	0.0000	24.25
E0065W3	ORMOND_E	500YR24HR	15.5922	-498	0.000	0.0000	24.70	0.0000	24.25
E0070W1	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	24.20	1.7620	24.25
E0070W1	ORMOND_E	010YR24HR	23.7258	-17	0.000	72.0003	24.23	1.2352	24.25
E0070W1	ORMOND_E	025YR24HR	16.2716	-237	0.000	72.0000	24.34	1.0744	24.25
E0070W1	ORMOND_E	050YR24HR	16.3215	-15	0.000	72.0000	24.27	1.0022	24.25
E0070W1	ORMOND_E	100YR24HR	14.9845	-340	0.000	72.0004	24.38	0.9309	24.25
E0070W1	ORMOND_E	500YR24HR	13.8796	-484	0.000	72.0000	24.46	0.8243	24.25
E0075P1	MitBank	002YR24HR	71.9998	-2	0.000	71.9998	24.20	1.7620	24.25
E0075P1	MitBank	010YR24HR	72.0003	-1	0.000	72.0003	24.23	1.2352	24.25
E0075P1	MitBank	025YR24HR	14.9884	-1	0.000	72.0000	24.34	1.0744	24.25
E0075P1	MitBank	050YR24HR	72.0000	-1	0.000	72.0000	24.27	1.0022	24.25
E0075P1	MitBank	100YR24HR	14.0549	-1	0.000	72.0004	24.38	0.9309	24.25
E0075P1	MitBank	500YR24HR	12.7273	-2	0.000	72.0000	24.46	0.8243	24.25
E0075P2	MitBank	002YR24HR	19.9088	-8	0.000	1.7620	24.25	0.0000	24.25
E0075P2	MitBank	010YR24HR	15.4059	-9	0.000	1.2352	24.25	0.0000	24.25
E0075P2	MitBank	025YR24HR	14.5135	-12	0.000	1.0744	24.25	0.0000	24.25
E0075P2	MitBank	050YR24HR	14.0712	-9	0.000	1.0022	24.25	0.0000	24.25
E0075P2	MitBank	100YR24HR	13.8600	-13	0.000	0.9309	24.25	0.0000	24.25
E0075P2	MitBank	500YR24HR	13.2565	-15	0.000	0.8243	24.25	0.0000	24.25
E0075W1	ORMOND_E	002YR24HR	0.0000	0	0.000	1.7620	24.25	0.0000	23.00
E0075W1	ORMOND_E	010YR24HR	0.0000	0	0.000	1.2352	24.25	0.0000	23.00
E0075W1	ORMOND_E	025YR24HR	0.0000	0	0.000	1.0744	24.25	0.0000	23.00
E0075W1	ORMOND_E	050YR24HR	0.0000	0	0.000	1.0022	24.25	0.0000	23.00
E0075W1	ORMOND_E	100YR24HR	0.0000	0	0.000	0.9309	24.25	0.0000	23.00
E0075W1	ORMOND_E	500YR24HR	0.0000	0	0.000	0.8243	24.25	0.0000	23.00
E0075W2	ORMOND_E	002YR24HR	19.6731	-82	0.000	1.7620	24.25	1.9566	24.22
E0075W2	ORMOND_E	010YR24HR	17.8248	-226	0.000	1.2352	24.25	1.6724	24.22
E0075W2	ORMOND_E	025YR24HR	15.9977	-1028	0.000	1.0744	24.25	1.5800	24.22
E0075W2	ORMOND_E	050YR24HR	15.9195	-416	0.000	1.0022	24.25	1.5298	24.22
E0075W2	ORMOND_E	100YR24HR	14.8824	-1491	0.000	0.9309	24.25	1.4856	24.22
E0075W2	ORMOND_E	500YR24HR	13.9556	-2416	0.000	0.8243	24.25	1.3985	24.22
E0080C1	ORMOND_E	002YR24HR	18.8900	-24	0.000	1.9566	23.57	1.9566	24.22
E0080C1	ORMOND_E	010YR24HR	15.8801	-28	0.000	1.6724	23.57	1.6724	24.22
E0080C1	ORMOND_E	025YR24HR	14.5903	-54	0.000	1.5800	23.57	1.5800	24.22
E0080C1	ORMOND_E	050YR24HR	14.3255	-32	0.000	1.5298	23.57	1.5298	24.22

Singhofen & Associates, Inc.
 June 2009

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0080C1	ORMOND_E	100YR24HR	13.8734	-64	0.000	1.4856	23.57	1.4856	24.22
E0080C1	ORMOND_E	500YR24HR	13.4401	-88	0.000	1.3985	23.57	1.3985	24.22
E0080C2	ORMOND_E	002YR24HR	4.6955	-1	0.000	0.0000	23.00	0.0000	23.00
E0080C2	ORMOND_E	010YR24HR	3.8591	-0	0.000	0.0000	23.00	0.0000	23.00
E0080C2	ORMOND_E	025YR24HR	3.4867	-0	0.000	0.0000	23.00	0.0000	23.00
E0080C2	ORMOND_E	050YR24HR	3.2778	-0	0.000	0.0000	23.00	0.0000	23.00
E0080C2	ORMOND_E	100YR24HR	3.0950	-0	0.000	0.0000	23.00	0.0000	23.00
E0080C2	ORMOND_E	500YR24HR	2.7539	-0	0.000	0.0000	23.00	0.0000	23.00
E0080W1	ORMOND_E	002YR24HR	19.6731	-1	0.000	0.0000	23.00	1.9566	24.22
E0080W1	ORMOND_E	010YR24HR	17.8361	-10	0.000	0.0000	23.00	1.6724	24.22
E0080W1	ORMOND_E	025YR24HR	16.3477	-64	0.000	0.0000	23.00	1.5800	24.22
E0080W1	ORMOND_E	050YR24HR	16.4888	-26	0.000	0.0000	23.00	1.5298	24.22
E0080W1	ORMOND_E	100YR24HR	15.0703	-96	0.000	0.0000	23.00	1.4856	24.22
E0080W1	ORMOND_E	500YR24HR	14.1432	-170	0.000	0.0000	23.00	1.3985	24.22
E0080W2	ORMOND_E	002YR24HR	19.6731	-68	0.000	0.0000	23.00	1.9566	24.22
E0080W2	ORMOND_E	010YR24HR	17.8361	-184	0.000	0.0000	23.00	1.6724	24.22
E0080W2	ORMOND_E	025YR24HR	16.0580	-766	0.000	0.0000	23.00	1.5800	24.22
E0080W2	ORMOND_E	050YR24HR	15.9983	-335	0.000	0.0000	23.00	1.5298	24.22
E0080W2	ORMOND_E	100YR24HR	14.9388	-1094	0.000	0.0000	23.00	1.4856	24.22
E0080W2	ORMOND_E	500YR24HR	14.0284	-1771	0.000	0.0000	23.00	1.3985	24.22
E0080W3	ORMOND_E	002YR24HR	19.2863	-1	0.000	0.0000	23.00	0.0000	24.00
E0080W3	ORMOND_E	010YR24HR	17.6623	-10	0.000	0.0000	23.00	0.0000	24.00
E0080W3	ORMOND_E	025YR24HR	16.7947	-96	0.000	0.0000	23.00	0.0000	24.00
E0080W3	ORMOND_E	050YR24HR	17.1743	-32	0.000	0.0000	23.00	0.0000	24.00
E0080W3	ORMOND_E	100YR24HR	16.0128	-177	0.000	0.0000	23.00	0.0000	24.00
E0080W3	ORMOND_E	500YR24HR	14.5652	-383	0.000	0.0000	23.00	0.0000	24.00
E0085P1	MitBank	002YR24HR	71.9998	1	0.000	7.6119	24.74	0.0000	24.70
E0085P1	MitBank	010YR24HR	72.0003	1	0.000	6.3170	24.76	0.0000	24.70
E0085P1	MitBank	025YR24HR	72.0000	1	0.000	5.7219	24.77	0.0000	24.70
E0085P1	MitBank	050YR24HR	71.9876	1	0.000	5.3876	24.77	0.0000	24.70
E0085P1	MitBank	100YR24HR	36.8444	1	0.000	5.0972	24.78	0.0000	24.70
E0085P1	MitBank	500YR24HR	41.6787	1	0.000	4.5408	24.79	0.0000	24.70
E0085W1	ORMOND_E	002YR24HR	20.8595	-1	0.000	7.6119	24.74	0.0000	23.80
E0085W1	ORMOND_E	010YR24HR	16.8680	-29	0.000	6.3170	24.76	0.0000	23.80
E0085W1	ORMOND_E	025YR24HR	15.8284	-48	0.000	5.7219	24.77	0.0000	23.80
E0085W1	ORMOND_E	050YR24HR	15.3789	-61	0.000	5.3876	24.77	0.0000	23.80
E0085W1	ORMOND_E	100YR24HR	15.0513	-73	0.000	5.0972	24.78	0.0000	23.80
E0085W1	ORMOND_E	500YR24HR	14.5975	-105	0.000	4.5408	24.79	0.0000	23.80
E0085W2	ORMOND_E	002YR24HR	0.0000	0	0.000	7.6119	24.74	0.0000	24.70
E0085W2	ORMOND_E	010YR24HR	0.0000	0	0.000	6.3170	24.76	0.0000	24.70
E0085W2	ORMOND_E	025YR24HR	0.0000	0	0.000	5.7219	24.77	0.0000	24.70
E0085W2	ORMOND_E	050YR24HR	0.0000	0	0.000	5.3876	24.77	0.0000	24.70
E0085W2	ORMOND_E	100YR24HR	0.0000	0	0.000	5.0972	24.78	0.0000	24.70
E0085W2	ORMOND_E	500YR24HR	0.0000	0	0.000	4.5408	24.79	0.0000	24.70
E0090P1	MitBank	002YR24HR	18.6012	2	0.000	71.9998	24.79	0.0000	24.70
E0090P1	MitBank	010YR24HR	18.1995	2	0.000	72.0003	24.81	0.0000	24.70
E0090P1	MitBank	025YR24HR	18.9849	-1	0.000	5.4766	24.83	0.0000	24.70
E0090P1	MitBank	050YR24HR	18.1920	2	0.000	72.0000	24.83	0.0000	24.70
E0090P1	MitBank	100YR24HR	16.9702	-2	0.000	4.6399	24.84	0.0000	24.70
E0090P1	MitBank	500YR24HR	13.4000	-4	0.000	3.9465	24.85	0.0000	24.70
E0090W1	ORMOND_E	002YR24HR	12.0846	-4	0.000	71.9998	24.79	71.9998	24.79
E0090W1	ORMOND_E	010YR24HR	12.0842	-6	0.000	72.0003	24.81	72.0003	24.81
E0090W1	ORMOND_E	025YR24HR	12.0840	-8	0.000	5.4766	24.83	5.4804	24.83
E0090W1	ORMOND_E	050YR24HR	12.0840	-9	0.000	72.0000	24.83	72.0000	24.83
E0090W1	ORMOND_E	100YR24HR	12.0842	-10	0.000	4.6399	24.84	4.6412	24.84
E0090W1	ORMOND_E	500YR24HR	12.0844	-12	0.000	3.9465	24.85	3.9500	24.85
E0090W2	ORMOND_E	002YR24HR	0.8885	0	0.000	71.9998	24.79	0.0000	24.70
E0090W2	ORMOND_E	010YR24HR	0.8885	0	0.000	72.0003	24.81	0.0000	24.70
E0090W2	ORMOND_E	025YR24HR	18.8451	-12	0.000	5.4766	24.83	0.0000	24.70
E0090W2	ORMOND_E	050YR24HR	0.8885	0	0.000	72.0000	24.83	0.0000	24.70
E0090W2	ORMOND_E	100YR24HR	17.1046	-82	0.000	4.6399	24.84	0.0000	24.70
E0090W2	ORMOND_E	500YR24HR	13.6985	-253	0.000	3.9465	24.85	0.0000	24.70
E0095W1	ORMOND_E	002YR24HR	26.2898	-1	0.000	71.9998	24.79	71.9998	24.79
E0095W1	ORMOND_E	010YR24HR	17.0451	-16	0.000	72.0003	24.81	72.0003	24.81
E0095W1	ORMOND_E	025YR24HR	16.4495	-57	0.000	5.4843	24.83	5.4766	24.83
E0095W1	ORMOND_E	050YR24HR	15.8071	-57	0.000	71.9993	24.83	72.0000	24.83
E0095W1	ORMOND_E	100YR24HR	15.8236	-137	0.000	4.6343	24.84	4.6399	24.84
E0095W1	ORMOND_E	500YR24HR	14.2790	-306	0.000	3.9491	24.85	3.9465	24.85
E0095W2	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	24.79	71.9998	24.20
E0095W2	ORMOND_E	010YR24HR	0.0000	0	0.000	72.0003	24.81	72.0003	24.23

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0095W2	ORMOND_E	025YR24HR	0.0000	0	0.000	5.4843	24.83	72.0000	24.34
E0095W2	ORMOND_E	050YR24HR	0.0000	0	0.000	71.9993	24.83	72.0000	24.27
E0095W2	ORMOND_E	100YR24HR	0.0000	0	0.000	4.6343	24.84	72.0004	24.38
E0095W2	ORMOND_E	500YR24HR	0.0000	0	0.000	3.9491	24.85	72.0000	24.46
E0095W3	ORMOND_E	002YR24HR	0.0000	0	0.000	71.9998	24.79	71.9998	24.20
E0095W3	ORMOND_E	010YR24HR	0.0000	0	0.000	72.0003	24.81	72.0003	24.23
E0095W3	ORMOND_E	025YR24HR	0.0000	0	0.000	5.4843	24.83	72.0000	24.34
E0095W3	ORMOND_E	050YR24HR	0.0000	0	0.000	71.9993	24.83	72.0000	24.27
E0095W3	ORMOND_E	100YR24HR	0.0000	0	0.000	4.6343	24.84	72.0004	24.38
E0095W3	ORMOND_E	500YR24HR	0.0000	0	0.000	3.9491	24.85	72.0000	24.46
E0100P1	MitBank	002YR24HR	68.4342	0	0.000	71.9998	24.20	0.7899	23.83
E0100P1	MitBank	010YR24HR	72.0003	0	0.000	72.0003	24.23	0.7899	23.83
E0100P1	MitBank	025YR24HR	72.0000	0	0.000	72.0000	24.34	0.7899	23.83
E0100P1	MitBank	050YR24HR	72.0000	0	0.000	72.0000	24.27	0.7899	23.83
E0100P1	MitBank	100YR24HR	72.0004	0	0.000	72.0004	24.38	0.7899	23.83
E0100P1	MitBank	500YR24HR	72.0000	0	0.000	72.0000	24.46	0.7899	23.83
E0100W1	ORMOND_E	002YR24HR	0.1748	0	0.000	71.9998	24.20	71.9998	24.20
E0100W1	ORMOND_E	010YR24HR	0.1748	0	0.000	72.0003	24.23	72.0003	24.23
E0100W1	ORMOND_E	025YR24HR	0.1748	0	0.000	72.0000	24.34	72.0000	24.34
E0100W1	ORMOND_E	050YR24HR	0.1748	0	0.000	72.0000	24.27	72.0000	24.27
E0100W1	ORMOND_E	100YR24HR	0.1748	0	0.000	72.0004	24.38	72.0004	24.38
E0100W1	ORMOND_E	500YR24HR	0.1748	0	0.000	72.0000	24.46	72.0000	24.46
E0105P1	MitBank	002YR24HR	14.5884	-6	0.000	71.9998	24.05	71.9998	24.20
E0105P1	MitBank	010YR24HR	13.5922	-6	0.000	72.0003	24.06	72.0003	24.23
E0105P1	MitBank	025YR24HR	12.8887	-6	0.000	5.2949	24.10	72.0000	24.34
E0105P1	MitBank	050YR24HR	13.1301	-6	0.000	72.0000	24.09	72.0000	24.27
E0105P1	MitBank	100YR24HR	12.0663	-6	0.000	4.4580	24.10	72.0004	24.38
E0105P1	MitBank	500YR24HR	11.6567	-6	0.000	3.7565	24.11	72.0000	24.46
E0105W1	ORMOND_E	002YR24HR	19.1724	-99	0.000	3.2179	23.99	0.0000	24.00
E0105W1	ORMOND_E	010YR24HR	16.1386	-204	0.000	0.0000	24.00	0.0000	24.00
E0105W1	ORMOND_E	025YR24HR	14.1149	-482	0.000	0.0000	24.00	0.0000	24.00
E0105W1	ORMOND_E	050YR24HR	13.6582	-295	0.000	0.0000	24.00	0.0000	24.00
E0105W1	ORMOND_E	100YR24HR	13.5014	-589	0.000	0.0000	24.00	0.0000	24.00
E0105W1	ORMOND_E	500YR24HR	13.0624	-799	0.000	0.0000	24.00	0.0000	24.00
E0105W2	ORMOND_E	002YR24HR	14.7123	-33	0.000	3.2179	23.99	71.9998	24.20
E0105W2	ORMOND_E	010YR24HR	16.6109	-72	0.000	0.0000	24.00	72.0003	24.23
E0105W2	ORMOND_E	025YR24HR	16.9747	-401	0.000	0.0000	24.00	72.0000	24.34
E0105W2	ORMOND_E	050YR24HR	16.5082	-205	0.000	0.0000	24.00	72.0000	24.27
E0105W2	ORMOND_E	100YR24HR	15.8624	-701	0.000	0.0000	24.00	72.0004	24.38
E0105W2	ORMOND_E	500YR24HR	14.6072	-1438	0.000	0.0000	24.00	72.0000	24.46
E0110W1	ORMOND_E	002YR24HR	19.1385	-98	0.000	0.0000	24.00	1.7620	24.25
E0110W1	ORMOND_E	010YR24HR	16.6595	-251	0.000	0.0000	24.00	1.2352	24.25
E0110W1	ORMOND_E	025YR24HR	15.4767	-693	0.000	0.0000	24.00	1.0744	24.25
E0110W1	ORMOND_E	050YR24HR	14.6780	-388	0.000	0.0000	24.00	1.0022	24.25
E0110W1	ORMOND_E	100YR24HR	14.7090	-946	0.000	0.0000	24.00	0.9309	24.25
E0110W1	ORMOND_E	500YR24HR	13.9508	-1488	0.000	0.0000	24.00	0.8243	24.25
E0115P	MitBank	002YR24HR	0.2729	-0	0.000	0.0000	24.00	0.0000	24.00
E0115P	MitBank	010YR24HR	0.2729	-0	0.000	0.0000	24.00	0.0000	24.00
E0115P	MitBank	025YR24HR	0.2729	-0	0.000	0.0000	24.00	0.0000	24.00
E0115P	MitBank	050YR24HR	0.2729	-0	0.000	0.0000	24.00	0.0000	24.00
E0115P	MitBank	100YR24HR	13.6493	-0	0.000	0.0000	24.00	0.0000	24.00
E0115P	MitBank	500YR24HR	12.9750	-1	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	002YR24HR	12.9360	-0	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	010YR24HR	16.9376	-9	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	025YR24HR	14.4039	-32	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	050YR24HR	14.6857	-22	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	100YR24HR	13.6756	-47	0.000	0.0000	24.00	0.0000	24.00
E0115W1	ORMOND_E	500YR24HR	12.9874	-59	0.000	0.0000	24.00	0.0000	24.00
E0120P1	MitBank	002YR24HR	13.8094	-2	0.000	7.1414	23.87	6.7381	23.86
E0120P1	MitBank	010YR24HR	13.1941	-2	0.000	5.4211	23.91	5.0559	23.89
E0120P1	MitBank	025YR24HR	12.9872	-2	0.000	4.7183	23.92	4.4317	23.90
E0120P1	MitBank	050YR24HR	12.9961	-1	0.000	4.3415	23.93	4.1021	23.90
E0120P1	MitBank	100YR24HR	12.5534	-1	0.000	4.0034	23.94	3.8247	23.91
E0120P1	MitBank	500YR24HR	11.0970	-1	0.000	3.3829	23.95	3.3325	23.92
E0120W1	ORMOND_E	002YR24HR	20.6885	-10	0.000	7.1414	23.87	0.0000	23.00
E0120W1	ORMOND_E	010YR24HR	18.7613	-62	0.000	5.4211	23.91	0.0000	23.00
E0120W1	ORMOND_E	025YR24HR	16.4158	-444	0.000	4.7183	23.92	0.0000	23.00
E0120W1	ORMOND_E	050YR24HR	16.7135	-162	0.000	4.3415	23.93	0.0000	23.00
E0120W1	ORMOND_E	100YR24HR	15.1258	-677	0.000	4.0034	23.94	0.0000	23.00
E0120W1	ORMOND_E	500YR24HR	14.1189	-1182	0.000	3.3829	23.95	0.0000	23.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0120W2	ORMOND_E	002YR24HR	0.0000	0	0.000	7.1414	23.87	0.0000	24.00
E0120W2	ORMOND_E	010YR24HR	17.1825	-8	0.000	5.4211	23.91	0.0000	24.00
E0120W2	ORMOND_E	025YR24HR	14.3760	-23	0.000	4.7183	23.92	0.0000	24.00
E0120W2	ORMOND_E	050YR24HR	14.6580	-16	0.000	4.3415	23.93	0.0000	24.00
E0120W2	ORMOND_E	100YR24HR	13.6453	-34	0.000	4.0034	23.94	0.0000	24.00
E0120W2	ORMOND_E	500YR24HR	12.9626	-46	0.000	3.3829	23.95	0.0000	24.00
E0120W3	ORMOND_E	002YR24HR	0.0000	0	0.000	7.1414	23.87	6.7381	23.86
E0120W3	ORMOND_E	010YR24HR	0.0000	0	0.000	5.4211	23.91	5.0559	23.89
E0120W3	ORMOND_E	025YR24HR	0.0000	0	0.000	4.7183	23.92	4.4317	23.90
E0120W3	ORMOND_E	050YR24HR	0.0000	0	0.000	4.3415	23.93	4.1021	23.90
E0120W3	ORMOND_E	100YR24HR	0.0000	0	0.000	4.0034	23.94	3.8247	23.91
E0120W3	ORMOND_E	500YR24HR	0.0000	0	0.000	3.3829	23.95	3.3325	23.92
E0125P	MitBank	002YR24HR	25.5172	-0	0.000	6.7381	23.86	6.5458	23.04
E0125P	MitBank	010YR24HR	18.1102	-0	0.000	5.0559	23.89	4.9652	23.06
E0125P	MitBank	025YR24HR	22.0923	-0	0.000	4.4317	23.90	4.3264	23.06
E0125P	MitBank	050YR24HR	19.9142	-1	0.000	4.1021	23.90	3.9421	23.07
E0125P	MitBank	100YR24HR	20.9193	-1	0.000	3.8247	23.91	3.8111	23.07
E0125P	MitBank	500YR24HR	21.0232	-0	0.000	3.3325	23.92	3.2728	23.08
E0125W1	ORMOND_E	002YR24HR	20.7181	-2	0.000	6.7381	23.86	0.0000	24.00
E0125W1	ORMOND_E	010YR24HR	19.8929	-61	0.000	5.0559	23.89	0.0000	24.00
E0125W1	ORMOND_E	025YR24HR	16.6887	-386	0.000	4.4317	23.90	0.0000	24.00
E0125W1	ORMOND_E	050YR24HR	16.4645	-182	0.000	4.1021	23.90	0.0000	24.00
E0125W1	ORMOND_E	100YR24HR	15.3786	-581	0.000	3.8247	23.91	0.0000	24.00
E0125W1	ORMOND_E	500YR24HR	14.3243	-996	0.000	3.3325	23.92	0.0000	24.00
E0125W2	ORMOND_E	002YR24HR	14.4251	-143	0.000	6.7381	23.86	3.2179	23.99
E0125W2	ORMOND_E	010YR24HR	13.9264	-280	0.000	5.0559	23.89	0.0000	24.00
E0125W2	ORMOND_E	025YR24HR	16.4612	-596	0.000	4.4317	23.90	0.0000	24.00
E0125W2	ORMOND_E	050YR24HR	13.4998	-426	0.000	4.1021	23.90	0.0000	24.00
E0125W2	ORMOND_E	100YR24HR	15.5005	-897	0.000	3.8247	23.91	0.0000	24.00
E0125W2	ORMOND_E	500YR24HR	14.4956	-1620	0.000	3.3325	23.92	0.0000	24.00
E0125W3	ORMOND_E	002YR24HR	0.0000	0	0.000	6.7381	23.86	0.0000	23.00
E0125W3	ORMOND_E	010YR24HR	0.0000	0	0.000	5.0559	23.89	0.0000	23.00
E0125W3	ORMOND_E	025YR24HR	0.0000	0	0.000	4.4317	23.90	0.0000	23.00
E0125W3	ORMOND_E	050YR24HR	0.0000	0	0.000	4.1021	23.90	0.0000	23.00
E0125W3	ORMOND_E	100YR24HR	0.0000	0	0.000	3.8247	23.91	0.0000	23.00
E0125W3	ORMOND_E	500YR24HR	0.0000	0	0.000	3.3325	23.92	0.0000	23.00
E0130W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W1	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W1	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	23.00
E0130W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	25.00	6.7381	23.86
E0130W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	25.00	5.0559	23.89
E0130W2	ORMOND_E	025YR24HR	17.9183	-159	0.000	0.0000	25.00	4.4317	23.90
E0130W2	ORMOND_E	050YR24HR	19.2611	-32	0.000	0.0000	25.00	4.1021	23.90
E0130W2	ORMOND_E	100YR24HR	16.3601	-317	0.000	0.0000	25.00	3.8247	23.91
E0130W2	ORMOND_E	500YR24HR	15.3115	-673	0.000	0.0000	25.00	3.3325	23.92
E0132W1	ORMOND_E	002YR24HR	17.9994	-8	0.000	5.0567	24.23	5.0796	24.23
E0132W1	ORMOND_E	010YR24HR	16.8983	-16	0.000	3.5664	24.24	3.6608	24.23
E0132W1	ORMOND_E	025YR24HR	10.0595	-79	0.000	3.0346	24.24	3.1480	24.24
E0132W1	ORMOND_E	050YR24HR	15.9967	-28	0.000	2.7356	24.24	2.8730	24.24
E0132W1	ORMOND_E	100YR24HR	9.6390	-82	0.000	2.4950	24.24	2.6480	24.24
E0132W1	ORMOND_E	500YR24HR	9.1174	-98	0.000	2.0891	24.24	2.2624	24.24
E0132W2	ORMOND_E	002YR24HR	11.7423	-1	0.000	5.0567	24.23	0.0001	24.00
E0132W2	ORMOND_E	010YR24HR	2.6080	0	0.000	3.5664	24.24	0.0001	24.00
E0132W2	ORMOND_E	025YR24HR	13.5280	-274	0.000	3.0346	24.24	0.0001	24.00
E0132W2	ORMOND_E	050YR24HR	2.7356	0	0.000	2.7356	24.24	0.0001	24.00
E0132W2	ORMOND_E	100YR24HR	13.1974	-492	0.000	2.4950	24.24	0.0001	24.00
E0132W2	ORMOND_E	500YR24HR	13.0275	-994	0.000	2.0891	24.24	0.0001	24.00
E0135C	ORMOND_E	002YR24HR	17.4203	-0	0.000	5.0385	24.23	5.0567	24.23
E0135C	ORMOND_E	010YR24HR	15.1076	-1	0.000	3.5355	24.24	3.5664	24.24
E0135C	ORMOND_E	025YR24HR	14.7338	-10	0.000	3.0013	24.24	3.0346	24.24
E0135C	ORMOND_E	050YR24HR	14.9533	-2	0.000	2.6969	24.24	2.7356	24.24
E0135C	ORMOND_E	100YR24HR	14.1769	-17	0.000	2.4514	24.24	2.4950	24.24
E0135C	ORMOND_E	500YR24HR	13.7761	-39	0.000	2.0405	24.24	2.0891	24.24
E0135W1	ORMOND_E	002YR24HR	0.0000	0	0.000	5.0385	24.23	5.0796	24.23
E0135W1	ORMOND_E	010YR24HR	17.0249	-1	0.000	3.5355	24.24	3.6608	24.23
E0135W1	ORMOND_E	025YR24HR	11.2762	-3	0.000	3.0013	24.24	3.1480	24.24
E0135W1	ORMOND_E	050YR24HR	16.1652	-4	0.000	2.6969	24.24	2.8730	24.24
E0135W1	ORMOND_E	100YR24HR	10.7511	-4	0.000	2.4514	24.24	2.6480	24.24

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0135W1	ORMOND_E	500YR24HR	10.0971	-6	0.000	2.0405	24.24	2.2624	24.24
E0135W2	ORMOND_E	002YR24HR	17.4134	-0	0.000	5.0385	24.23	5.0567	24.23
E0135W2	ORMOND_E	010YR24HR	14.9288	-6	0.000	3.5355	24.24	3.5664	24.24
E0135W2	ORMOND_E	025YR24HR	14.2293	-91	0.000	3.0013	24.24	3.0346	24.24
E0135W2	ORMOND_E	050YR24HR	14.3740	-14	0.000	2.6969	24.24	2.7356	24.24
E0135W2	ORMOND_E	100YR24HR	13.6716	-154	0.000	2.4514	24.24	2.4950	24.24
E0135W2	ORMOND_E	500YR24HR	13.2940	-346	0.000	2.0405	24.24	2.0891	24.24
E0140W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	5.0567	24.23
E0140W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	3.5664	24.24
E0140W1	ORMOND_E	025YR24HR	12.2213	-1	0.000	0.0000	24.25	3.0346	24.24
E0140W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	2.7356	24.24
E0140W1	ORMOND_E	100YR24HR	11.5468	-1	0.000	0.0000	24.25	2.4950	24.24
E0140W1	ORMOND_E	500YR24HR	10.6039	-1	0.000	0.0000	24.25	2.0891	24.24
E0140W2	ORMOND_E	002YR24HR	12.0912	-0	0.000	0.0000	24.25	0.0000	24.00
E0140W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0140W2	ORMOND_E	025YR24HR	12.4168	-226	0.000	0.0000	24.25	0.0000	24.00
E0140W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0140W2	ORMOND_E	100YR24HR	13.9255	-289	0.000	0.0000	24.25	0.0000	24.00
E0140W2	ORMOND_E	500YR24HR	13.1763	-964	0.000	0.0000	24.25	0.0000	24.00
E0140W4	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	5.0385	24.23
E0140W4	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	3.5355	24.24
E0140W4	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	3.0013	24.24
E0140W4	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	2.6969	24.24
E0140W4	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.25	2.4514	24.24
E0140W4	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	24.25	2.0405	24.24
E0143C	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143C	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143C	ORMOND_E	025YR24HR	12.2479	-9	0.000	0.0000	24.25	0.0000	24.25
E0143C	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143C	ORMOND_E	100YR24HR	14.0630	-14	0.000	0.0000	24.25	0.0000	24.25
E0143C	ORMOND_E	500YR24HR	13.5659	-27	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	025YR24HR	12.3817	-111	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	100YR24HR	14.0302	-142	0.000	0.0000	24.25	0.0000	24.25
E0143W1	ORMOND_E	500YR24HR	13.5514	-381	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	025YR24HR	14.4542	-17	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	100YR24HR	14.1191	-48	0.000	0.0000	24.25	0.0000	24.25
E0143W2	ORMOND_E	500YR24HR	13.6484	-177	0.000	0.0000	24.25	0.0000	24.25
E0143W3	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	5.0385	24.23
E0143W3	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	3.5355	24.24
E0143W3	ORMOND_E	025YR24HR	12.3844	-1	0.000	0.0000	24.25	3.0013	24.24
E0143W3	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	2.6969	24.24
E0143W3	ORMOND_E	100YR24HR	11.8445	-1	0.000	0.0000	24.25	2.4514	24.24
E0143W3	ORMOND_E	500YR24HR	10.9271	-1	0.000	0.0000	24.25	2.0405	24.24
E0145W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.25
E0145W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.25
E0145W1	ORMOND_E	025YR24HR	18.7886	-0	0.000	0.0000	24.00	0.0000	24.25
E0145W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.25
E0145W1	ORMOND_E	100YR24HR	19.8231	-1	0.000	0.0000	24.00	0.0000	24.25
E0145W1	ORMOND_E	500YR24HR	20.8647	-5	0.000	0.0000	24.00	0.0000	24.25
E0145W2	ORMOND_E	002YR24HR	9.7128	-1	0.000	0.0000	24.00	0.0000	24.00
E0145W2	ORMOND_E	010YR24HR	0.0483	-0	0.000	0.0000	24.00	0.0000	24.00
E0145W2	ORMOND_E	025YR24HR	9.4875	-38	0.000	0.0000	24.00	0.0000	24.00
E0145W2	ORMOND_E	050YR24HR	0.0483	-0	0.000	0.0000	24.00	0.0000	24.00
E0145W2	ORMOND_E	100YR24HR	9.2076	-42	0.000	0.0000	24.00	0.0000	24.00
E0145W2	ORMOND_E	500YR24HR	8.8946	-58	0.000	0.0000	24.00	0.0000	24.00
E0145W3	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.25
E0145W3	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.25
E0145W3	ORMOND_E	025YR24HR	21.6693	-0	0.000	0.0000	24.00	0.0000	24.25
E0145W3	ORMOND_E	050YR24HR	22.7680	-0	0.000	0.0000	24.00	0.0000	24.25
E0145W3	ORMOND_E	100YR24HR	19.0934	-3	0.000	0.0000	24.00	0.0000	24.25
E0145W3	ORMOND_E	500YR24HR	18.9080	-46	0.000	0.0000	24.00	0.0000	24.25
E0150W2	ORMOND_E	002YR24HR	14.2178	-1	0.000	0.0000	24.25	0.0000	24.25
E0150W2	ORMOND_E	010YR24HR	13.6287	-4	0.000	0.0000	24.25	0.0000	24.25
E0150W2	ORMOND_E	025YR24HR	13.7727	-73	0.000	0.0000	24.25	0.0000	24.25

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0150W2	ORMOND_E	050YR24HR	13.2039	-6	0.000	0.0000	24.25	0.0000	24.25
E0150W2	ORMOND_E	100YR24HR	13.9021	-160	0.000	0.0000	24.25	0.0000	24.25
E0150W2	ORMOND_E	500YR24HR	13.6064	-499	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	002YR24HR	14.7717	-1	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	010YR24HR	9.3195	-0	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	025YR24HR	8.4449	-0	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	050YR24HR	7.9446	-0	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	100YR24HR	7.5077	-0	0.000	0.0000	24.25	0.0000	24.25
E0505W1	ORMOND_E	500YR24HR	6.6643	-0	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	002YR24HR	14.5784	-44	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	010YR24HR	13.9325	-70	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	025YR24HR	13.7036	-82	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	050YR24HR	13.5822	-90	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	100YR24HR	13.4804	-96	0.000	0.0000	24.25	0.0000	24.25
E0510W1	ORMOND_E	500YR24HR	13.2914	-109	0.000	0.0000	24.25	0.0000	24.25
E0510W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0510W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0510W2	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0510W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0510W2	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.00
E0510W2	ORMOND_E	500YR24HR	15.8548	-0	0.000	0.0000	24.25	0.0000	24.00
E0515W1	ORMOND_E	002YR24HR	30.7664	-26	0.000	0.0000	24.25	0.0000	24.25
E0515W1	ORMOND_E	010YR24HR	24.2361	-72	0.000	0.0000	24.25	0.0000	24.25
E0515W1	ORMOND_E	025YR24HR	22.2910	-93	0.000	0.0000	24.25	0.0000	24.25
E0515W1	ORMOND_E	050YR24HR	21.4535	-107	0.000	0.0000	24.25	0.0000	24.25
E0515W1	ORMOND_E	100YR24HR	20.2368	-105	0.000	0.0000	24.25	0.0000	24.25
E0515W1	ORMOND_E	500YR24HR	29.4285	-96	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0515W2	ORMOND_E	500YR24HR	14.3970	-140	0.000	0.0000	24.25	0.0000	24.25
E0520W1	ORMOND_E	002YR24HR	29.1827	-31	0.000	0.0000	24.25	2.0045	24.25
E0520W1	ORMOND_E	010YR24HR	23.7430	-77	0.000	0.0000	24.25	1.2553	24.25
E0520W1	ORMOND_E	025YR24HR	21.8664	-103	0.000	0.0000	24.25	1.0001	24.25
E0520W1	ORMOND_E	050YR24HR	21.0119	-121	0.000	0.0000	24.25	1.0001	24.25
E0520W1	ORMOND_E	100YR24HR	20.0929	-128	0.000	0.0000	24.25	0.7501	24.25
E0520W1	ORMOND_E	500YR24HR	28.7976	-103	0.000	0.0000	24.25	0.7501	24.25
E0520W2	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0520W2	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0520W2	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0520W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0520W2	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0520W2	ORMOND_E	500YR24HR	15.2792	-32	0.000	0.0000	24.25	0.0000	24.25
E0525W1	ORMOND_E	002YR24HR	28.8510	-37	0.000	2.0045	24.25	2.0030	24.25
E0525W1	ORMOND_E	010YR24HR	24.9141	-118	0.000	1.2553	24.25	1.2535	24.25
E0525W1	ORMOND_E	025YR24HR	22.2053	-177	0.000	1.0001	24.25	0.0000	24.25
E0525W1	ORMOND_E	050YR24HR	21.1606	-224	0.000	1.0001	24.25	0.0000	24.25
E0525W1	ORMOND_E	100YR24HR	20.5389	-260	0.000	0.7501	24.25	0.0000	24.25
E0525W1	ORMOND_E	500YR24HR	20.7697	-331	0.000	0.7501	24.25	0.0000	24.25
E0525W2	ORMOND_E	002YR24HR	0.0000	0	0.000	2.0045	24.25	0.0000	24.25
E0525W2	ORMOND_E	010YR24HR	0.0000	0	0.000	1.2553	24.25	0.0000	24.25
E0525W2	ORMOND_E	025YR24HR	15.5822	-0	0.000	1.0001	24.25	0.0000	24.25
E0525W2	ORMOND_E	050YR24HR	0.0000	0	0.000	1.0001	24.25	0.0000	24.25
E0525W2	ORMOND_E	100YR24HR	15.7137	-3	0.000	0.7501	24.25	0.0000	24.25
E0525W2	ORMOND_E	500YR24HR	15.6414	-188	0.000	0.7501	24.25	0.0000	24.25
E0530W1	ORMOND_E	002YR24HR	23.0349	-2	0.000	2.0030	24.25	0.0000	25.00
E0530W1	ORMOND_E	010YR24HR	17.3402	-14	0.000	1.2535	24.25	0.0000	25.00
E0530W1	ORMOND_E	025YR24HR	16.2962	-24	0.000	0.0000	24.25	0.0000	25.00
E0530W1	ORMOND_E	050YR24HR	15.7248	-32	0.000	0.0000	24.25	0.0000	25.00
E0530W1	ORMOND_E	100YR24HR	15.2101	-41	0.000	0.0000	24.25	0.0000	25.00
E0530W1	ORMOND_E	500YR24HR	14.4956	-64	0.000	0.0000	24.25	0.0000	25.00
E0530W2	ORMOND_E	002YR24HR	0.0000	0	0.000	2.0030	24.25	0.0000	24.25
E0530W2	ORMOND_E	010YR24HR	0.0000	0	0.000	1.2535	24.25	0.0000	24.25
E0530W2	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0530W2	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0530W2	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0530W2	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	24.25
E0540W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	23.80

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
E0540W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	23.80
E0540W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	23.80
E0540W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	24.25	0.0000	23.80
E0540W1	ORMOND_E	100YR24HR	16.4257	-9	0.000	0.0000	24.25	0.0000	23.80
E0540W1	ORMOND_E	500YR24HR	14.9704	-138	0.000	0.0000	24.25	0.0000	23.80
E1000W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	25.25	71.9998	25.93
E1000W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	25.25	72.0003	25.93
E1000W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	25.25	72.0000	25.93
E1000W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	25.25	72.0000	25.93
E1000W1	ORMOND_E	100YR24HR	13.4254	-0	0.000	0.0000	25.25	72.0004	25.93
E1000W1	ORMOND_E	500YR24HR	13.2914	-1	0.000	0.0000	25.25	72.0000	25.93
E1005W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W1	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W1	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	24.00
E1005W2	ORMOND_E	002YR24HR	14.2543	-1	0.000	0.0000	26.00	71.9998	25.93
E1005W2	ORMOND_E	010YR24HR	13.4753	-2	0.000	0.0000	26.00	72.0003	25.93
E1005W2	ORMOND_E	025YR24HR	13.2370	-3	0.000	0.0000	26.00	72.0000	25.93
E1005W2	ORMOND_E	050YR24HR	13.1198	-4	0.000	0.0000	26.00	72.0000	25.93
E1005W2	ORMOND_E	100YR24HR	13.0228	-4	0.000	0.0000	26.00	72.0004	25.93
E1005W2	ORMOND_E	500YR24HR	12.8446	-5	0.000	0.0000	26.00	72.0000	25.93
E1005W3	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1005W3	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1005W3	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1005W3	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1005W3	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1005W3	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	26.00	0.0000	25.25
E1010W1	ORMOND_E	002YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
E1010W1	ORMOND_E	010YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
E1010W1	ORMOND_E	025YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
E1010W1	ORMOND_E	050YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
E1010W1	ORMOND_E	100YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
E1010W1	ORMOND_E	500YR24HR	0.0000	0	0.000	0.0000	26.20	0.0000	26.00
F0005C	ORMOND_F	002YR24HR	9.7877	-26	0.000	0.0000	24.00	0.0000	24.00
F0005C	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0005C	ORMOND_F	025YR24HR	12.2402	-106	0.000	0.0000	24.00	0.0000	24.00
F0005C	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0005C	ORMOND_F	100YR24HR	13.0000	-145	0.000	0.0000	24.00	0.0000	24.00
F0005C	ORMOND_F	500YR24HR	12.9998	-253	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	025YR24HR	12.9996	-34	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	100YR24HR	13.0000	-67	0.000	0.0000	24.00	0.0000	24.00
F0005W	ORMOND_F	500YR24HR	12.9998	-384	0.000	0.0000	24.00	0.0000	24.00
F0010C	ORMOND_F	002YR24HR	13.9605	-19	0.000	0.0001	24.00	0.0000	24.00
F0010C	ORMOND_F	010YR24HR	25.9664	-20	0.000	0.0001	24.00	0.0000	24.00
F0010C	ORMOND_F	025YR24HR	13.5422	-81	0.000	0.0001	24.00	0.0000	24.00
F0010C	ORMOND_F	050YR24HR	23.4838	-39	0.000	0.0001	24.00	0.0000	24.00
F0010C	ORMOND_F	100YR24HR	13.4044	-83	0.000	0.0001	24.00	0.0000	24.00
F0010C	ORMOND_F	500YR24HR	20.3050	-100	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	002YR24HR	10.8586	-15	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	010YR24HR	0.0001	-0	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	025YR24HR	12.9996	-315	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	050YR24HR	0.0001	-0	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	100YR24HR	13.0000	-567	0.000	0.0001	24.00	0.0000	24.00
F0010W1	ORMOND_F	500YR24HR	12.9998	-1611	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	002YR24HR	13.9129	-118	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	010YR24HR	14.0886	-121	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	025YR24HR	13.5306	-328	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	050YR24HR	23.7505	-193	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	100YR24HR	13.3914	-286	0.000	0.0001	24.00	0.0000	24.00
F0010W2	ORMOND_F	500YR24HR	20.9071	-304	0.000	0.0001	24.00	0.0000	24.00
F0015W1	ORMOND_F	002YR24HR	13.8897	-68	0.000	0.0000	24.00	0.0001	24.00
F0015W1	ORMOND_F	010YR24HR	13.4084	-66	0.000	0.0000	24.00	0.0001	24.00
F0015W1	ORMOND_F	025YR24HR	13.2215	-515	0.000	0.0000	24.00	0.0001	24.00
F0015W1	ORMOND_F	050YR24HR	12.6116	-50	0.000	0.0000	24.00	0.0001	24.00
F0015W1	ORMOND_F	100YR24HR	13.0590	-676	0.000	0.0000	24.00	0.0001	24.00
F0015W1	ORMOND_F	500YR24HR	13.0482	-1101	0.000	0.0000	24.00	0.0001	24.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
F0020C1	ORMOND_F	002YR24HR	11.3377	-7	0.000	0.0014	24.00	0.0000	24.00
F0020C1	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0014	24.00	0.0000	24.00
F0020C1	ORMOND_F	025YR24HR	12.9996	-59	0.000	0.0014	24.00	0.0000	24.00
F0020C1	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0014	24.00	0.0000	24.00
F0020C1	ORMOND_F	100YR24HR	13.0000	-84	0.000	0.0014	24.00	0.0000	24.00
F0020C1	ORMOND_F	500YR24HR	12.9998	-159	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	002YR24HR	11.1982	-6	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	025YR24HR	12.9996	-45	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	100YR24HR	13.0000	-63	0.000	0.0014	24.00	0.0000	24.00
F0020C2	ORMOND_F	500YR24HR	12.9998	-130	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	002YR24HR	10.8769	-56	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	010YR24HR	0.0014	-1	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	025YR24HR	12.9996	-835	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	050YR24HR	0.0014	-1	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	100YR24HR	13.0000	-1317	0.000	0.0014	24.00	0.0000	24.00
F0020W1	ORMOND_F	500YR24HR	12.9998	-3099	0.000	0.0014	24.00	0.0000	24.00
F0020W2	ORMOND_F	002YR24HR	14.2618	-23	0.000	0.0014	24.00	0.0001	24.00
F0020W2	ORMOND_F	010YR24HR	16.7100	-39	0.000	0.0014	24.00	0.0001	24.00
F0020W2	ORMOND_F	025YR24HR	24.2803	-156	0.000	0.0014	24.00	0.0001	24.00
F0020W2	ORMOND_F	050YR24HR	23.0473	-124	0.000	0.0014	24.00	0.0001	24.00
F0020W2	ORMOND_F	100YR24HR	23.9891	-188	0.000	0.0014	24.00	0.0001	24.00
F0020W2	ORMOND_F	500YR24HR	22.8806	-130	0.000	0.0014	24.00	0.0001	24.00
F0020W3	ORMOND_F	002YR24HR	23.9037	-192	0.000	0.0014	24.00	0.0000	24.00
F0020W3	ORMOND_F	010YR24HR	17.5750	-385	0.000	0.0014	24.00	0.0000	24.00
F0020W3	ORMOND_F	025YR24HR	24.7152	-272	0.000	0.0014	24.00	0.0000	24.00
F0020W3	ORMOND_F	050YR24HR	22.7945	-605	0.000	0.0014	24.00	0.0000	24.00
F0020W3	ORMOND_F	100YR24HR	23.8992	-321	0.000	0.0014	24.00	0.0000	24.00
F0020W3	ORMOND_F	500YR24HR	49.3000	-232	0.000	0.0014	24.00	0.0000	24.00
F0050C	ORMOND_F	002YR24HR	10.5821	-19	0.000	0.0000	24.00	0.0000	24.00
F0050C	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0000	24.00	48.0369	23.86
F0050C	ORMOND_F	025YR24HR	12.9996	-164	0.000	0.0000	24.00	0.0000	24.00
F0050C	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0000	24.00	53.7399	23.86
F0050C	ORMOND_F	100YR24HR	12.3090	-197	0.000	0.0000	24.00	0.0000	24.00
F0050C	ORMOND_F	500YR24HR	12.9998	-275	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	025YR24HR	13.7900	-142	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	100YR24HR	13.3591	-264	0.000	0.0000	24.00	0.0000	24.00
F0050W1	ORMOND_F	500YR24HR	13.0288	-556	0.000	0.0000	24.00	0.0000	24.00
F0050W2	ORMOND_F	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0014	24.00
F0050W2	ORMOND_F	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0014	24.00
F0050W2	ORMOND_F	025YR24HR	15.5956	-23	0.000	0.0000	24.00	0.0014	24.00
F0050W2	ORMOND_F	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0014	24.00
F0050W2	ORMOND_F	100YR24HR	14.4708	-138	0.000	0.0000	24.00	0.0014	24.00
F0050W2	ORMOND_F	500YR24HR	13.6419	-861	0.000	0.0000	24.00	0.0014	24.00
FQ005D	HUNTERS RIDGE	002YR24HR	5.5078	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005D	HUNTERS RIDGE	010YR24HR	4.0151	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005D	HUNTERS RIDGE	025YR24HR	3.4344	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005D	HUNTERS RIDGE	050YR24HR	3.1485	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005D	HUNTERS RIDGE	100YR24HR	2.9021	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005D	HUNTERS RIDGE	500YR24HR	2.4667	-0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ005W	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	21.80
FQ010W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
FQ010W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
FQ010W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	21.80	0.0000	15.19
GB429P	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429P	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429P	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429P	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429P	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429P	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	13.00
GB429W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB429W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.79	0.0000	1.00
GB430C	GROOVER	002YR24HR	7.3171	-2	0.000	0.0000	1.00	0.0000	1.00
GB430C	GROOVER	010YR24HR	5.2813	-2	0.000	0.0000	1.00	0.0000	1.00
GB430C	GROOVER	025YR24HR	4.6523	-2	0.000	0.0000	1.00	0.0000	1.00
GB430C	GROOVER	050YR24HR	4.3535	-2	0.000	0.0000	1.00	0.0000	1.00
GB430C	GROOVER	100YR24HR	3.8247	-2	0.000	0.0000	1.00	0.0000	1.00
GB430C	GROOVER	500YR24HR	3.0695	-2	0.000	0.0000	1.00	0.0000	1.00
GB431W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB431W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.00	0.0000	1.00
GB435BR	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435BR	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435BR	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435BR	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435BR	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435BR	GROOVER	500YR24HR	3.0674	-0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB435W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB436W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB436W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB436W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB436W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB436W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB436W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.00	0.0000	1.00
GB440C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00

Singhofen & Associates, Inc.
 June 2009

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB440C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	13.00
GB440W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB440W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445BR	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445P1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB445W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	1.00	0.0000	1.00
GB446P1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446P1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446P1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446P1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446P1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446P1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	11.79
GB446W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB446W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	15.10	0.0000	1.00
GB450C	GROOVER	002YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450C	GROOVER	010YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450C	GROOVER	025YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450C	GROOVER	050YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450C	GROOVER	100YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450C	GROOVER	500YR24HR	0.0000	0	0.000	0.1700	2.31	0.5206	-2.40
GB450W1	GROOVER	002YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W1	GROOVER	010YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W1	GROOVER	025YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W1	GROOVER	050YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W1	GROOVER	100YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W1	GROOVER	500YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB450W2	GROOVER	002YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W2	GROOVER	010YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W2	GROOVER	025YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W2	GROOVER	050YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W2	GROOVER	100YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB450W2	GROOVER	500YR24HR	0.0000	0	0.000	0.1700	2.31	0.0000	1.00
GB455P1	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P1	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P1	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P1	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P1	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P1	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P2	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P3	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P4	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P5	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	002YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	010YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	025YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	050YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	100YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P6	GROOVER	500YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	002YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	010YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	025YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	050YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	100YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P7	GROOVER	500YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	002YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	010YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	025YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	050YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	100YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455P8	GROOVER	500YR24HR	0.5636	-0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	002YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	010YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	025YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	050YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	100YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB455W1	GROOVER	500YR24HR	0.0000	0	0.000	0.1389	2.31	0.1700	2.31
GB456P	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456P	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456P	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456P	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456P	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456P	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10
GB456W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10
GB456W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10
GB456W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10
GB456W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB456W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	15.10
GB456W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	3.67
GB456W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB456W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB456W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB456W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB456W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB456W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.86	0.0000	1.00
GB460C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	3.67	0.1264	-0.52
GB460W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB460W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	3.67	0.1389	2.31
GB464W1	GROOVER	002YR24HR	71.9998	0	0.000	71.9998	21.99	0.0000	4.27
GB464W1	GROOVER	010YR24HR	72.0003	0	0.000	72.0003	21.99	0.0000	4.27
GB464W1	GROOVER	025YR24HR	3.7703	0	0.000	3.7703	21.99	0.0000	4.27
GB464W1	GROOVER	050YR24HR	3.4813	0	0.000	3.4813	21.99	0.0000	4.27
GB464W1	GROOVER	100YR24HR	3.2401	0	0.000	3.2401	21.99	0.0000	4.27
GB464W1	GROOVER	500YR24HR	2.7867	0	0.000	2.7867	21.99	0.0000	4.27
GB465BR	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465BR	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465BR	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465BR	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465BR	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465BR	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	4.27	0.0000	3.67
GB465W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB465W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB465W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB465W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB465W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB465W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	4.27	0.1389	2.31
GB470C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	5.4156	3.68
GB470C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	3.9922	3.68
GB470C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	3.4631	3.68
GB470C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	3.1844	3.68
GB470C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	2.9486	3.68
GB470C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	2.5334	3.68
GB470W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB470W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB470W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	4.27
GB471W2	GROOVER	002YR24HR	0.0000	0	0.000	71.9998	21.99	0.0000	5.64
GB471W2	GROOVER	010YR24HR	0.0000	0	0.000	72.0003	21.99	0.0000	5.64
GB471W2	GROOVER	025YR24HR	0.0000	0	0.000	3.7702	21.99	0.0000	5.64
GB471W2	GROOVER	050YR24HR	0.0000	0	0.000	3.4776	21.99	0.0000	5.64
GB471W2	GROOVER	100YR24HR	0.0000	0	0.000	3.2346	21.99	0.0000	5.64
GB471W2	GROOVER	500YR24HR	0.0000	0	0.000	2.7811	21.99	0.0000	5.64
GB471W3	GROOVER	002YR24HR	5.7290	-0	0.000	71.9998	21.99	71.9998	21.99
GB471W3	GROOVER	010YR24HR	0.0000	0	0.000	72.0003	21.99	72.0003	21.99
GB471W3	GROOVER	025YR24HR	0.0000	0	0.000	3.7702	21.99	3.7703	21.99
GB471W3	GROOVER	050YR24HR	0.0000	0	0.000	3.4776	21.99	3.4813	21.99
GB471W3	GROOVER	100YR24HR	0.0000	0	0.000	3.2346	21.99	3.2401	21.99
GB471W3	GROOVER	500YR24HR	0.0000	0	0.000	2.7811	21.99	2.7867	21.99
GB471W4	GROOVER	002YR24HR	0.0000	0	0.000	71.9998	21.99	0.0000	4.27
GB471W4	GROOVER	010YR24HR	0.0000	0	0.000	72.0003	21.99	0.0000	4.27
GB471W4	GROOVER	025YR24HR	0.0000	0	0.000	3.7702	21.99	0.0000	4.27
GB471W4	GROOVER	050YR24HR	0.0000	0	0.000	3.4776	21.99	0.0000	4.27
GB471W4	GROOVER	100YR24HR	0.0000	0	0.000	3.2346	21.99	0.0000	4.27
GB471W4	GROOVER	500YR24HR	0.0000	0	0.000	2.7811	21.99	0.0000	4.27
GB472W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	22.00	71.9998	21.99
GB472W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	22.00	72.0003	21.99
GB472W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	22.00	3.7702	21.99
GB472W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	22.00	3.4776	21.99
GB472W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	22.00	3.2346	21.99
GB472W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	22.00	2.7811	21.99
GB473W1	GROOVER	002YR24HR	9.8936	-0	0.000	0.0000	22.00	0.0000	22.00
GB473W1	GROOVER	010YR24HR	7.8820	-0	0.000	0.0000	22.00	0.0000	22.00
GB473W1	GROOVER	025YR24HR	7.0481	-0	0.000	0.0000	22.00	0.0000	22.00
GB473W1	GROOVER	050YR24HR	6.6021	-0	0.000	0.0000	22.00	0.0000	22.00
GB473W1	GROOVER	100YR24HR	6.1982	-0	0.000	0.0000	22.00	0.0000	22.00
GB473W1	GROOVER	500YR24HR	5.4806	-0	0.000	0.0000	22.00	0.0000	22.00
GB474W1	GROOVER	002YR24HR	4.9687	0	0.000	4.9687	22.02	0.0000	22.00
GB474W1	GROOVER	010YR24HR	3.5903	0	0.000	3.5903	22.02	0.0000	22.00
GB474W1	GROOVER	025YR24HR	3.0900	0	0.000	3.0900	22.02	0.0000	22.00
GB474W1	GROOVER	050YR24HR	2.8191	0	0.000	2.8191	22.02	0.0000	22.00
GB474W1	GROOVER	100YR24HR	2.5967	0	0.000	2.5967	22.02	0.0000	22.00
GB474W1	GROOVER	500YR24HR	2.2070	0	0.000	2.2070	22.02	0.0000	22.00
GB475P1	GROOVER	002YR24HR	5.9034	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P1	GROOVER	010YR24HR	4.4557	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P1	GROOVER	025YR24HR	4.2564	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P1	GROOVER	050YR24HR	4.1016	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P1	GROOVER	100YR24HR	3.8640	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P1	GROOVER	500YR24HR	3.4885	-0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475P4	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475P4	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475P4	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475P4	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475P4	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475P4	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.1389	2.31
GB475W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB475W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	5.64	0.0000	5.64
GB476W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB476W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00
GB476W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00
GB476W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00
GB476W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00
GB476W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.61	0.0000	22.00
GB477W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	4.9687	22.02
GB477W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	3.5903	22.02
GB477W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	3.0900	22.02
GB477W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	2.8191	22.02
GB477W1	GROOVER	100YR24HR	13.9288	-0	0.000	0.0000	23.00	2.5967	22.02
GB477W1	GROOVER	500YR24HR	13.2616	-2	0.000	0.0000	23.00	2.2070	22.02
GB477W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	24.61
GB477W2	GROOVER	010YR24HR	13.2138	-1	0.000	0.0000	23.00	0.0000	24.61
GB477W2	GROOVER	025YR24HR	12.6941	-4	0.000	0.0000	23.00	0.0000	24.61
GB477W2	GROOVER	050YR24HR	12.5437	-6	0.000	0.0000	23.00	0.0000	24.61
GB477W2	GROOVER	100YR24HR	12.4348	-8	0.000	0.0000	23.00	0.0000	24.61
GB477W2	GROOVER	500YR24HR	12.2991	-12	0.000	0.0000	23.00	0.0000	24.61
GB477W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	17.61
GB477W3	GROOVER	010YR24HR	26.3775	-13	0.000	0.0000	23.00	0.0000	17.61
GB477W3	GROOVER	025YR24HR	23.9255	-78	0.000	0.0000	23.00	0.0000	17.61
GB477W3	GROOVER	050YR24HR	23.6141	-48	0.000	0.0000	23.00	0.0000	17.61
GB477W3	GROOVER	100YR24HR	21.1574	-134	0.000	0.0000	23.00	0.0000	17.61
GB477W3	GROOVER	500YR24HR	18.5992	-226	0.000	0.0000	23.00	0.0000	17.61
GB480C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	7.76	5.8123	5.18
GB480C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	7.76	4.6512	5.18
GB480C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	7.76	4.1272	5.18
GB480C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	7.76	3.8492	5.18
GB480C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	7.76	3.5935	5.18
GB480C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	7.76	3.1074	5.18
GB480W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB480W2A	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	7.76	0.0000	5.64
GB481P	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	9.24
GB481P	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	9.24
GB481P	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	9.24
GB481P	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	9.24
GB481P	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	9.24
GB481P	GROOVER	500YR24HR	18.0547	-3	0.000	0.0000	16.50	0.0000	9.24
GB481W	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB481W	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB481W	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB481W	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB481W	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB481W	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	16.50
GB483P1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P1	GROOVER	100YR24HR	20.4681	-1	0.000	0.0000	16.50	0.0000	5.64
GB483P1	GROOVER	500YR24HR	17.1238	-1	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	100YR24HR	23.6774	-15	0.000	0.0000	16.50	0.0000	5.64
GB483P2	GROOVER	500YR24HR	18.2172	-33	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB483W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	5.64
GB483W2	GROOVER	500YR24HR	18.5293	-72	0.000	0.0000	16.50	0.0000	5.64
GB485BR	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485BR	GROOVER	010YR24HR	4.2500	-0	0.000	0.0000	7.09	0.0000	7.76
GB485BR	GROOVER	025YR24HR	3.5000	-0	0.000	0.0000	7.09	0.0000	7.76
GB485BR	GROOVER	050YR24HR	3.2500	-0	0.000	0.0000	7.09	0.0000	7.76
GB485BR	GROOVER	100YR24HR	3.0000	-0	0.000	0.0000	7.09	0.0000	7.76
GB485BR	GROOVER	500YR24HR	2.5000	-0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB485W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	7.09	0.0000	7.76
GB490C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	8.01	1.6177	7.09
GB490C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	8.01	1.6176	7.09
GB490C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	8.01	1.6170	7.09
GB490C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	8.01	1.6167	7.09
GB490C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	8.01	1.6164	7.09
GB490C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	8.01	1.5897	7.09
GB490W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB490W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB490W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB490W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB490W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB490W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	8.01	0.0000	7.09
GB494C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.76
GB494W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	8.01
GB494W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB494W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB494W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB494W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB494W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB494W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	7.09
GB495W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB495W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB495W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB495W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB495W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB495W1	GROOVER	500YR24HR	17.6894	-103	0.000	0.0000	21.00	0.0000	9.24
GB500C	GROOVER	002YR24HR	0.0000	0	0.000	2.4361	10.82	0.0000	9.24
GB500C	GROOVER	010YR24HR	0.0000	0	0.000	2.4346	10.82	0.0000	9.24
GB500C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB500C	GROOVER	050YR24HR	0.0000	0	0.000	2.3381	10.82	0.0000	9.24
GB500C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB500C	GROOVER	500YR24HR	0.0000	0	0.000	1.7938	10.82	0.0000	9.24
GB500W1	GROOVER	002YR24HR	0.0000	0	0.000	2.4361	10.82	0.0000	9.24
GB500W1	GROOVER	010YR24HR	0.0000	0	0.000	2.4346	10.82	0.0000	9.24
GB500W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB500W1	GROOVER	050YR24HR	0.0000	0	0.000	2.3381	10.82	0.0000	9.24

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB500W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB500W1	GROOVER	500YR24HR	0.0000	0	0.000	1.7938	10.82	0.0000	9.24
GB504W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	10.82
GB504W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	10.82
GB504W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	22.00	2.4058	10.82
GB504W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	10.82
GB504W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	22.00	2.0950	10.82
GB504W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	10.82
GB505P1	GROOVER	002YR24HR	5.0484	-0	0.000	0.0000	10.82	2.4361	10.82
GB505P1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	10.82	2.4346	10.82
GB505P1	GROOVER	025YR24HR	2.4058	-0	0.000	2.4058	10.82	0.0000	10.82
GB505P1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	10.82	2.3381	10.82
GB505P1	GROOVER	100YR24HR	2.0950	-0	0.000	2.0950	10.82	0.0000	10.82
GB505P1	GROOVER	500YR24HR	2.9770	-0	0.000	0.0000	10.82	1.7938	10.82
GB505P2	GROOVER	002YR24HR	5.0484	-0	0.000	0.0000	10.82	2.4361	10.82
GB505P2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	10.82	2.4346	10.82
GB505P2	GROOVER	025YR24HR	2.4058	-1	0.000	2.4058	10.82	0.0000	10.82
GB505P2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	10.82	2.3381	10.82
GB505P2	GROOVER	100YR24HR	2.0950	-1	0.000	2.0950	10.82	0.0000	10.82
GB505P2	GROOVER	500YR24HR	2.9770	-0	0.000	0.0000	10.82	1.7938	10.82
GB505W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	10.82	2.4361	10.82
GB505W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	10.82	2.4346	10.82
GB505W1	GROOVER	025YR24HR	0.0000	0	0.000	2.4058	10.82	0.0000	10.82
GB505W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	10.82	2.3381	10.82
GB505W1	GROOVER	100YR24HR	0.0000	0	0.000	2.0950	10.82	0.0000	10.82
GB505W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	10.82	1.7938	10.82
GB505W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB505W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB505W2	GROOVER	025YR24HR	0.0000	0	0.000	2.4058	10.82	0.0000	9.24
GB505W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB505W2	GROOVER	100YR24HR	0.0000	0	0.000	2.0950	10.82	0.0000	9.24
GB505W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	9.24
GB505W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	7.76
GB505W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	7.76
GB505W3	GROOVER	025YR24HR	0.0000	0	0.000	2.4058	10.82	0.0000	7.76
GB505W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	7.76
GB505W3	GROOVER	100YR24HR	0.0000	0	0.000	2.0950	10.82	0.0000	7.76
GB505W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	10.82	0.0000	7.76
GB506W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	21.00	2.4058	10.82
GB506W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	21.00	2.0950	10.82
GB506W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	21.00	2.4361	10.82
GB506W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	21.00	2.4346	10.82
GB506W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	21.00	2.3381	10.82
GB506W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	10.82
GB506W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	21.00	1.7938	10.82
GB507W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	16.98
GB507W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	13.50
GB507W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB507W4	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	10.82
GB507W4	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	10.82

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB507W4	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	2.4058	10.82
GB507W4	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	10.82
GB507W4	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	2.0950	10.82
GB507W4	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	10.82
GB508W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	22.80	0.0000	16.98
GB508W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	22.80	0.0000	16.98
GB508W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	22.80	0.0000	16.98
GB508W1	GROOVER	050YR24HR	16.5842	-42	0.000	0.0000	22.80	0.0000	16.98
GB508W1	GROOVER	100YR24HR	16.3252	-109	0.000	0.0000	22.80	0.0000	16.98
GB508W1	GROOVER	500YR24HR	17.5487	-246	0.000	0.0000	22.80	0.0000	16.98
GB508W3	GROOVER	002YR24HR	12.5360	-16	0.000	0.0000	22.80	0.0000	23.00
GB508W3	GROOVER	010YR24HR	12.4826	-32	0.000	0.0000	22.80	0.0000	23.00
GB508W3	GROOVER	025YR24HR	12.4640	-42	0.000	0.0000	22.80	0.0000	23.00
GB508W3	GROOVER	050YR24HR	12.4551	-49	0.000	0.0000	22.80	0.0000	23.00
GB508W3	GROOVER	100YR24HR	12.4481	-55	0.000	0.0000	22.80	0.0000	23.00
GB508W3	GROOVER	500YR24HR	12.4355	-71	0.000	0.0000	22.80	0.0000	23.00
GB509W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	23.00
GB509W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	21.00
GB509W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	1.3544	10.48
GB509W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	1.1613	10.50
GB509W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	1.0710	10.52
GB509W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	1.0204	10.53
GB509W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.9755	10.54
GB509W3	GROOVER	500YR24HR	19.8112	-474	0.000	0.0000	23.00	0.8897	10.55
GB509W4	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	11.70
GB509W4	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	11.70
GB509W4	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	11.70
GB509W4	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	11.70
GB509W4	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	11.70
GB509W4	GROOVER	500YR24HR	19.5564	-9	0.000	0.0000	23.00	0.0000	11.70
GB510C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.50	2.4058	10.82
GB510W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.50	2.0950	10.82
GB510W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	13.50	2.4058	10.82
GB510W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB510W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	13.50	2.0950	10.82
GB510W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	13.50	0.0000	10.82
GB515C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50
GB515W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.01	0.0000	13.50

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB517W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.98
GB517W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	16.01
GB517W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.92
GB517W4	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W4	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W4	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W4	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W4	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W4	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0148	20.92
GB517W5	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB517W5	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB517W5	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB517W5	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB517W5	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB517W5	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	25.00
GB520C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520C	GROOVER	500YR24HR	15.0076	-18	0.000	0.0000	16.98	0.0000	16.01
GB520W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	13.50
GB520W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W2	GROOVER	500YR24HR	15.0114	-22	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.98	0.0000	16.01
GB520W3	GROOVER	500YR24HR	15.0127	-10	0.000	0.0000	16.98	0.0000	16.01
GB525C	GROOVER	002YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525C	GROOVER	010YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525C	GROOVER	025YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525C	GROOVER	050YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525C	GROOVER	100YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525C	GROOVER	500YR24HR	0.0003	0	0.000	0.0003	17.88	0.0003	16.98
GB525W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB525W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98

Ormond Crossings FEMA Floodplain Study
Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB525W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0003	17.88	0.0000	16.98
GB526W1	GROOVER	002YR24HR	25.0615	-49	0.000	0.0000	22.00	0.0003	17.88
GB526W1	GROOVER	010YR24HR	19.6943	-148	0.000	0.0000	22.00	0.0003	17.88
GB526W1	GROOVER	025YR24HR	18.1955	-206	0.000	0.0000	22.00	0.0003	17.88
GB526W1	GROOVER	050YR24HR	16.8154	-225	0.000	0.0000	22.00	0.0003	17.88
GB526W1	GROOVER	100YR24HR	16.3213	-304	0.000	0.0000	22.00	0.0003	17.88
GB526W1	GROOVER	500YR24HR	14.9930	-449	0.000	0.0000	22.00	0.0003	17.88
GB526W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	22.00	0.0000	16.98
GB526W3	GROOVER	002YR24HR	13.1777	-13	0.000	0.0000	22.00	0.0000	22.80
GB526W3	GROOVER	010YR24HR	12.7003	-29	0.000	0.0000	22.00	0.0000	22.80
GB526W3	GROOVER	025YR24HR	12.6205	-38	0.000	0.0000	22.00	0.0000	22.80
GB526W3	GROOVER	050YR24HR	12.5959	-44	0.000	0.0000	22.00	0.0000	22.80
GB526W3	GROOVER	100YR24HR	12.5799	-50	0.000	0.0000	22.00	0.0000	22.80
GB526W3	GROOVER	500YR24HR	12.5559	-63	0.000	0.0000	22.00	0.0000	22.80
GB526W4	GROOVER	002YR24HR	12.5360	-2	0.000	0.0000	22.00	0.0000	23.00
GB526W4	GROOVER	010YR24HR	12.4826	-4	0.000	0.0000	22.00	0.0000	23.00
GB526W4	GROOVER	025YR24HR	12.4640	-5	0.000	0.0000	22.00	0.0000	23.00
GB526W4	GROOVER	050YR24HR	12.4551	-5	0.000	0.0000	22.00	0.0000	23.00
GB526W4	GROOVER	100YR24HR	12.4481	-6	0.000	0.0000	22.00	0.0000	23.00
GB526W4	GROOVER	500YR24HR	12.4355	-7	0.000	0.0000	22.00	0.0000	23.00
GB527W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.75	0.0003	17.88
GB527W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	25.00
GB527W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB527W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB527W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB527W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB527W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB527W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.75	0.0000	24.00
GB528W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
GB528W2	GROOVER	002YR24HR	15.1336	-54	0.000	0.0000	25.00	0.0000	25.00
GB528W2	GROOVER	010YR24HR	14.6997	-101	0.000	0.0000	25.00	0.0000	25.00
GB528W2	GROOVER	025YR24HR	14.5377	-130	0.000	0.0000	25.00	0.0000	25.00
GB528W2	GROOVER	050YR24HR	14.4548	-150	0.000	0.0000	25.00	0.0000	25.00
GB528W2	GROOVER	100YR24HR	14.3867	-170	0.000	0.0000	25.00	0.0000	25.00
GB528W2	GROOVER	500YR24HR	14.0607	-227	0.000	0.0000	25.00	0.0000	25.00
GB600P1	GROOVER	002YR24HR	12.0912	-11	0.000	0.0000	20.40	2.5844	20.40
GB600P1	GROOVER	010YR24HR	11.9425	-12	0.000	0.0000	20.40	1.7808	20.40
GB600P1	GROOVER	025YR24HR	12.1311	-15	0.000	0.0000	20.40	0.0000	20.40
GB600P1	GROOVER	050YR24HR	12.1011	-18	0.000	0.0000	20.40	0.0000	20.40
GB600P1	GROOVER	100YR24HR	12.0769	-20	0.000	0.0000	20.40	0.0000	20.40
GB600P1	GROOVER	500YR24HR	12.0274	-18	0.000	0.0000	20.40	0.0000	20.40
GB600P2	GROOVER	002YR24HR	12.1001	-9	0.000	0.0000	20.40	2.5844	20.40
GB600P2	GROOVER	010YR24HR	12.0903	-16	0.000	0.0000	20.40	1.7808	20.40
GB600P2	GROOVER	025YR24HR	12.1117	-17	0.000	0.0000	20.40	0.0000	20.40
GB600P2	GROOVER	050YR24HR	12.0745	-19	0.000	0.0000	20.40	0.0000	20.40
GB600P2	GROOVER	100YR24HR	12.0769	-20	0.000	0.0000	20.40	0.0000	20.40
GB600P2	GROOVER	500YR24HR	12.0274	-18	0.000	0.0000	20.40	0.0000	20.40
GB600W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB600W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB600W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40

Ormond Crossings FEMA Floodplain Study
Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB600W1	GROOVER	050YR24HR	17.2219	-0	0.000	0.0000	20.40	0.0000	20.40
GB600W1	GROOVER	100YR24HR	20.0040	-3	0.000	0.0000	20.40	0.0000	20.40
GB600W1	GROOVER	500YR24HR	17.9326	-8	0.000	0.0000	20.40	0.0000	20.40
GB600W2	GROOVER	002YR24HR	28.6802	-0	0.000	0.0000	20.40	2.5844	20.40
GB600W2	GROOVER	010YR24HR	21.3177	-25	0.000	0.0000	20.40	1.7808	20.40
GB600W2	GROOVER	025YR24HR	22.6014	-55	0.000	0.0000	20.40	0.0000	20.40
GB600W2	GROOVER	050YR24HR	23.5048	-50	0.000	0.0000	20.40	0.0000	20.40
GB600W2	GROOVER	100YR24HR	20.3977	-58	0.000	0.0000	20.40	0.0000	20.40
GB600W2	GROOVER	500YR24HR	18.5911	-65	0.000	0.0000	20.40	0.0000	20.40
GB600W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.69
GB600W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.69
GB600W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.69
GB600W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.69
GB600W3	GROOVER	100YR24HR	16.4969	-0	0.000	0.0000	20.40	0.0000	18.69
GB600W3	GROOVER	500YR24HR	15.3943	-9	0.000	0.0000	20.40	0.0000	18.69
GB600W4	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W4	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W4	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W4	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W4	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W4	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB600W5A	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB600W5A	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB600W5A	GROOVER	025YR24HR	23.4002	-28	0.000	0.0000	20.40	0.0000	20.40
GB600W5A	GROOVER	050YR24HR	17.9055	-44	0.000	0.0000	20.40	0.0000	20.40
GB600W5A	GROOVER	100YR24HR	20.2804	-107	0.000	0.0000	20.40	0.0000	20.40
GB600W5A	GROOVER	500YR24HR	18.3051	-193	0.000	0.0000	20.40	0.0000	20.40
GB605C	GROOVER	002YR24HR	37.7218	-8	0.000	2.5844	20.40	0.0000	20.40
GB605C	GROOVER	010YR24HR	21.5245	-35	0.000	1.7808	20.40	0.0000	20.40
GB605C	GROOVER	025YR24HR	22.6548	-65	0.000	0.0000	20.40	0.0000	20.40
GB605C	GROOVER	050YR24HR	27.3397	-61	0.000	0.0000	20.40	0.0000	20.40
GB605C	GROOVER	100YR24HR	31.0121	-64	0.000	0.0000	20.40	0.0000	20.40
GB605C	GROOVER	500YR24HR	33.2122	-65	0.000	0.0000	20.40	0.0000	20.40
GB605W1	GROOVER	002YR24HR	0.0000	0	0.000	2.5844	20.40	0.0000	20.40
GB605W1	GROOVER	010YR24HR	0.0000	0	0.000	1.7808	20.40	0.0000	20.40
GB605W1	GROOVER	025YR24HR	23.4002	-4	0.000	0.0000	20.40	0.0000	20.40
GB605W1	GROOVER	050YR24HR	17.9055	-6	0.000	0.0000	20.40	0.0000	20.40
GB605W1	GROOVER	100YR24HR	20.2788	-17	0.000	0.0000	20.40	0.0000	20.40
GB605W1	GROOVER	500YR24HR	18.6031	-29	0.000	0.0000	20.40	0.0000	20.40
GB605W2	GROOVER	002YR24HR	0.0000	0	0.000	2.5844	20.40	0.0000	20.40
GB605W2	GROOVER	010YR24HR	0.0000	0	0.000	1.7808	20.40	0.0000	20.40
GB605W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W3	GROOVER	002YR24HR	0.0000	0	0.000	2.5844	20.40	0.0000	20.40
GB605W3	GROOVER	010YR24HR	0.0000	0	0.000	1.7808	20.40	0.0000	20.40
GB605W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB605W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	002YR24HR	36.4690	-2	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	010YR24HR	21.5824	-17	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	025YR24HR	28.1644	-32	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	050YR24HR	27.3719	-31	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	100YR24HR	31.0461	-32	0.000	0.0000	20.40	0.0000	20.40
GB610P1	GROOVER	500YR24HR	33.2494	-32	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	002YR24HR	37.3595	-2	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	010YR24HR	21.5824	-17	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	025YR24HR	28.1644	-32	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	050YR24HR	27.3719	-31	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	100YR24HR	31.0461	-32	0.000	0.0000	20.40	0.0000	20.40
GB610P2	GROOVER	500YR24HR	33.2494	-32	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	025YR24HR	23.4002	-3	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	050YR24HR	17.9055	-5	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	100YR24HR	20.2788	-13	0.000	0.0000	20.40	0.0000	20.40
GB610W1	GROOVER	500YR24HR	18.3548	-23	0.000	0.0000	20.40	0.0000	20.40
GB615C	GROOVER	002YR24HR	13.5283	-1	0.000	0.0000	20.40	0.0000	20.40

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB615C	GROOVER	010YR24HR	26.3755	-23	0.000	0.0000	20.40	0.0000	20.40
GB615C	GROOVER	025YR24HR	22.5270	-87	0.000	0.0000	20.40	0.0000	20.40
GB615C	GROOVER	050YR24HR	22.5066	-76	0.000	0.0000	20.40	0.0000	20.40
GB615C	GROOVER	100YR24HR	20.0800	-158	0.000	0.0000	20.40	0.0000	20.40
GB615C	GROOVER	500YR24HR	18.2058	-230	0.000	0.0000	20.40	0.0000	20.40
GB615W1A	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W1A	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W1A	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W1A	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W1A	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W1A	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	23.00
GB615W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	20.40
GB615W2	GROOVER	010YR24HR	19.6202	-0	0.000	0.0000	20.40	0.0000	20.40
GB615W2	GROOVER	025YR24HR	22.9167	-1	0.000	0.0000	20.40	0.0000	20.40
GB615W2	GROOVER	050YR24HR	18.0468	-1	0.000	0.0000	20.40	0.0000	20.40
GB615W2	GROOVER	100YR24HR	20.1511	-3	0.000	0.0000	20.40	0.0000	20.40
GB615W2	GROOVER	500YR24HR	17.9440	-7	0.000	0.0000	20.40	0.0000	20.40
GB617D	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617D	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617D	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617D	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617D	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617D	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB617W	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	20.40
GB620P1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.45
GB620P1	GROOVER	010YR24HR	32.4394	-1	0.000	0.0000	20.40	0.0000	18.45
GB620P1	GROOVER	025YR24HR	41.5230	-1	0.000	0.0000	20.40	0.0000	18.45
GB620P1	GROOVER	050YR24HR	37.9216	-1	0.000	0.0000	20.40	0.0000	18.45
GB620P1	GROOVER	100YR24HR	45.3376	-1	0.000	0.0000	20.40	0.0000	18.45
GB620P1	GROOVER	500YR24HR	42.6734	-1	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	010YR24HR	30.7302	-17	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	025YR24HR	25.4398	-40	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	050YR24HR	33.3178	-29	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	100YR24HR	25.4831	-52	0.000	0.0000	20.40	0.0000	18.45
GB620W1	GROOVER	500YR24HR	26.7283	-61	0.000	0.0000	20.40	0.0000	18.45
GB620W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.40	0.0000	18.69
GB620W2	GROOVER	010YR24HR	18.3037	-45	0.000	0.0000	20.40	0.0000	18.69
GB620W2	GROOVER	025YR24HR	17.4643	-98	0.000	0.0000	20.40	0.0000	18.69
GB620W2	GROOVER	050YR24HR	16.9754	-138	0.000	0.0000	20.40	0.0000	18.69
GB620W2	GROOVER	100YR24HR	16.4969	-180	0.000	0.0000	20.40	0.0000	18.69
GB620W2	GROOVER	500YR24HR	15.3943	-256	0.000	0.0000	20.40	0.0000	18.69
GB625C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.45	0.0001	17.92
GB625C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.45	0.0001	17.92
GB625C	GROOVER	025YR24HR	25.2892	-56	0.000	0.0000	18.45	0.0001	17.92
GB625C	GROOVER	050YR24HR	27.0488	-30	0.000	0.0000	18.45	0.0001	17.92
GB625C	GROOVER	100YR24HR	24.2014	-71	0.000	0.0000	18.45	0.0001	17.92
GB625C	GROOVER	500YR24HR	27.7560	-81	0.000	0.0000	18.45	0.0001	17.92
GB625W1	GROOVER	002YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W1	GROOVER	010YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W1	GROOVER	025YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W1	GROOVER	050YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W1	GROOVER	100YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W1	GROOVER	500YR24HR	0.0000	-1	0.000	0.0000	18.45	0.0000	23.00
GB625W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.45	0.0000	18.19
GB625W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.45	0.0000	18.19
GB625W2	GROOVER	025YR24HR	24.4018	-13	0.000	0.0000	18.45	0.0000	18.19
GB625W2	GROOVER	050YR24HR	26.3663	-4	0.000	0.0000	18.45	0.0000	18.19
GB625W2	GROOVER	100YR24HR	22.1939	-23	0.000	0.0000	18.45	0.0000	18.19
GB625W2	GROOVER	500YR24HR	18.3766	-50	0.000	0.0000	18.45	0.0000	18.19
GB630P1	GROOVER	002YR24HR	12.1255	-5	0.000	0.0000	18.19	5.3086	18.14
GB630P1	GROOVER	010YR24HR	59.6525	-11	0.000	0.0000	18.19	5.2869	18.17
GB630P1	GROOVER	025YR24HR	22.8633	-32	0.000	0.0000	18.19	4.8752	18.19
GB630P1	GROOVER	050YR24HR	12.1765	-17	0.000	0.0000	18.19	0.0000	18.19
GB630P1	GROOVER	100YR24HR	20.1301	-41	0.000	0.0000	18.19	0.0000	18.19
GB630P1	GROOVER	500YR24HR	23.6216	-48	0.000	0.0000	18.19	0.0000	18.19

Singhofen & Associates, Inc.
 June 2009

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB630P2	GROOVER	002YR24HR	12.1255	-5	0.000	0.0000	18.19	0.0000	18.19
GB630P2	GROOVER	010YR24HR	59.6525	-12	0.000	0.0000	18.19	0.0000	18.19
GB630P2	GROOVER	025YR24HR	22.8633	-33	0.000	0.0000	18.19	0.0000	18.19
GB630P2	GROOVER	050YR24HR	12.1765	-20	0.000	0.0000	18.19	0.0000	18.19
GB630P2	GROOVER	100YR24HR	20.1301	-42	0.000	0.0000	18.19	0.0000	18.19
GB630P2	GROOVER	500YR24HR	23.6216	-49	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.19	0.0000	18.19
GB630W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.19	71.9998	22.99
GB630W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.19	72.0003	22.99
GB630W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.19	72.0000	22.99
GB630W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.19	72.0000	22.99
GB630W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.19	72.0004	22.99
GB630W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.19	72.0000	23.00
GB640C	GROOVER	002YR24HR	1.4483	-0	0.000	0.0000	18.69	0.0000	18.45
GB640C	GROOVER	010YR24HR	1.4483	-0	0.000	0.0000	18.69	0.0000	18.45
GB640C	GROOVER	025YR24HR	1.4483	-0	0.000	0.0000	18.69	0.0000	18.45
GB640C	GROOVER	050YR24HR	1.4483	-0	0.000	0.0000	18.69	0.0000	18.45
GB640C	GROOVER	100YR24HR	1.4481	-0	0.000	0.0000	18.69	0.0000	18.45
GB640C	GROOVER	500YR24HR	1.4466	-0	0.000	0.0000	18.69	0.0000	18.45
GB640W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	23.00
GB640W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB640W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB640W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB640W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB640W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB640W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.69	0.0000	18.45
GB645C	GROOVER	002YR24HR	12.3218	-4	0.000	0.0000	19.52	0.0000	18.69
GB645C	GROOVER	010YR24HR	6.0197	-0	0.000	0.0000	19.52	0.0000	18.69
GB645C	GROOVER	025YR24HR	5.3944	-1	0.000	0.0000	19.52	0.0000	18.69
GB645C	GROOVER	050YR24HR	5.0706	-1	0.000	0.0000	19.52	0.0000	18.69
GB645C	GROOVER	100YR24HR	4.8290	-1	0.000	0.0000	19.52	0.0000	18.69
GB645C	GROOVER	500YR24HR	4.3611	-1	0.000	0.0000	19.52	0.0000	18.69
GB645W1	GROOVER	002YR24HR	14.4908	-24	0.000	0.0000	19.52	0.0000	24.00
GB645W1	GROOVER	010YR24HR	14.1168	-47	0.000	0.0000	19.52	0.0000	24.00
GB645W1	GROOVER	025YR24HR	13.9614	-62	0.000	0.0000	19.52	0.0000	24.00
GB645W1	GROOVER	050YR24HR	13.8780	-73	0.000	0.0000	19.52	0.0000	24.00
GB645W1	GROOVER	100YR24HR	13.7908	-84	0.000	0.0000	19.52	0.0000	24.00
GB645W1	GROOVER	500YR24HR	13.4026	-109	0.000	0.0000	19.52	0.0000	24.00
GB645W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB645W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB646D	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB646D	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB646D	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB646D	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB646D	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB646D	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	23.00	0.0000	19.52
GB647C	GROOVER	002YR24HR	8.3132	-0	0.000	0.0000	19.52	0.0000	19.52
GB647C	GROOVER	010YR24HR	6.6102	-1	0.000	0.0000	19.52	0.0000	19.52
GB647C	GROOVER	025YR24HR	5.8233	-1	0.000	0.0000	19.52	0.0000	19.52
GB647C	GROOVER	050YR24HR	5.5047	-1	0.000	0.0000	19.52	0.0000	19.52

Ormond Crossings FEMA Floodplain Study
Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB647C	GROOVER	100YR24HR	5.2084	-1	0.000	0.0000	19.52	0.0000	19.52
GB647C	GROOVER	500YR24HR	4.6548	-1	0.000	0.0000	19.52	0.0000	19.52
GB647W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	18.69
GB647W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB647W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB647W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB647W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB647W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB647W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	23.00
GB648W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB648W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	19.52	0.0000	19.52
GB649C	GROOVER	002YR24HR	3.7342	0	0.000	3.7342	19.91	3.7342	19.28
GB649C	GROOVER	010YR24HR	2.7945	0	0.000	2.7945	19.91	2.7945	19.28
GB649C	GROOVER	025YR24HR	2.4457	0	0.000	2.4457	19.91	2.4457	19.28
GB649C	GROOVER	050YR24HR	2.2629	0	0.000	2.2629	19.91	2.2629	19.28
GB649C	GROOVER	100YR24HR	2.1078	0	0.000	2.1078	19.91	2.1078	19.28
GB649C	GROOVER	500YR24HR	30.5030	-0	0.000	1.8236	19.91	1.8236	19.28
GB649W1	GROOVER	002YR24HR	0.0000	0	0.000	3.7342	19.91	0.0000	23.00
GB649W1	GROOVER	010YR24HR	0.0000	0	0.000	2.7945	19.91	0.0000	23.00
GB649W1	GROOVER	025YR24HR	0.0000	0	0.000	2.4457	19.91	0.0000	23.00
GB649W1	GROOVER	050YR24HR	0.0000	0	0.000	2.2629	19.91	0.0000	23.00
GB649W1	GROOVER	100YR24HR	0.0000	0	0.000	2.1078	19.91	0.0000	23.00
GB649W1	GROOVER	500YR24HR	0.0000	0	0.000	1.8236	19.91	0.0000	23.00
GB649W2	GROOVER	002YR24HR	0.0000	0	0.000	3.7342	19.91	0.0000	19.52
GB649W2	GROOVER	010YR24HR	0.0000	0	0.000	2.7945	19.91	0.0000	19.52
GB649W2	GROOVER	025YR24HR	0.0000	0	0.000	2.4457	19.91	0.0000	19.52
GB649W2	GROOVER	050YR24HR	0.0000	0	0.000	2.2629	19.91	0.0000	19.52
GB649W2	GROOVER	100YR24HR	0.0000	0	0.000	2.1078	19.91	0.0000	19.52
GB649W2	GROOVER	500YR24HR	0.0000	0	0.000	1.8236	19.91	0.0000	19.52
GB649W3	GROOVER	002YR24HR	0.0000	0	0.000	3.7342	19.91	0.0000	19.52
GB649W3	GROOVER	010YR24HR	0.0000	0	0.000	2.7945	19.91	0.0000	19.52
GB649W3	GROOVER	025YR24HR	0.0000	0	0.000	2.4457	19.91	0.0000	19.52
GB649W3	GROOVER	050YR24HR	0.0000	0	0.000	2.2629	19.91	0.0000	19.52
GB649W3	GROOVER	100YR24HR	0.0000	0	0.000	2.1078	19.91	0.0000	19.52
GB649W3	GROOVER	500YR24HR	0.0000	0	0.000	1.8236	19.91	0.0000	19.52
GB650C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.82	2.7518	19.91
GB650C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.82	2.0243	19.91
GB650C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.82	1.7660	19.91
GB650C	GROOVER	050YR24HR	20.0162	-1	0.000	0.0000	20.82	1.6341	19.91
GB650C	GROOVER	100YR24HR	20.4037	-2	0.000	0.0000	20.82	1.5243	19.91
GB650C	GROOVER	500YR24HR	22.7284	-3	0.000	0.0000	20.82	1.3285	19.91
GB650W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.82	3.7342	19.91
GB650W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.82	2.7945	19.91

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB650W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.82	2.4457	19.91
GB650W1	GROOVER	050YR24HR	18.8729	-0	0.000	0.0000	20.82	2.2629	19.91
GB650W1	GROOVER	100YR24HR	19.4229	-0	0.000	0.0000	20.82	2.1078	19.91
GB650W1	GROOVER	500YR24HR	20.5967	-0	0.000	0.0000	20.82	1.8236	19.91
GB650W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB650W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB650W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB650W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB650W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB650W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	20.82	0.0000	23.00
GB651W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB651W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB651W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB651W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB651W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB651W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	24.00	0.0000	18.19
GB652W1	GROOVER	002YR24HR	4.7203	-0	0.000	3.8561	24.00	0.0000	24.00
GB652W1	GROOVER	010YR24HR	3.4214	-0	0.000	2.6830	24.00	0.0000	24.00
GB652W1	GROOVER	025YR24HR	2.9302	-0	0.000	2.2639	24.00	0.0000	24.00
GB652W1	GROOVER	050YR24HR	2.6789	-0	0.000	2.0285	24.00	0.0000	24.00
GB652W1	GROOVER	100YR24HR	2.4637	-0	0.000	1.8552	24.00	0.0000	24.00
GB652W1	GROOVER	500YR24HR	2.0974	-0	0.000	1.5351	24.00	0.0000	24.00
GB655C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB655W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	17.00
GB655W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	17.00
GB655W1	GROOVER	025YR24HR	25.5006	-278	0.000	0.0000	9.24	0.0000	17.00
GB655W1	GROOVER	050YR24HR	26.0896	-66	0.000	0.0000	9.24	0.0000	17.00
GB655W1	GROOVER	100YR24HR	31.2999	-285	0.000	0.0000	9.24	0.0000	17.00
GB655W1	GROOVER	500YR24HR	37.3637	-286	0.000	0.0000	9.24	0.0000	17.00
GB655W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	2.4361	10.82
GB655W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	2.4346	10.82
GB655W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	10.82
GB655W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	2.3381	10.82
GB655W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	10.82
GB655W2	GROOVER	500YR24HR	16.7945	-30	0.000	0.0000	9.24	1.7938	10.82
GB658W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB658W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB658W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB658W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB658W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB658W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	21.00
GB659W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	18.00
GB659W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	18.00
GB659W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	18.00
GB659W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	18.00
GB659W1	GROOVER	100YR24HR	28.2141	-3	0.000	0.0000	17.00	0.0000	18.00
GB659W1	GROOVER	500YR24HR	20.6497	-18	0.000	0.0000	17.00	0.0000	18.00
GB659W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	9.24
GB659W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	9.24
GB659W2	GROOVER	025YR24HR	25.1881	-277	0.000	0.0000	17.00	0.0000	9.24
GB659W2	GROOVER	050YR24HR	26.0170	-66	0.000	0.0000	17.00	0.0000	9.24
GB659W2	GROOVER	100YR24HR	31.3242	-280	0.000	0.0000	17.00	0.0000	9.24
GB659W2	GROOVER	500YR24HR	37.3912	-281	0.000	0.0000	17.00	0.0000	9.24
GB660C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB660C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB660C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB660C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB660C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB660C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB661W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	9.24
GB661W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	9.24
GB661W1	GROOVER	025YR24HR	21.4749	-14	0.000	0.0000	18.00	0.0000	9.24
GB661W1	GROOVER	050YR24HR	22.1005	-4	0.000	0.0000	18.00	0.0000	9.24
GB661W1	GROOVER	100YR24HR	19.4134	-25	0.000	0.0000	18.00	0.0000	9.24
GB661W1	GROOVER	500YR24HR	16.9710	-57	0.000	0.0000	18.00	0.0000	9.24

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB661W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	18.00
GB661W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB661W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB661W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB661W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB661W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB661W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	17.00
GB662W1	GROOVER	002YR24HR	12.1722	-1	0.000	0.0000	17.00	0.0000	21.00
GB662W1	GROOVER	010YR24HR	12.1417	-2	0.000	0.0000	17.00	0.0000	21.00
GB662W1	GROOVER	025YR24HR	23.1883	-52	0.000	0.0000	17.00	0.0000	21.00
GB662W1	GROOVER	050YR24HR	25.2801	-17	0.000	0.0000	17.00	0.0000	21.00
GB662W1	GROOVER	100YR24HR	19.3369	-126	0.000	0.0000	17.00	0.0000	21.00
GB662W1	GROOVER	500YR24HR	16.9222	-238	0.000	0.0000	17.00	0.0000	21.00
GB663W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB663W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	21.00	0.0000	9.24
GB663W1	GROOVER	025YR24HR	23.1948	-54	0.000	0.0000	21.00	0.0000	9.24
GB663W1	GROOVER	050YR24HR	25.1237	-17	0.000	0.0000	21.00	0.0000	9.24
GB663W1	GROOVER	100YR24HR	19.3422	-139	0.000	0.0000	21.00	0.0000	9.24
GB663W1	GROOVER	500YR24HR	16.9259	-263	0.000	0.0000	21.00	0.0000	9.24
GB664W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.00	0.0000	9.24
GB664W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.00	0.0000	9.24
GB664W1	GROOVER	025YR24HR	24.9482	-16	0.000	0.0000	16.00	0.0000	9.24
GB664W1	GROOVER	050YR24HR	25.2044	-1	0.000	0.0000	16.00	0.0000	9.24
GB664W1	GROOVER	100YR24HR	21.9346	-65	0.000	0.0000	16.00	0.0000	9.24
GB664W1	GROOVER	500YR24HR	18.3352	-144	0.000	0.0000	16.00	0.0000	9.24
GB665C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB665W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	9.24	0.0000	9.24
GB668W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	16.00
GB668W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	16.00
GB668W1	GROOVER	025YR24HR	25.2260	-16	0.000	0.0000	17.00	0.0000	16.00
GB668W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	16.00
GB668W1	GROOVER	100YR24HR	20.1042	-47	0.000	0.0000	17.00	0.0000	16.00
GB668W1	GROOVER	500YR24HR	17.2745	-78	0.000	0.0000	17.00	0.0000	16.00
GB670BR	GROOVER	002YR24HR	1.3910	0	0.000	1.3544	10.48	0.0000	9.24
GB670BR	GROOVER	010YR24HR	1.1822	0	0.000	1.1613	10.50	0.0000	9.24
GB670BR	GROOVER	025YR24HR	1.0897	0	0.000	1.0710	10.52	0.0000	9.24
GB670BR	GROOVER	050YR24HR	1.0381	0	0.000	1.0204	10.53	0.0000	9.24
GB670BR	GROOVER	100YR24HR	0.9925	0	0.000	0.9755	10.54	0.0000	9.24
GB670BR	GROOVER	500YR24HR	0.9051	0	0.000	0.8897	10.55	0.0000	9.24
GB670W2	GROOVER	002YR24HR	0.0000	0	0.000	1.3544	10.48	0.0000	9.24
GB670W2	GROOVER	010YR24HR	0.0000	0	0.000	1.1613	10.50	0.0000	9.24
GB670W2	GROOVER	025YR24HR	0.0000	0	0.000	1.0710	10.52	0.0000	9.24
GB670W2	GROOVER	050YR24HR	0.0000	0	0.000	1.0204	10.53	0.0000	9.24
GB670W2	GROOVER	100YR24HR	0.0000	0	0.000	0.9755	10.54	0.0000	9.24
GB670W2	GROOVER	500YR24HR	0.0000	0	0.000	0.8897	10.55	0.0000	9.24
GB671W1	GROOVER	002YR24HR	5.2726	0	0.000	5.2726	25.00	0.0000	18.00
GB671W1	GROOVER	010YR24HR	3.7662	0	0.000	3.7662	25.00	0.0000	18.00
GB671W1	GROOVER	025YR24HR	3.2007	0	0.000	3.2007	25.00	0.0000	18.00
GB671W1	GROOVER	050YR24HR	2.9252	0	0.000	2.9252	25.00	0.0000	18.00
GB671W1	GROOVER	100YR24HR	2.6730	0	0.000	2.6730	25.00	0.0000	18.00
GB671W1	GROOVER	500YR24HR	2.2532	0	0.000	2.2532	25.00	0.0000	18.00
GB671W2	GROOVER	002YR24HR	0.0000	0	0.000	5.2726	25.00	0.0000	9.24
GB671W2	GROOVER	010YR24HR	0.0000	0	0.000	3.7662	25.00	0.0000	9.24
GB671W2	GROOVER	025YR24HR	0.0000	0	0.000	3.2007	25.00	0.0000	9.24
GB671W2	GROOVER	050YR24HR	0.0000	0	0.000	2.9252	25.00	0.0000	9.24
GB671W2	GROOVER	100YR24HR	0.0000	0	0.000	2.6730	25.00	0.0000	9.24

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
GB671W2	GROOVER	500YR24HR	0.0000	0	0.000	2.2532	25.00	0.0000	9.24
GB672W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	25.00	5.2726	25.00
GB672W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	25.00	3.7662	25.00
GB672W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	25.00	3.2007	25.00
GB672W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	25.00	2.9252	25.00
GB672W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	25.00	2.6730	25.00
GB672W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	25.00	2.2532	25.00
GB672W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB672W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB672W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB672W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB672W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB672W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	16.00
GB673W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.00	1.3544	10.48
GB673W1	GROOVER	010YR24HR	27.3138	-36	0.000	0.0000	16.00	1.1613	10.50
GB673W1	GROOVER	025YR24HR	20.5419	-246	0.000	0.0000	16.00	1.0710	10.52
GB673W1	GROOVER	050YR24HR	19.4465	-87	0.000	0.0000	16.00	1.0204	10.53
GB673W1	GROOVER	100YR24HR	17.6760	-248	0.000	0.0000	16.00	0.9755	10.54
GB673W1	GROOVER	500YR24HR	15.7759	-255	0.000	0.0000	16.00	0.8897	10.55
GB675C	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.70	0.7204	10.29
GB675C	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.70	0.7204	10.29
GB675C	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.70	0.7180	10.29
GB675C	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.70	0.7128	10.29
GB675C	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.70	0.7045	10.29
GB675C	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.70	0.6623	10.29
GB675W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	11.70	1.3544	10.48
GB675W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	11.70	1.1613	10.50
GB675W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	11.70	1.0710	10.52
GB675W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	11.70	1.0204	10.53
GB675W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	11.70	0.9755	10.54
GB675W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	11.70	0.8897	10.55
GB678W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	11.70
GB678W1	GROOVER	010YR24HR	29.7306	-43	0.000	0.0000	17.00	0.0000	11.70
GB678W1	GROOVER	025YR24HR	21.3229	-198	0.000	0.0000	17.00	0.0000	11.70
GB678W1	GROOVER	050YR24HR	22.4830	-157	0.000	0.0000	17.00	0.0000	11.70
GB678W1	GROOVER	100YR24HR	21.6258	-440	0.000	0.0000	17.00	0.0000	11.70
GB678W1	GROOVER	500YR24HR	19.2870	-954	0.000	0.0000	17.00	0.0000	11.70
GB678W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	1.3544	10.48
GB678W2	GROOVER	010YR24HR	21.5588	-27	0.000	0.0000	17.00	1.1613	10.50
GB678W2	GROOVER	025YR24HR	18.0357	-48	0.000	0.0000	17.00	1.0710	10.52
GB678W2	GROOVER	050YR24HR	16.7281	-59	0.000	0.0000	17.00	1.0204	10.53
GB678W2	GROOVER	100YR24HR	15.7703	-77	0.000	0.0000	17.00	0.9755	10.54
GB678W2	GROOVER	500YR24HR	14.4956	-110	0.000	0.0000	17.00	0.8897	10.55
HC005W	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HC005W	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HC005W	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HC005W	HUNTERS RIDGE	050YR24HR	0.0000	-11	0.000	0.0000	25.00	0.0000	25.00
HC005W	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HC005W	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	002YR24HR	2.0164	-0	0.000	2.0164	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	010YR24HR	1.3475	-0	0.000	1.3475	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	025YR24HR	1.2560	-0	0.000	1.2560	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	050YR24HR	0.0000	-52	0.000	0.0000	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	100YR24HR	1.0001	-0	0.000	1.0001	25.00	0.0000	25.00
HC010W1	HUNTERS RIDGE	500YR24HR	0.7501	-0	0.000	0.7501	25.00	0.0000	25.00
HC010W2	HUNTERS RIDGE	002YR24HR	24.0247	-3	0.000	2.0164	25.00	0.7501	25.00
HC010W2	HUNTERS RIDGE	010YR24HR	20.1322	-16	0.000	1.3475	25.00	0.5148	25.00
HC010W2	HUNTERS RIDGE	025YR24HR	18.7106	-30	0.000	1.2560	25.00	0.2502	25.00
HC010W2	HUNTERS RIDGE	050YR24HR	17.6904	-44	0.000	0.0000	25.00	0.2502	25.00
HC010W2	HUNTERS RIDGE	100YR24HR	17.5272	-55	0.000	1.0001	25.00	0.2502	25.00
HC010W2	HUNTERS RIDGE	500YR24HR	16.6838	-90	0.000	0.7501	25.00	0.2502	25.00
HC015W1	HUNTERS RIDGE	002YR24HR	13.0291	-4	0.000	0.7501	25.00	0.0000	25.00
HC015W1	HUNTERS RIDGE	010YR24HR	19.6790	-25	0.000	0.5148	25.00	0.5012	25.00
HC015W1	HUNTERS RIDGE	025YR24HR	18.5509	-48	0.000	0.2502	25.00	0.0000	25.00
HC015W1	HUNTERS RIDGE	050YR24HR	17.4065	-72	0.000	0.2502	25.00	0.0000	25.00
HC015W1	HUNTERS RIDGE	100YR24HR	17.3368	-92	0.000	0.2502	25.00	0.0000	25.00
HC015W1	HUNTERS RIDGE	500YR24HR	16.4265	-149	0.000	0.2502	25.00	0.0000	25.00
HC015W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.7501	25.00	2.0030	24.25
HC015W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.5148	25.00	1.2535	24.25
HC015W2	HUNTERS RIDGE	025YR24HR	51.8012	-0	0.000	0.2502	25.00	0.0000	24.25

Singhofen & Associates, Inc.
 June 2009

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
HC015W2	HUNTERS RIDGE	050YR24HR	52.0107	-0	0.000	0.2502	25.00	0.0000	24.25
HC015W2	HUNTERS RIDGE	100YR24HR	52.3311	-0	0.000	0.2502	25.00	0.0000	24.25
HC015W2	HUNTERS RIDGE	500YR24HR	52.9335	-0	0.000	0.2502	25.00	0.0000	24.25
HC017W1	HUNTERS RIDGE	002YR24HR	27.7542	-7	0.000	0.0000	25.00	0.7501	25.00
HC017W1	HUNTERS RIDGE	010YR24HR	20.3408	-23	0.000	0.0000	25.00	0.5148	25.00
HC017W1	HUNTERS RIDGE	025YR24HR	19.1789	-36	0.000	0.0000	25.00	0.2502	25.00
HC017W1	HUNTERS RIDGE	050YR24HR	17.5766	-45	0.000	0.0000	25.00	0.2502	25.00
HC017W1	HUNTERS RIDGE	100YR24HR	17.5428	-55	0.000	0.0000	25.00	0.2502	25.00
HC017W1	HUNTERS RIDGE	500YR24HR	16.5416	-77	0.000	0.0000	25.00	0.2502	25.00
HC017W2	HUNTERS RIDGE	002YR24HR	23.9366	-10	0.000	2.0164	25.00	0.0000	25.00
HC017W2	HUNTERS RIDGE	010YR24HR	20.1435	-35	0.000	1.3475	25.00	0.0000	25.00
HC017W2	HUNTERS RIDGE	025YR24HR	18.6485	-56	0.000	1.2560	25.00	0.0000	25.00
HC017W2	HUNTERS RIDGE	050YR24HR	17.4430	-74	0.000	0.0000	25.00	0.0000	25.00
HC017W2	HUNTERS RIDGE	100YR24HR	17.4147	-91	0.000	1.0001	25.00	0.0000	25.00
HC017W2	HUNTERS RIDGE	500YR24HR	16.5352	-137	0.000	0.7501	25.00	0.0000	25.00
HC017W3	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	2.0030	24.25
HC017W3	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	1.2535	24.25
HC017W3	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.25
HC017W3	HUNTERS RIDGE	050YR24HR	52.3004	-0	0.000	0.0000	25.00	0.0000	24.25
HC017W3	HUNTERS RIDGE	100YR24HR	52.5826	-0	0.000	0.0000	25.00	0.0000	24.25
HC017W3	HUNTERS RIDGE	500YR24HR	53.1421	-0	0.000	0.0000	25.00	0.0000	24.25
HC020P	HUNTERS RIDGE	002YR24HR	18.6521	-0	0.000	0.0000	25.00	0.0000	25.00
HC020P	HUNTERS RIDGE	010YR24HR	16.0584	-1	0.000	0.5012	25.00	0.0000	25.00
HC020P	HUNTERS RIDGE	025YR24HR	15.4258	-1	0.000	0.0000	25.00	0.0000	25.00
HC020P	HUNTERS RIDGE	050YR24HR	14.1319	-2	0.000	0.0000	25.00	0.0000	25.00
HC020P	HUNTERS RIDGE	100YR24HR	16.9585	-2	0.000	0.0000	25.00	0.0000	25.00
HC020P	HUNTERS RIDGE	500YR24HR	16.2661	-2	0.000	0.0000	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	002YR24HR	18.7151	-3	0.000	0.0000	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	010YR24HR	16.3187	-26	0.000	0.5012	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	025YR24HR	16.1536	-41	0.000	0.0000	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	050YR24HR	17.0029	-61	0.000	0.0000	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	100YR24HR	16.9829	-77	0.000	0.0000	25.00	0.0000	25.00
HC020W1	HUNTERS RIDGE	500YR24HR	16.2700	-125	0.000	0.0000	25.00	0.0000	25.00
HC020W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	2.0030	24.25
HC020W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.5012	25.00	1.2535	24.25
HC020W2	HUNTERS RIDGE	025YR24HR	51.4834	-0	0.000	0.0000	25.00	0.0000	24.25
HC020W2	HUNTERS RIDGE	050YR24HR	51.6775	-0	0.000	0.0000	25.00	0.0000	24.25
HC020W2	HUNTERS RIDGE	100YR24HR	51.9006	-0	0.000	0.0000	25.00	0.0000	24.25
HC020W2	HUNTERS RIDGE	500YR24HR	52.3813	-0	0.000	0.0000	25.00	0.0000	24.25
HC025W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.00
HC025W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.50
HC025W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.50
HC025W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.50
HC025W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.75	0.0000	25.50
HC025W2	HUNTERS RIDGE	100YR24HR	16.3763	-0	0.000	0.0000	25.75	0.0000	25.50
HC025W2	HUNTERS RIDGE	500YR24HR	15.4499	-0	0.000	0.0000	25.75	0.0000	25.50
HC105W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	23.75
HC105W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.50
HC105W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.50
HC105W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.50
HC105W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.50
HC105W2	HUNTERS RIDGE	100YR24HR	16.3614	-0	0.000	0.0000	25.10	0.0000	25.50
HC105W2	HUNTERS RIDGE	500YR24HR	15.4603	-0	0.000	0.0000	25.10	0.0000	25.50
HC105W3	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC105W3	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC105W3	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC105W3	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC105W3	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC105W3	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.10	0.0000	25.00
HC110W1	HUNTERS RIDGE	002YR24HR	14.6533	-7	0.000	0.0000	25.50	0.0000	25.50

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
HC110W1	HUNTERS RIDGE	010YR24HR	13.7055	-21	0.000	0.0000	25.50	0.0000	25.50
HC110W1	HUNTERS RIDGE	025YR24HR	13.3883	-32	0.000	0.0000	25.50	0.0000	25.50
HC110W1	HUNTERS RIDGE	050YR24HR	13.2297	-40	0.000	0.0000	25.50	0.0000	25.50
HC110W1	HUNTERS RIDGE	100YR24HR	13.0952	-48	0.000	0.0000	25.50	0.0000	25.50
HC110W1	HUNTERS RIDGE	500YR24HR	12.8508	-61	0.000	0.0000	25.50	0.0000	25.50
HC110W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC110W3	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC110W3	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC110W3	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC110W3	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC110W3	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC110W3	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	002YR24HR	24.0781	-0	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	010YR24HR	17.5681	-6	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	025YR24HR	16.5672	-11	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	050YR24HR	16.3033	-16	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	100YR24HR	16.1551	-22	0.000	0.0000	25.50	0.0000	25.50
HC115W1	HUNTERS RIDGE	500YR24HR	15.5301	-48	0.000	0.0000	25.50	0.0000	25.50
HC115W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC115W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC115W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC115W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC115W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC115W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.10
HC120W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
HC120W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
HC120W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
HC120W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.70
HC120W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
HC120W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.50	0.0000	25.00
HR270P	HUNTERS RIDGE	002YR24HR	13.4919	-7	0.000	0.0148	20.92	0.0000	20.92
HR270P	HUNTERS RIDGE	010YR24HR	30.5829	-7	0.000	0.0148	20.92	0.0000	20.92
HR270P	HUNTERS RIDGE	025YR24HR	32.3319	-7	0.000	0.0148	20.92	0.0000	20.92
HR270P	HUNTERS RIDGE	050YR24HR	32.6668	-7	0.000	0.0148	20.92	0.0000	20.92
HR270P	HUNTERS RIDGE	100YR24HR	35.2757	-7	0.000	0.0148	20.92	0.0000	20.92
HR270P	HUNTERS RIDGE	500YR24HR	11.4236	-7	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	002YR24HR	16.9646	-22	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	010YR24HR	19.1252	-46	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	025YR24HR	18.3672	-72	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	050YR24HR	17.1937	-102	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	100YR24HR	16.4494	-124	0.000	0.0148	20.92	0.0000	20.92
HR270W1	HUNTERS RIDGE	500YR24HR	15.0894	-167	0.000	0.0148	20.92	0.0000	20.92
HR270W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	16.01
HR270W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	16.01
HR270W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	16.01
HR270W2	HUNTERS RIDGE	050YR24HR	14.0834	-4	0.000	0.0148	20.92	0.0000	16.01
HR270W2	HUNTERS RIDGE	100YR24HR	13.8774	-29	0.000	0.0148	20.92	0.0000	16.01
HR270W2	HUNTERS RIDGE	500YR24HR	13.3690	-122	0.000	0.0148	20.92	0.0000	16.01
HR275P	HUNTERS RIDGE	002YR24HR	13.0051	-13	0.000	0.0000	20.92	0.0148	20.92
HR275P	HUNTERS RIDGE	010YR24HR	13.1269	-16	0.000	0.0000	20.92	0.0148	20.92
HR275P	HUNTERS RIDGE	025YR24HR	13.1266	-17	0.000	0.0000	20.92	0.0148	20.92
HR275P	HUNTERS RIDGE	050YR24HR	12.9920	-18	0.000	0.0000	20.92	0.0148	20.92
HR275P	HUNTERS RIDGE	100YR24HR	12.8769	-17	0.000	0.0000	20.92	0.0148	20.92
HR275P	HUNTERS RIDGE	500YR24HR	12.7529	-17	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	025YR24HR	15.2803	-29	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	050YR24HR	16.9657	-43	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	100YR24HR	16.4270	-60	0.000	0.0000	20.92	0.0148	20.92
HR275W1	HUNTERS RIDGE	500YR24HR	15.0787	-98	0.000	0.0000	20.92	0.0148	20.92
HR280P1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
HR280P2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280P3	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	20.00
HR280W2A	HUNTERS RIDGE	002YR24HR	21.3332	-11	0.000	0.0148	20.92	7.2140	24.70
HR280W2A	HUNTERS RIDGE	010YR24HR	17.0467	-33	0.000	0.0148	20.92	5.4155	24.70
HR280W2A	HUNTERS RIDGE	025YR24HR	16.1500	-49	0.000	0.0148	20.92	4.7443	24.70
HR280W2A	HUNTERS RIDGE	050YR24HR	15.7510	-60	0.000	0.0148	20.92	4.3764	24.70
HR280W2A	HUNTERS RIDGE	100YR24HR	15.4363	-71	0.000	0.0148	20.92	4.0734	24.70
HR280W2A	HUNTERS RIDGE	500YR24HR	14.9704	-98	0.000	0.0148	20.92	3.5206	24.70
HR280W3A	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR280W3A	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR280W3A	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR280W3A	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR280W3A	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR280W3A	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0148	20.92	0.0000	7.76
HR281W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR281W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	20.00	0.0000	15.19
HR283P1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283P2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR283W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	15.19	0.0000	1.00
HR284P	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284P	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284P	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284P	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284P	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284P	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
HR284W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR284W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	17.74	0.0000	1.00
HR285W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	7.2140	24.70	0.0000	17.74
HR285W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	5.4155	24.70	0.0000	17.74
HR285W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	4.7443	24.70	0.0000	17.74
HR285W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	4.3764	24.70	0.0000	17.74
HR285W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	4.0734	24.70	0.0000	17.74
HR285W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	3.5206	24.70	0.0000	17.74
HR286P	HUNTERS RIDGE	002YR24HR	71.9998	0	0.000	71.9998	19.00	1.9820	19.00
HR286P	HUNTERS RIDGE	010YR24HR	72.0003	0	0.000	72.0003	19.00	1.9820	19.00
HR286P	HUNTERS RIDGE	025YR24HR	72.0000	0	0.000	72.0000	19.00	1.9820	19.00
HR286P	HUNTERS RIDGE	050YR24HR	72.0000	0	0.000	72.0000	19.00	1.9820	19.00
HR286P	HUNTERS RIDGE	100YR24HR	72.0004	0	0.000	72.0004	19.00	1.9820	19.00
HR286P	HUNTERS RIDGE	500YR24HR	72.0000	0	0.000	72.0000	19.00	1.9820	19.00
HR286W1	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	71.9998	19.00	0.0000	17.74
HR286W1	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	72.0003	19.00	0.0000	17.74
HR286W1	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	72.0000	19.00	0.0000	17.74
HR286W1	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	72.0000	19.00	0.0000	17.74
HR286W1	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	72.0004	19.00	0.0000	17.74
HR286W1	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	72.0000	19.00	0.0000	17.74
HR286W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	71.9998	19.00	7.2140	24.70
HR286W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	72.0003	19.00	5.4155	24.70
HR286W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	72.0000	19.00	4.7443	24.70
HR286W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	72.0000	19.00	4.3764	24.70
HR286W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	72.0004	19.00	4.0734	24.70
HR286W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	72.0000	19.00	3.5206	24.70
HR287W	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	7.2140	24.70
HR287W	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	5.4155	24.70
HR287W	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	4.7443	24.70
HR287W	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.00	4.3764	24.70
HR287W	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.00	4.0734	24.70
HR287W	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.00	3.5206	24.70
HR287W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	71.9998	19.00
HR287W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	72.0003	19.00
HR287W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	19.00
HR287W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	19.00
HR287W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.00	72.0004	19.00
HR287W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.00	72.0000	19.00
HR287W3	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR287W3	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR287W3	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR287W3	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR287W3	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR287W3	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	24.00
HR288W1	HUNTERS RIDGE	002YR24HR	16.2638	-17	0.000	0.0000	25.00	0.0000	25.00
HR288W1	HUNTERS RIDGE	010YR24HR	15.5849	-30	0.000	0.0000	25.00	0.0000	25.00
HR288W1	HUNTERS RIDGE	025YR24HR	15.2872	-38	0.000	0.0000	25.00	0.0000	25.00
HR288W1	HUNTERS RIDGE	050YR24HR	15.1380	-44	0.000	0.0000	25.00	0.0000	25.00
HR288W1	HUNTERS RIDGE	100YR24HR	14.9916	-50	0.000	0.0000	25.00	0.0000	25.00
HR288W1	HUNTERS RIDGE	500YR24HR	14.2111	-64	0.000	0.0000	25.00	0.0000	25.00
HR288W2	HUNTERS RIDGE	002YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HR288W2	HUNTERS RIDGE	010YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HR288W2	HUNTERS RIDGE	025YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HR288W2	HUNTERS RIDGE	050YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.70
HR288W2	HUNTERS RIDGE	100YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
HR288W2	HUNTERS RIDGE	500YR24HR	0.0000	0	0.000	0.0000	25.00	0.0000	25.00
SP005D1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005D3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64

Ormond Crossings FEMA Floodplain Study
 Link Minimum Conditions Comparison Report

Name	Group	Simulation	Min Time Flow hrs	Min Flow cfs	Min Delta Q cfs	Min Time US Stage hrs	Min US Stage ft	Min Time DS Stage ft	Min DS Stage ft
SP005D3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005D3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	16.50
SP005W3	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W3	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W3	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W3	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W3	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SP005W3	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	18.00	0.0000	5.64
SR005W1	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W1	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W1	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W1	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W1	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W1	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
SR005W2	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	17.00	0.0000	15.10
TC005D	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005D	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005D	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005D	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005D	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005D	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	002YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	010YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	025YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	050YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	100YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79
TC005W	GROOVER	500YR24HR	0.0000	0	0.000	0.0000	16.50	0.0000	11.79